Building Condition Assessment Survey 2023 - 2024

Electrical Inspection Q049

Asset:	P.S. 49 ADDITI	ON - QUE	ENS, 63-60 801	H STREET,	New York, 1137	/9	
Inspection Id	Inspection Type	e				Time In	Last Edited
EE: Q049	Electrical					2023-11-20 8:04 AM	2024-06-17 9:47 Al
set Data							
Question					Answer		
Type of Service					Below Gro	ound	
Does Interactive	Whiteboard (IWB)	Exist?			Yes		
Water Penetration	n in Electrical Roo	m?			No		
Have any Systems/Major Building Components been upgraded?			Yes				
					Systems:	Fire Alarm System (CO Detecto	or)
					Years:	2023	
					Systems:	LAN	
					Years:	2022	
					Systems:	Gymnasium (Scoreboard)	
					Years:	2021	
					Systems:	Gymnasium (Theater Lighting S System	System), Fire Alarm
					Years:	2019	
					Systems:	Motor Controller (Variable Free Lab, Cafeteria (Lighting), LED	
					Years:	2017	
					Systems:	Emergency Generator Set	
					Years:	2009, 2019	
					Systems:	Interior Fluorescent Lighting, So Switchboard	ervice Switch,
					Years:	2009, 2017	
					Systems:	Most Fused Disconnect Switch of Other Electrical Systems and Co	* *
					Years:	2009	
					Systems:	Most Molded Case Circuit Brea	ker Type Panel Board
					Years:	2000, 2009, 2017	
					Systems:	Security Lights	
					Years:	1999, 2009, 2017	
DEDICATED II	NTERCOMS IN I	FIRE RESC	UE AREAS				
Question					Response		
	fe Rescue Assistan Rooms in your buil		re Rescue Areas,		Yes		
Are dedicated during a fire?		ole in all of the	nese spaces for use		Yes		
Are all de	edicated intercoms	operational?			Yes		
iority Condition	1						
Priority Pr Condition Exist Ca	•	ndition scription	Component Affected	Location Description	Person(s) Notified	Person(s) Title Status	PhotoImage

Priority Condition Exist Last Year?	Priority Category	Condition Description	Component Affected	Location Description	Person(s) Notified	Person(s) Title	Status	PhotoImage
No	Water Leaks onto Electrical Equipment	N/A	Lighting Fixture	1st Floor Corridor Stair C/D	Florian Gildau	Custodian	Sent to DSF	
Yes	Lightning Protection - Lightning Air Terminal (Rod) Defective	N/A	LIGHTNING PROTECTION	Roof (Above RTU-1, Above TEF-5), Roof Perimeter	Florian Gildau	Custodian	Sent to DSF	
Yes	Emergency Generator - Not Operational	N/A	EMERGENCY GENERATOR SET Diesel	Generator Room 002	Florian Gildau	Custodian	Sent to DSF	

Inspection

Building Condition Assessment Survey 2023 - 2024

uestion	Response	
lectrical		
AUDITORIUM	Does not Exist	
CAFETERIA	Inspected	
Instance on 1st Floor	Inspected	
Lighting	Inspected	
Instance on 1st Floor	Inspected	
Lighting Fixture - Fluorescent		
Instance on 1st Floor	Inspected	
Pendant Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Surface Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Recessed Mounted	Inspected	
Instance on 1st Floor	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Lighting Fixture - HID		
Instance on 1st Floor	Does not Exist	
Lighting Fixture - Incandescent		
Instance on 1st Floor	Does not Exist	
Lighting Fixture - LED		
Instance on 1st Floor	Inspected	
Pendant Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Surface Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Recessed Mounted	Inspected	
Instance on 1st Floor	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Local Sound System	Inspected	
Instance on 1st Floor	Inspected	
Installation Year	2009	
Source of Installation	Documented	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Projection System	Does not Exist	
Instance on 1st Floor	Does not Exist	
Theater Lighting System	Does not Exist	
Instance on 1st Floor	Does not Exist	
CLASSROOM/CORRIDOR/ADMINISTRATIVE SPACE	Inspected	
Lighting	Inspected	
Does a Chandelier exist?	No	
Lighting Fixture - Fluorescent	Inspected	
Pendant Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE	
Deficiency Quantity	3	
Quantity Uom	EACH	

Building Condition Assessment Survey 2023 - 2024

urear inspection		
uestion	Response	
CLASSROOM/CORRIDOR/ADMINISTRATIVE SPACE		
Lighting		
Lighting Fixture - Fluorescent		
Pendant Mounted		
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Surface Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE	
Deficiency Quantity	4	
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Recessed Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE	
Deficiency Quantity	1	
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Lighting Fixture - HID	Does not Exist	
Lighting Fixture - Incandescent	Does not Exist	
Lighting Fixture - LED	Inspected	
Pendant Mounted	Does not Exist	
Surface Mounted	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Recessed Mounted	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
COMPUTER LAB	Inspected	
Instance on Room 272	Inspected	
Power Panel	Yes	
Lighting	Inspected	
Instance on Room 272	Inspected	
Lighting Fixture - Fluorescent	·r.	
Instance on Room 272	Inspected	
Pendant Mounted Instance on Room 272	Inspected	
Condition	Inspected 2 - Between Good and Fair	

Building Condition Assessment Survey 2023 - 2024

Question	Resp	ponse
COMPUTER LAB		
Lighting		
Lighting Fixture - Fluorescent		
Pendant Mounted	Inspe	ected
Deficiency	No d	leficiencies recorded
Surface Mounted	Does	s not Exist
Instance on Room 272	Does	s not Exist
Recessed Mounted	Does	s not Exist
Instance on Room 272	Does	s not Exist
Lighting Fixture - HID		
Instance on Room 272	Does	s not Exist
Lighting Fixture - Incandescent		
Instance on Room 272	Does	s not Exist
Lighting Fixture - LED		
Instance on Room 272	Does	s not Exist
Raceway With Receptacles	Inspe	ected
Instance on Room 272	Inspe	
Condition		Setween Good and Fair
Deficiency	No d	leficiencies recorded
GYMNASIUM	Inspe	ected
Instance on 2nd Floor	Inspe	ected
Lighting	Inspe	ected
Instance on 2nd Floor	Inspe	
Lighting Fixture - Fluorescent		
Instance on 2nd Floor	Inspe	ected
Pendant Mounted	Inspe	
Instance on 2nd Floor	Inspe	
Condition	3 - F	
Deficiency	No d	leficiencies recorded
Surface Mounted	Inspe	ected
Instance on 2nd Floor	Inspe	
Condition	3 - F	
Deficiency	No d	leficiencies recorded
Recessed Mounted	Inspe	ected
Instance on 2nd Floor	Inspe	ected
Condition	3 - F	air
Deficiency	No d	leficiencies recorded
Lighting Fixture - HID		
Instance on 2nd Floor	Does	s not Exist
Lighting Fixture - Incandescent		
Instance on 2nd Floor	Does	s not Exist
Lighting Fixture - LED		
Instance on 2nd Floor	Does	s not Exist
Local Sound System	Inspe	ected
Instance on 2nd Floor	Inspe	
Installation Year	2009	
Source of Installation	Docu	umented
Condition	3 - F	
Deficiency		leficiencies recorded
Projection System	Inspe	ected
(P)	Page 4 of 21	Print Date: 6/25/2024

Building Condition Assessment Survey 2023 - 2024

nestion	Response	
GYMNASIUM		
Projection System		
Is the projector on a cart or installed on the ceiling?	Ceiling	
Instance on 2nd Floor	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Scoreboard	Inspected	
Instance on 2nd Floor	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Theater Lighting System	Inspected	
Instance on 2nd Floor	Inspected	
Dimming System		
Instance on 2nd Floor	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Theater Lighting		
Instance on 2nd Floor	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
KITCHEN	Inspected	
Instance on 1st Floor	Inspected	
Lighting	Inspected	
Instance on 1st Floor	Inspected	
Lighting Fixture - Fluorescent		
Instance on 1st Floor	Inspected	
Pendant Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Surface Mounted	Does not Exist	
Instance on 1st Floor	Does not Exist	
Recessed Mounted	Inspected	
Instance on 1st Floor	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Lighting Fixture - HID		
Instance on 1st Floor	Does not Exist	
Lighting Fixture - Incandescent		
Instance on 1st Floor	Does not Exist	
Lighting Fixture - LED		
Instance on 1st Floor	Does not Exist	
LIBRARY	Inspected	
Instance on Room 157	Inspected	
Lighting	Inspected	
Instance on Room 157	Inspected	
Lighting Fixture - Fluorescent	· · · · · · · · · · · · · · · · · · ·	
Instance on Room 157	Inspected	
Pendant Mounted	Inspected	
Instance on Room 157		
	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	a. 6/25/20

Building Condition Assessment Survey 2023 - 2024

ireal hispection	4
nestion	Response
LIBRARY	
Lighting	
Lighting Fixture - Fluorescent	
Surface Mounted	Does not Exist
Instance on Room 157	Does not Exist
Recessed Mounted	Inspected
Instance on Room 157	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	
Instance on Room 157	Does not Exist
Lighting Fixture - Incandescent	
Instance on Room 157	Does not Exist
Lighting Fixture - LED	
Instance on Room 157	Does not Exist
Raceway With Receptacles	Inspected
Instance on Room 157	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Projection System	Does not Exist
Instance on Room 157	Does not Exist
LOCKER ROOM	Does not Exist
MULTIPURPOSE ROOM	Does not Exist
SCIENCE DEMO ROOM	Does not Exist
SCIENCE LAB	Inspected
Instance on Room 354	Inspected
Power Panel Alternative use	Yes No
Instance on Room 257	
Power Panel	Inspected Yes
Alternative use	No
Lighting	Inspected
Instance on Room 257	Inspected
Instance on Room 354	Inspected
Lighting Fixture - Fluorescent	•
Instance on Room 257	Inspected
Instance on Room 354	Inspected
Pendant Mounted	Inspected
Instance on Room 257	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Instance on Room 354	Inspected
Condition	3 - Fair
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE
Deficiency Quantity	1
	EACH
Quantity Uom Potential Action	EACH REPLACE BALLAST
LOGINALAVION	NEI LACE DALLAS I
	PRIORITY 3
Urgency of Action Purpose of Action	PRIORITY 3 LEVEL 2

Building Condition Assessment Survey 2023 - 2024

near inspection		Qu
estion	Response	
CIENCE LAB		
Lighting		
Lighting Fixture - Fluorescent		
Pendant Mounted	Inspected	
Violations	No violations recorded.	
Surface Mounted	Does not Exist	
Instance on Room 257	Does not Exist	
Instance on Room 354	Does not Exist	
Recessed Mounted	Does not Exist	
Instance on Room 257	Does not Exist	
Instance on Room 354	Does not Exist	
Lighting Fixture - HID	Does not Exist	
Instance on Room 257	Does not Exist	
Instance on Room 354		
	Does not Exist	
Lighting Fixture - Incandescent	Date (Fig.	
Instance on Room 257	Does not Exist	
Instance on Room 354	Does not Exist	
Lighting Fixture - LED		
Instance on Room 257	Does not Exist	
Instance on Room 354	Does not Exist	
Emergency Gas Shut-Off Valve	Does not Exist	
Instance on Room 257	Does not Exist	
Instance on Room 354	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Emergency Shut-Off Power	Inspected	
Instance on Room 257	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Instance on Room 354	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Power Supply	Does not Exist	
Instance on Room 257	Does not Exist	
Instance on Room 354	Does not Exist	
Projection System	Inspected	
Instance on Room 257	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Instance on Room 354	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
CIENCE PREP ROOM	Inspected	
Instance on Room 356	Inspected	
Power Panel Alternative use	No No	
Instance on Room 257A Power Panel	Inspected No	
Alternative use	No Yes	
Lighting	Inspected	
P)	Page 7 of 21	Print Date: 6/25/20

Building Condition Assessment Survey 2023 - 2024

near mspection	Q _v
estion	Response
CIENCE PREP ROOM	
Lighting	
Instance on Room 257A	Inspected
Instance on Room 356	Inspected
Lighting Fixture - Fluorescent	
Instance on Room 257A	Inspected
Instance on Room 356	Inspected
Pendant Mounted	Does not Exist
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
Surface Mounted	Does not Exist
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
Recessed Mounted	Inspected
Instance on Room 257A	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Instance on Room 356	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
Lighting Fixture - Incandescent	
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
Lighting Fixture - LED	
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
Emergency Gas Shut-Off Valve	Does not Exist
Instance on Room 257A	Does not Exist
Instance on Room 356	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Emergency Shut-Off Power	Does not Exist
Instance on Room 257A	Does not Exist
Instance on Room 356	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Power Supply	Does not Exist
Instance on Room 257A	Does not Exist
Instance on Room 356	Does not Exist
WIMMING POOL	Does not Exist
OILET ROOM - STAFF	Inspected
Lighting	Inspected
	
Lighting Fixture - Fluorescent	Inspected
	

Building Condition Assessment Survey 2023 - 2024

curcar inspection		20-
Question	Response	
TOILET ROOM - STAFF		
Lighting		
Lighting Fixture - Fluorescent		
Surface Mounted	Does not Exist	
Recessed Mounted	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Lighting Fixture - HID	Does not Exist	
Lighting Fixture - Incandescent	Does not Exist	
Lighting Fixture - LED	Does not Exist	
TOILET ROOM - STUDENT	Inspected	
Lighting	Inspected	
Lighting Fixture - Fluorescent	Inspected	
Pendant Mounted	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Surface Mounted	Does not Exist	
Recessed Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFEC	TIVE
Deficiency Quantity	2	
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Lighting Fixture - HID	Does not Exist	
Lighting Fixture - Incandescent	Does not Exist	
Lighting Fixture - LED	Does not Exist	
AUXILIARY SIGNAL/BELL SYSTEM	Inspected	
Replacement Quantity	111,000	
Replacement Uom	S.F.	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
EMERGENCY DC STANDBY BATTERY POWER	Does not Exist	
EMERGENCY GENERATOR SET	Inspected	
Automatic Transfer Switch (ATS)	Inspected	
Instance	Mechanical Room C014	
Instance Condition	1 - Good	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Eaton	
Equipment	Fire Pump Automatic Transfer Switch	
Capacity/Size Quantity	75	
Capacity/Size UOM	НР	
Source of Capacity/Size	Nameplate	
Installation Year	2019	
Source of Installation	Custodial Staff	
(P)	Page 9 of 21	Print Date: 6/25/20

Building Condition Assessment Survey 2023 - 2024

accurcar mspection		Quas
Question	Response	
EMERGENCY GENERATOR SET		
Automatic Transfer Switch (ATS)		
Deficiency	No deficiencies recorded	
Instance	Boiler Room	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Firetrol	
Equipment	Fire Pump Power Transfer Switch	
Capacity/Size Quantity	20	
Capacity/Size UOM	HP	
Source of Capacity/Size	Nameplate	
Installation Year	2009	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Instance	Basement - Room C004	
Instance Condition	1 - Good	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	GE Zenith Controls	
Equipment	Fire Alarm Automatic Transfer Switch	
Capacity/Size Quantity	40	
Capacity/Size UOM	Amps	
Source of Capacity/Size	Nameplate	
Installation Year	2019	
Source of Installation	Custodial Staff	
Deficiency	No deficiencies recorded	
Instance	Basement - Room C004	
Instance Condition	1 - Good	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	GE Zenith Controls	
Equipment	N/A	
Capacity/Size Quantity	100	
Capacity/Size UOM	Amps	
Source of Capacity/Size	Nameplate	
Installation Year	2019	
Source of Installation	Custodial Staff	
Deficiency	No deficiencies recorded	
Instance	ATS Room 003	
Instance Condition	1 - Good	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	GE Zenith Controls	
Equipment	Fire Alarm Automatic Transfer Switch	
Capacity/Size Quantity	80	
Capacity/Size UOM	Amps	
Source of Capacity/Size	Nameplate	
Installation Year	2019	
mstanation 1 cal	2017	

Building Condition Assessment Survey 2023 - 2024

iricai ms _j	pection		Qu
iestion		Response	
EMERGEN	ICY GENERATOR SET		
Automati	c Transfer Switch (ATS)		
<u>S</u>	ource of Installation	Custodial Staff	
D	eficiency	No deficiencies recorded	
Ir	nstance	ATS Room 003	
Ir	nstance Condition	2 - Between Good and Fair	
Ir	nstance Quantity	1	
Ir	nstance Quantity Uom	EACH	
Ir	nstance Manufacturer	GE Zenith Controls	
E	quipment	Fire Alarm Transfer Switch	
C	apacity/Size Quantity	40	
C	apacity/Size UOM	Amps	
S	ource of Capacity/Size	Nameplate	
_	nstallation Year	2009	
S	ource of Installation	Documented	
D	eficiency	No deficiencies recorded	
Ir	nstance	ATS Room 003	
Ir	nstance Condition	2 - Between Good and Fair	
Ir	nstance Quantity	1	
_	nstance Quantity Uom	EACH	
_	nstance Manufacturer	GE Zenith Controls	
E	quipment	ATS#1	
	apacity/Size Quantity	800	
	apacity/Size UOM	Amps	
	ource of Capacity/Size	Nameplate	
_	nstallation Year	2009	
S	ource of Installation	Documented	
_	eficiency	No deficiencies recorded	
Battery C	·	Inspected	
_	nstance	Basement - Room C012	
_	nstance Condition	1 - Good	
— Ir	nstance Quantity	1	
	nstance Quantity Uom	EACH	
_	nstance Manufacturer	SENS	
_	quipment	Battery Charger	
	apacity/Size Quantity	10	
	apacity/Size UOM	AmpsDC	
	apacity/Size2 Quantity	24	
	apacity/Size2 UOM	VDC	
	ource of Capacity/Size	Nameplate	
	nstallation Year	2019	
_	ource of Installation	Custodial Staff	
_	eficiency	No deficiencies recorded	
_	nstance Condition	Generator Room 002 2 - Between Good and Fair	
_			
	nstance Quantity	1	
_	nstance Quantity Uom	EACH	
-	nstance Manufacturer	Charles Industries	
Е	quipment	Battery Charger	

Building Condition Assessment Survey 2023 - 2024

estion		Response	
MERGENCY GENERAT	OR SET		
Battery Charger			
Capacity/Size Qua	antity	10	
Capacity/Size UO	M	AmpsDC	
Capacity/Size2 Q	antity	24	
Capacity/Size2 U	OM	VDC	
Source of Capacit	y/Size	Nameplate	
Installation Year		2009	
Source of Installa	ion	Documented	
Deficiency		No deficiencies recorded	
Emergency Distribution	Board	Inspected	
Number of Spares		7	
Fused Disconnect Swit	ch Type	Inspected	
Instance		ATS Room 003	
Instance Conditio	1	2 - Between Good and Fair	
Instance Quantity		1	
Instance Quantity	Uom	EACH	
Instance Manufac	turer	Square D	
Equipment		N/A	
Capacity/Size Qua	antity	800	
Capacity/Size UO	M	Amps Total	
Capacity/Size2 Q	antity	1	
Capacity/Size2 U	OM	Section(S)	
Source of Capacit	y/Size	Nameplate	
Installation Year		2009	
Source of Installa	ion	Documented	
Deficiency		No deficiencies recorded	
Instance		Basement - Room C004	
Instance Conditio	1	1 - Good	
Instance Quantity		1	
Instance Quantity	Uom	EACH	
Instance Manufac	turer	Siemens	
Equipment		EMDB	
Capacity/Size Qua	nntity	400	
Capacity/Size UO	M	Amps Total	
Capacity/Size2 Q	uantity	1	
Capacity/Size2 U	OM	Section(S)	
Source of Capacit	y/Size	Nameplate	
Installation Year		2019	
Source of Installa	ion	Custodial Staff	
Deficiency		No deficiencies recorded	
Molded Case Circuit B	reaker Type	Does not Exist	
Diesel		Inspected	
Instance		Basement - Room C012	
Instance Conditio	1	1 - Good	
Instance Quantity		1	
Instance Quantity	Uom	EACH	
Instance Manufac	turer	MTU onsite energy	
Equipment		Emergency Generator	

Building Condition Assessment Survey 2023 - 2024

dicai hispection		
uestion	Response	
EMERGENCY GENERATOR SET		
Diesel		
Capacity/Size Quantity	156	
Capacity/Size UOM	KVA	
Capacity/Size2 Quantity	125	
Capacity/Size2 UOM	KW	
Capacity/Size3Quantity	433	
Capacity/Size3 UOM	Amps	
Source of Capacity/Size	Nameplate	
Installation Year	2019	
Source of Installation	Custodial Staff	
Deficiency	No deficiencies recorded	
Instance	Generator Room 002	
Instance Condition	4 - Between Fair and Poor	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Rudox Engine & Equipment Co	
Equipment	Emergency Generator	
Capacity/Size Quantity	375	
Capacity/Size UOM	KVA	
Capacity/Size2 Quantity	250	
Capacity/Size2 UOM	KW	
Capacity/Size3Quantity	1,041	
Capacity/Size3 UOM	Amps	
Source of Capacity/Size	Nameplate	
Installation Year	2009	
Source of Installation	Documented	
Deficiency	GENERATOR NOT OPERATIONAL	
Deficiency Quantity	1	
Quantity Uom	EACH	
Potential Action	REPAIR	
Urgency of Action	PRIORITY 5	
Purpose of Action	LEVEL 6	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Natural Gas		
	Does not Exist	
EMERGENCY LIGHT/EXIT LIGHT PANEL	Does not Exist	
EMERGENCY LIGHTING	Inspected	
Battery Pack	Inspected	
Condition	3 - Fair	
Deficiency	BATTERY NOT OPERATIONAL	
Deficiency Location/Instance	1st Floor Corridor by Exit 5	
Deficiency Quantity	1	
Quantity Uom	EACH	
Potential Action	REPLACE BATTERY	
Urgency of Action	PRIORITY 5	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	

Building Condition Assessment Survey 2023 - 2024

urear mapeetron		٧.,
uestion	Response	
EMERGENCY LIGHTING	Inspected	
Battery Pack	Inspected	
Violations	No violations recorded.	
Non Battery Pack	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
EXIT LIGHT	Inspected	
Battery Pack	Inspected	
Condition	3 - Fair	
Deficiency	BATTERY NOT OPERATIONAL	
Deficiency Location/Instance	Boiler Room	
Deficiency Quantity	Boner Room 1	
Quantity Uom	EACH	
Potential Action	REPLACE BATTERY	
Urgency of Action	PRIORITY 5	
	LEVEL 2	
Purpose of Action		
Deficiency Photo1 Violations	No photo recorded No violations recorded.	
	No violations recorded.	
Non Battery Pack	Does not Exist	
EXIT/EMERGENCY LIGHT	Does not Exist	
FIRE ALARM SYSTEM	Inspected	
Replacement Quantity	111,000	
Replacement Uom	S.F.	
Bell/Horn	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Strobe	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Manual Pull Station	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Fan Shutdown Control	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Duct Smoke Detector	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Area Smoke Detector	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
CO Detector	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Heat Detector	Inspected	
Condition	1 - Good	
Deficiency	No deficiencies recorded	
Elevator Recall	Inspected	
Condition	1 - Good	

Building Condition Assessment Survey 2023 - 2024

icai hispection	Ψ°
stion	Response
RE ALARM SYSTEM	
Magnetic Door Holder/Contactor	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Fused Cutout Panel	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Fire Alarm Digital Communicator	Inspected
Instance	Telecom Room 358
Instance Condition	1 - Good
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Silent Knight
Equipment	Central Station Fire Alarm
Installation Year	2019
Source of Installation	Custodial Staff
Deficiency	No deficiencies recorded
Main Panel	Inspected
Bell At Panel	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Fire Alarm Control Panel (Electronic)	Inspected
Instance	Main Entrance Lobby
Instance Condition	1 - Good
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Edwards System Technology
Equipment	Fire Alarm Control Panel
Model	EST 3
Installation Year	2019
Source of Installation	Custodial Staff
Deficiency	No deficiencies recorded
Fire Alarm Control Panel (Standard)	Does not Exist
Sub-Panel	Does not Exist
Remote Annunciator	Inspected
Display Monitor	Does not Exist
Panel	Inspected
Condition	1 - Good
Deficiency Printer	No deficiencies recorded
Condition	Inspected 1 - Good
Deficiency	No deficiencies recorded
Punch Register	Does not Exist
Sprinkler Flow/Air Pressure Switch	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
The state of the latest the state of the sta	T 1
Tamper Flow Switch/Chain	Inspected
Tamper Flow Switch/Chain Condition Deficiency	Inspected 1 - Good No deficiencies recorded

Building Condition Assessment Survey 2023 - 2024

question	Response
GROUNDING SYSTEM	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
INTERCOM SYSTEM	Inspected
Elevator	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Holding Area	Does not Exist
LAN	Inspected
Local Distribution Frame (I/LDF)	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Main Equipment Rack (MDF)	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
LIGHTNING PROTECTION	Inspected
Condition	3 - Fair
Deficiency	LIGHTNING AIR TERMINAL (ROD) DEFECTIVE
Deficiency Location/Instance	Roof (Above RTU-1, Above TEF-5), Roof Perimeter
Deficiency Quantity	6
Quantity Uom	EACH
Potential Action	REPLACE
Urgency of Action	PRIORITY 5
Purpose of Action	LEVEL 6
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
MOTOR CONTROLLER	Inspected
Motor Control Center	Does not Exist
Motor Starter/Contactor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Variable Frequency Drive	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
PANEL BOARD	Inspected
Fused Disconnect Switch Type	Inspected
Condition	2 - Between Good and Fair
Deficiency	PANEL BOARD BEYOND USEFUL LIFE
Deficiency Location/Instance	Boiler Room
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPLACE-UPGRADE
Urgency of Action	PRIORITY 1
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Fused Knife Switch Type	Does not Exist
Fused Knife Switch Type Fused Toggle Switch Type	Does not Exist Does not Exist

Building Condition Assessment Survey 2023 - 2024

estion	Response
ANEL BOARD	
Molded Case Circuit Breaker Type	
Condition	2 - Between Good and Fair
Deficiency	PANEL BOARD COVER IS MISSING
Deficiency Location/Instance	Boiler Room
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	MAINTENANCE
Urgency of Action	PRIORITY 2
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Deficiency	PANEL BOARD COVER IS MISSING
Deficiency Location/Instance	Room 272
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	MAINTENANCE
Urgency of Action	PRIORITY 3
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Deficiency	PANEL BOARD BEYOND USEFUL LIFE
Deficiency Location/Instance	Boiler Room, 2nd Floor Corridor by Room 220A, 3rd Floor Corri
	by Room 318
Deficiency Quantity	5
Quantity Uom	EACH
Potential Action	REPLACE-UPGRADE
Urgency of Action	PRIORITY 1
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
UBLIC ADDRESS SYSTEM	Inspected
Replacement Quantity	111,000
Replacement Uom	S.F.
Instance	Telecom Room 358
Instance Condition	3 - Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Model	Bogen Multicom - 2000
Installation Year	2009
Source of Installation	Documented
Deficiency	SPEAKER NOT OPERATIONAL
Deficiency Location/Instance	Room 372
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPLACE
Urgency of Action	PRIORITY 5
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded

Building Condition Assessment Survey 2023 - 2024

estion	Response
UBLIC ADDRESS SYSTEM	Inspected
Violations	No violations recorded.
ECURITY	Inspected
IPDVS/CCTV System	Inspected
Replacement Quantity	111,000
Replacement Uom	S.F.
Installation Year	2009
Source of Installation	
Condition	Documented 3 - Fair
Deficiency	No deficiencies recorded
Intrusion Alarm System	
	Inspected 111,000
Replacement Quantity	
Replacement Uom	S.F.
Central Control Panel	Inspected
Instance	Custodian's Office
Instance Condition	3 - Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Model	Vista-128BP
Installation Year	2009
Source of Installation	Documented
Deficiency	No deficiencies recorded
Infrared Sensor	Inspected
Condition	3 - Fair
Deficiency	SENSOR NOT OPERATIONAL
Deficiency Location/Instance	Kitchen
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPLACE
Urgency of Action	PRIORITY 4
Purpose of Action	LEVEL 3
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Panic Switch	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Remote Annunciator	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Siren/Strobe	Inspected
Condition	3 - Fair
Deficiency	SIREN/STROBE NOT ACTIVE
Deficiency Location/Instance	Exterior Wall by Main Entrance
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	MAINTENANCE
Urgency of Action	PRIORITY 4
Purpose of Action	LEVEL 3
Deficiency Photo1	No photo recorded

Building Condition Assessment Survey 2023 - 2024

Inspected Inspected No violations recorded. Inspected EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street) 5
Inspected No violations recorded. Inspected EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
No violations recorded. Inspected EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
Inspected EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
Inspected EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
EACH 3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
3 - Fair LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
LIGHTING FIXTURE PHOTOCELL NOT OPERATIONAL Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
Exterior Walls facing Penelope Avenue 2 EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
EACH REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
REPLACE PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
PRIORITY 2 LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
LEVEL 3 No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
No photo recorded No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
No violations recorded. LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
LIGHTING FIXTURE BALLAST DEFECTIVE Exterior Walls facing (Penelope Avenue, 80th Street)
Exterior Walls facing (Penelope Avenue, 80th Street)
EACH
REPLACE BALLAST
PRIORITY 2
LEVEL 3
No photo recorded
No violations recorded.
Inspected
Electrical Closet 001
2 - Between Good and Fair
1
EACH
Square D
Main Service Switch
4,000
Amps
Nameplate
2009
Documented
No deficiencies recorded
Electrical Closet 001
2 - Between Good and Fair
1
EACH
Square D
Fire Pump Disconnect Switch
400
Amps
Nameplate
2009
Documented

Building Condition Assessment Survey 2023 - 2024 Electrical Inspection Q049 Question Response SERVICE SWITCH Deficiency No deficiencies recorded Electrical Room C006 Instance 2 - Between Good and Fair Instance Condition Instance Quantity 1 Instance Quantity Uom **EACH** Instance Manufacturer Siemens Equipment Service Disconnect 1,200 Capacity/Size Quantity Capacity/Size UOM Amps Source of Capacity/Size Nameplate Installation Year 2017 Source of Installation Documented Deficiency No deficiencies recorded Instance Electrical Room C006 Instance Condition 2 - Between Good and Fair 1 Instance Quantity Instance Quantity Uom EACH Instance Manufacturer Siemens Equipment Fire Pump Disconnect Capacity/Size Quantity 1,600 Capacity/Size UOM Amps Nameplate Source of Capacity/Size Installation Year 2017 Source of Installation SWITC Fuse

	Page 20 of 21	Print Date: 6/25/2024
Equipment	MDB	
Instance Manufacturer	Siemens	
Instance Quantity Uom	EACH	
Instance Quantity	1	
Instance Condition	2 - Between Good and Fair	
Instance	Electrical Room C006	
Deficiency	No deficiencies recorded	
Source of Installation	Documented	
Installation Year	2009	
Source of Capacity/Size	Nameplate	
Capacity/Size2 UOM	Section(S)	
Capacity/Size2 Quantity	2	
Capacity/Size UOM	Amps Total	
Capacity/Size Quantity	4,000	
Equipment	N/A	
Instance Manufacturer	Square D	
Instance Quantity Uom	EACH	
Instance Quantity	1	
Instance Condition	2 - Between Good and Fair	
Instance	Electrical Room 001	
ed Disconnect Switch Type	Inspected	
Number of Spares	10	
CCHBOARD	Inspected	
Deficiency	No deficiencies recorded	
Source of Installation	Documented	

Building Condition Assessment Survey 2023 - 2024

estion	Response	
SWITCHBOARD		
Fused Disconnect Switch Type		
Capacity/Size Quantity	1,000	
Capacity/Size UOM	Amps Total	
Capacity/Size2 Quantity	2	
Capacity/Size2 UOM	Section(S)	
Source of Capacity/Size	Nameplate	
Installation Year	2017	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Instance	Penthouse - Room R03	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Siemens	
Equipment	RDB	
Capacity/Size Quantity	1,200	
Capacity/Size UOM	Amps Total	
Capacity/Size2 Quantity	1	
Capacity/Size2 UOM	Section(S)	
Source of Capacity/Size	Nameplate	
Installation Year	2017	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Fused Knife Switch Type	Does not Exist	
Molded Case Circuit Breaker Type	Does not Exist	
ELEPHONE SYSTEM	Inspected	
PBX/Intercom	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Standard	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
TRANSFORMER	Does not Exist	