Building Condition Assessment Survey 2023 - 2024

Inspection Id	Inspection Type		Time In	Last Edited
EE: Q260	Electrical		2024-03-27 7:56 AM	2024-04-05 12:03 PM
set Data				
Question		Answer		
Type of Service		Below Gro	ound	
Does Interactive	Whiteboard (IWB) Exist?	Yes		
Water Penetration	n in Electrical Room?	No		
Have any System	s/Major Building Components been upgraded?	Yes		
		Systems:	IPDVS/CCTV System	
		Years:	2024	
		Systems:	Retrofitted LED Lighting (Basen Lobby, Cafeteria, Kitchen), Fire LAN	
		Years:	2023	
		Systems:	Library (Partial Raceway With R	eceptacles)
		Years:	2020	
		Systems:	Gymnasium (LED Lighting)	
		Years:	2018	
		Systems:	Security Lights	
		Years:	2008, 2022	
		Systems:	Intrusion Alarm System (Remote	Annunciator)
		Years:	2008, 2018	
		Systems:	All Other Electrical Systems and	Components
		Years:	2008	
DEDICATED IN	NTERCOMS IN FIRE RESCUE AREAS			
Question		Response		
	fe Rescue Assistance Areas, Fire Rescue Areas, Rooms in your building?	Yes		
Are dedicated during a fire?	d intercoms available in all of these spaces for use	Yes		
Are all de	dicated intercoms operational?	Yes		

Priority Condition Exist Last Year?	Priority Category	Condition Description	Component Affected	Location Description	Person(s) Notified	Person(s) Title	Status	PhotoImage
No	Emergency Generator - Automatic Transfer Switch (ATS) Not operational	N/A	EMERGENCY GENERATOR SET Automatic Transfer Switch (ATS)	Electrical Equipment Room B121C	David Bhadrasan	Fireman	Sent to DSF	
Yes	Lightning Protection - Lightning Protection Conductor Clamps Not Properly Attached	N/A	LIGHTNING PROTECTION	Lower Roof - Above Exhaust Fan (KE-1)	David Bhadrasan	Fireman	Sent to DSF	
Yes	Water Leaks onto Electrical Equipment	Roof Leak	Lighting Fixture	Science Lab - Room 508, Gymnasium - Storage Room 230E, Room 320, 5th Floor Corridor by Rooms (507, 508), 3rd Floor Corridor by Staircase A	David Bhadrasan	Fireman	Sent to DSF	

Building Condition Assessment Survey 2023 - 2024

uestion	Response
ectrical	response
AUDITORIUM	Inspected
Instance on 1st Floor	Inspected Inspected
	-
House Lighting Does a Chandelier exist?	Inspected No
Instance on 1st Floor	Inspected
Lighting Fixture - Fluorescent	spected
Instance on 1st Floor	Inspected
Pendant Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Surface Mounted	Inspected
Instance on 1st Floor	Inspected
Condition	3 - Fair
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE
Deficiency Quantity	2
Quantity Uom	EACH
Potential Action	REPLACE BALLAST
Urgency of Action	PRIORITY 3
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Recessed Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Lighting Fixture - HID	Does not Exist
Instance on 1st Floor	Does not Exist
Lighting Fixture - Incandescent	Dott Linux
Instance on 1st Floor	Inspected
Pendant Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Surface Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Recessed Mounted	Inspected
Instance on 1st Floor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - LED	
Instance on 1st Floor	Does not Exist
Local Sound System	Inspected
Instance on 1st Floor	Inspected
Installation Year	2008
Source of Installation	Documented
Condition	3 - Fair
Deficiency	No deficiencies recorded
Projection System	Does not Exist
Instance on 1st Floor	Does not Exist
Theater Lighting System	Inspected

Building Condition Assessment Survey 2023 - 2024

diedi inspection	•
uestion	Response
AUDITORIUM	
Theater Lighting System	
Dimming System	
Instance on 1st Floor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Theater Lighting	
Instance on 1st Floor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
CAFETERIA	Inspected
Instance on 1st Floor	Inspected
Lighting	Inspected
Instance on 1st Floor	Inspected
Lighting Fixture - Fluorescent	
Instance on 1st Floor	Does not Exist
Lighting Fixture - HID	
Instance on 1st Floor	Does not Exist
Lighting Fixture - Incandescent	2 300 1101 2.1101
Instance on 1st Floor	Does not Exist
	Does not Exist
Lighting Fixture - LED	
Instance on 1st Floor	Inspected
Pendant Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Surface Mounted	Inspected
Instance on 1st Floor	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Recessed Mounted	Inspected
Instance on 1st Floor	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Local Sound System	Inspected
Instance on 1st Floor	Inspected
Installation Year	2008
Source of Installation	Documented
Condition	3 - Fair
Deficiency	No deficiencies recorded
Projection System	Does not Exist
Instance on 1st Floor	Does not Exist
Theater Lighting System	Does not Exist
Instance on 1st Floor	Does not Exist
CLASSROOM/CORRIDOR/ADMINISTRATIVE SPACE	Inspected
Lighting	Inspected
Does a Chandelier exist?	No
Lighting Fixture - Fluorescent	Inspected
100 	•
Pendant Mounted Condition	Inspected
Condition	3 - Fair
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE
Deficiency Quantity	2 Print Data: 6/05//

Building Condition Assessment Survey 2023 - 2024

ion	Response	
ASSROOM/CORRIDOR/ADMINISTRATIVE SPACE		
ighting		
Lighting Fixture - Fluorescent		
Pendant Mounted		
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Surface Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE	
Deficiency Quantity	3	
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Recessed Mounted	Inspected	
Condition	3 - Fair	
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE	
Deficiency Quantity	8	
Quantity Uom	EACH	
Potential Action	REPLACE BALLAST	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Deficiency	LIGHTING FIXTURE NOT OPERATIONAL	
Deficiency Quantity	1	
Quantity Uom	EACH	
Potential Action	REPAIR	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
Lighting Fixture - HID	Does not Exist	
Lighting Fixture - Incandescent	Does not Exist	
Lighting Fixture - LED	Inspected	
Pendant Mounted	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Surface Mounted	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Recessed Mounted	Inspected	

Building Condition Assessment Survey 2023 - 2024

Question	Response
CLASSROOM/CORRIDOR/ADMINISTRATIVE SPACE	Inspected
Lighting	
Lighting Fixture - LED	
Recessed Mounted	
Deficiency	No deficiencies recorded
COMPUTER LAB	Does not Exist
GYMNASIUM	Inspected
Instance on 2nd Floor	Inspected
Lighting	Inspected
Instance on 2nd Floor	Inspected
Lighting Fixture - Fluorescent	
Instance on 2nd Floor	Inspected
Pendant Mounted	Does not Exist
Instance on 2nd Floor	Does not Exist
Surface Mounted	Does not Exist
Instance on 2nd Floor	Does not Exist
Recessed Mounted	Inspected
Instance on 2nd Floor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	
Instance on 2nd Floor	Does not Exist
Lighting Fixture - Incandescent	
Instance on 2nd Floor	Does not Exist
Lighting Fixture - LED	
Instance on 2nd Floor	Inspected
Pendant Mounted	Inspected
Instance on 2nd Floor	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Surface Mounted	Does not Exist
Instance on 2nd Floor	Does not Exist
Recessed Mounted	Does not Exist
Instance on 2nd Floor	Does not Exist
Local Sound System	Inspected
Instance on 2nd Floor	Inspected
Installation Year	2008
Source of Installation	Documented
Condition	3 - Fair
Deficiency	No deficiencies recorded
Projection System	Does not Exist
Instance on 2nd Floor	Does not Exist
Scoreboard	Does not Exist
Instance on 2nd Floor	Does not Exist
Theater Lighting System	Does not Exist
Instance on 2nd Floor	Does not Exist
KITCHEN	Inspected
Instance on 1st Floor	Inspected
Lighting	Inspected
o ·	<u>r</u>

Building Condition Assessment Survey 2023 - 2024

ireal hispection	ν-
nestion	Response
KITCHEN	
Lighting	
Instance on 1st Floor	Inspected
Lighting Fixture - Fluorescent	
Instance on 1st Floor	Does not Exist
Lighting Fixture - HID	
Instance on 1st Floor	Does not Exist
Lighting Fixture - Incandescent	
Instance on 1st Floor	Does not Exist
Lighting Fixture - LED	
Instance on 1st Floor	Inspected
Pendant Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Surface Mounted	Does not Exist
Instance on 1st Floor	Does not Exist
Recessed Mounted	
Instance on 1st Floor	Inspected
Condition	Inspected 2 - Between Good and Fair
Deficiency	No deficiencies recorded
IBRARY	Inspected
Instance on Room 322	Inspected
Lighting Instance on Room 322	Inspected
	Inspected
Lighting Fixture - Fluorescent	
Instance on Room 322	Inspected
Pendant Mounted	Does not Exist
Instance on Room 322	Does not Exist
Surface Mounted	Inspected
Instance on Room 322	Inspected
Condition	3 - Fair
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPLACE BALLAST
Urgency of Action	PRIORITY 3
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Recessed Mounted	Inspected
Instance on Room 322	Inspected
Condition	3 - Fair
Deficiency	LIGHTING FIXTURE BALLAST DEFECTIVE
Deficiency Quantity	4
Quantity Uom	EACH
Potential Action	REPLACE BALLAST
Urgency of Action	PRIORITY 3
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.

Building Condition Assessment Survey 2023 - 2024

Question	Response
LIBRARY	
Lighting	
Lighting Fixture - HID	
Instance on Room 322	Does not Exist
Lighting Fixture - Incandescent	
Instance on Room 322	Does not Exist
Lighting Fixture - LED	
Instance on Room 322	Does not Exist
Raceway With Receptacles	Inspected
Instance on Room 322	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Projection System	Does not Exist
Instance on Room 322	Does not Exist
LOCKER ROOM	Inspected
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Inspected
Alternative use	Yes
Lighting	Inspected
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Inspected
Lighting Fixture - Fluorescent	
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Inspected
Pendant Mounted	Does not Exist
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Does not Exist
Surface Mounted	Does not Exist
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Does not Exist
Recessed Mounted	Inspected
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Does not Exist
Lighting Fixture - Incandescent	
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Does not Exist
Lighting Fixture - LED	
Instance on 2nd Floor - Boys, 2nd Floor - Girls	Does not Exist
MULTIPURPOSE ROOM	Inspected
Instance on Basement	Inspected
Lighting	Inspected
Instance on Basement	Inspected
Lighting Fixture - Fluorescent	
Instance on Basement	Does not Exist
Lighting Fixture - HID	
Instance on Basement	Does not Exist
Lighting Fixture - Incandescent	
Instance on Basement	Does not Exist
Lighting Fixture - LED	
Instance on Basement	Inspected
Pendant Mounted	Does not Exist
Instance on Basement	Does not Exist Does not Exist
Instance on Dasonicit	DOG HOLDAIST

Building Condition Assessment Survey 2023 - 2024

and Fair corded
corded
corded
corded
corded

Building Condition Assessment Survey 2023 - 2024

rical inspection		Q2
estion	Response	
SCIENCE LAB		
Lighting		
Lighting Fixture - Incandescent		
Instance on Rooms 408, 508	Inspected	
Instance on Room 308	Does not Exist	
Pendant Mounted	Does not Exist	
Instance on Rooms 408, 508	Does not Exist	
Surface Mounted	Inspected	
Instance on Rooms 408, 508	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Recessed Mounted	Does not Exist	
Instance on Rooms 408, 508	Does not Exist	
Lighting Fixture - LED	DOG HOLLAIST	
Instance on Rooms 408, 508	Does not Exist	
Instance on Room 308	Does not Exist	
Emergency Gas Shut-Off Valve	Inspected	
Instance on Rooms 408, 508	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Instance on Room 308	Does not Exist	
Emergency Shut-Off Power	Inspected	
Instance on Rooms 408, 508	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Instance on Room 308	Does not Exist	
Power Supply	Inspected	
Instance on Rooms 408, 508	Inspected	
Instance on Room 308	Does not Exist	
Instructor Unit		
Instance on Rooms 408, 508	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Meter Demonstration Unit		
Instance on Rooms 408, 508	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Student Unit		
Instance on Rooms 408, 508	Does not Exist	
Projection System	Does not Exist	
Instance on Rooms 408, 508	Does not Exist	
Instance on Room 308	Does not Exist	
CIENCE PREP ROOM	Inspected	
Instance on Room 306	Inspected	
Power Panel Alternative use	No Yes	
Instance on Rooms 406, 506	Inspected	
Power Panel Alternative use	No Yes	
Lighting	Inspected	
	пърсски	

Building Condition Assessment Survey 2023 - 2024

Question	Response
SCIENCE PREP ROOM	
Lighting	
Instance on Rooms 406, 506	Inspected
Instance on Room 306	Inspected
Lighting Fixture - Fluorescent	
Instance on Rooms 406, 506	Inspected
Instance on Room 306	Inspected
Pendant Mounted	Does not Exist
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
Surface Mounted	Does not Exist
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
Recessed Mounted	Inspected
Instance on Rooms 406, 506	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Instance on Room 306	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
Lighting Fixture - Incandescent	
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
Lighting Fixture - LED	
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
Emergency Gas Shut-Off Valve	Inspected
Instance on Rooms 406, 506	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Instance on Room 306	Does not Exist
Emergency Shut-Off Power	Inspected
Instance on Rooms 406, 506	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Instance on Room 306	Does not Exist
Power Supply	Does not Exist
Instance on Rooms 406, 506	Does not Exist
Instance on Room 306	Does not Exist
SWIMMING POOL	Does not Exist
TOILET ROOM - STAFF	Inspected
Lighting	Inspected
Lighting Fixture - Fluorescent	Inspected
Pendant Mounted	Does not Exist
Surface Mounted	Does not Exist

Building Condition Assessment Survey 2023 - 2024

Question	Response
TOILET ROOM - STAFF	
Lighting	
Lighting Fixture - Fluorescent	Inspected
Recessed Mounted	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	Does not Exist
Lighting Fixture - Incandescent	Does not Exist
Lighting Fixture - LED	Inspected
Pendant Mounted	Does not Exist
Surface Mounted	Does not Exist
Recessed Mounted	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
TOILET ROOM - STUDENT	Inspected
Lighting	Inspected
Lighting Fixture - Fluorescent	Inspected
Pendant Mounted	Does not Exist
Surface Mounted	Does not Exist
Recessed Mounted	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting Fixture - HID	Does not Exist
Lighting Fixture - Incandescent	Does not Exist
Lighting Fixture - LED	Inspected
Pendant Mounted	Does not Exist
Surface Mounted	Does not Exist
Recessed Mounted	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
AUXILIARY SIGNAL/BELL SYSTEM	Inspected
Replacement Quantity	110,000
Replacement Uom	S.F.
Condition	3 - Fair
Deficiency	No deficiencies recorded
EMERGENCY DC STANDBY BATTERY POWER	Does not Exist
EMERGENCY GENERATOR SET	Inspected
Automatic Transfer Switch (ATS)	Inspected
Instance	Electrical Equipment Room B121C
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Kohler Power Systems
Equipment	ATS #4 FEEDS FA-SYSTEM
Capacity/Size Quantity	30
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008

Building Condition Assessment Survey 2023 - 2024

stion	Response
MERGENCY GENERATOR SET	-
Automatic Transfer Switch (ATS)	
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121C
Instance Condition	4 - Between Fair and Poor
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Kohler Power Systems
Equipment	ATS #3 FEEDS EM-M
Capacity/Size Quantity	104
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	ATS NOT OPERATIONAL
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPAIR
Urgency of Action	PRIORITY 5
Purpose of Action	LEVEL 6
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Instance	Electrical Equipment Room B121C
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Kohler Power Systems
Equipment	ATS #2 FEEDS DP-ELEVATOR
Capacity/Size Quantity	600
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121C
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Kohler Power Systems
Equipment	ATS #1 FEEDS DPELS
Capacity/Size Quantity	600
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Source of mistandifoli	Documented
Deficiency	No deficiencies recorded
Deficiency Instance	No deficiencies recorded Mechanical Room B103

Building Condition Assessment Survey 2023 - 2024

estion	Response	
MERGENCY GENERATOR SET		
Automatic Transfer Switch (ATS)		
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Firetrol	
Equipment	Fire Pump Power Transfer Switch	
Capacity/Size Quantity	25	
Capacity/Size UOM	HP	
Source of Capacity/Size	Nameplate	
Installation Year	2008	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Battery Charger	Inspected	
Instance	Emergency Generator Room B116	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Kohler Power Systems	
Equipment	Battery Charger	
Capacity/Size Quantity	10	
Capacity/Size UOM	AmpsDC	
Capacity/Size2 Quantity	26	
Capacity/Size2 UOM	VDC	
Source of Capacity/Size	Nameplate	
Installation Year	2008	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Emergency Distribution Board	Inspected	
Number of Spares	2	
Fused Disconnect Switch Type	Inspected	
Instance	Emergency Generator Room B116	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Electrotech	
Equipment	DP-GEN, 1200A	
Capacity/Size Quantity	1,200	
Capacity/Size UOM	Amps Total	
Capacity/Size2 Quantity	1	
Capacity/Size2 UOM	Section(S)	
Source of Capacity/Size	Nameplate	
Installation Year	2008	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Molded Case Circuit Breaker Type	Does not Exist	
Diesel	Inspected	
Instance	Emergency Generator Room B116	
Instance Condition	2 - Between Good and Fair	

Building Condition Assessment Survey 2023 - 2024

Question	Response
EMERGENCY GENERATOR SET	
Diesel	
Instance Quantity Uom	EACH
Instance Manufacturer	Kohler Power Systems
Equipment	Emergency Generator
Capacity/Size Quantity	450
Capacity/Size UOM	KVA
Capacity/Size2 Quantity	360
Capacity/Size2 UOM	KW
Capacity/Size3Quantity	1,249
Capacity/Size3 UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Natural Gas	Does not Exist
EMERGENCY LIGHT/EXIT LIGHT PANEL	Does not Exist
EMERGENCY LIGHTING	Inspected
Battery Pack	Inspected
Condition	3 - Fair
Deficiency	FIXTURE LAMP NOT OPERATIONAL
Deficiency Location/Instance	Staircase A - Bulkhead, Room 219
Deficiency Quantity	2
Quantity Uom	EACH
Potential Action	MAINTENANCE
Urgency of Action	PRIORITY 5
Purpose of Action	LEVEL 2
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
Non Battery Pack	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
EXIT LIGHT	Inspected
Battery Pack	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Non Battery Pack	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
EXIT/EMERGENCY LIGHT	Does not Exist
FIRE ALARM SYSTEM	Inspected
Replacement Quantity	110,000
Replacement Uom	S.F.
Bell/Horn	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Strobe	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded

Building Condition Assessment Survey 2023 - 2024

icai inspection		Q2
stion	Response	
IRE ALARM SYSTEM		
Manual Pull Station	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Fan Shutdown Control	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Duct Smoke Detector	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Area Smoke Detector	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
CO Detector	Does not Exist	
Heat Detector	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Elevator Recall	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Magnetic Door Holder/Contactor	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Fused Cutout Panel	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Fire Alarm Digital Communicator	Inspected	
Instance	Mechanical Room B103	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Manufacturer	Ademco	
Equipment	Fire Alarm Communicator	
Installation Year	2008	
Source of Installation	Documented	
Deficiency	No deficiencies recorded	
Main Panel	Inspected	
Bell At Panel	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Fire Alarm Control Panel (Electronic)	Inspected	
Instance	Main Entrance Lobby	
Instance Condition	2 - Between Good and Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Instance Quantity Com Instance Manufacturer	General Electric	
	Fire Alarm Control Panel	
Equipment	EST 3	
Model	EST 3	
Installation Year	2008	

Building Condition Assessment Survey 2023 - 2024

uestion	Response
FIRE ALARM SYSTEM	
Main Panel	Inspected
Fire Alarm Control Panel (Electronic)	Inspected
Deficiency	No deficiencies recorded
Fire Alarm Control Panel (Standard)	Does not Exist
Sub-Panel	Does not Exist
Remote Annunciator	Inspected
Display Monitor	Does not Exist
Panel	
Condition	Inspected 2 - Between Good and Fair
	No deficiencies recorded
Deficiency Printer	
	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Punch Register	Does not Exist
Sprinkler Flow/Air Pressure Switch	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
Tamper Flow Switch/Chain	Inspected
Condition	2 - Between Good and Fair
Deficiency	No deficiencies recorded
GROUNDING SYSTEM	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
INTERCOM SYSTEM	Inspected
Elevator	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Holding Area	Does not Exist
LAN	Inspected
Local Distribution Frame (I/LDF)	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
Main Equipment Rack (MDF)	Inspected
Condition	1 - Good
Deficiency	No deficiencies recorded
LIGHTNING PROTECTION	Inspected
Condition	3 - Fair
Deficiency	LIGHTNING PROTECTION CONDUCTOR CLAMPS NOT PROPERLY ATTACHED
Deficiency Location/Instance	Lower Roof - Above Exhaust Fan (KE-1)
Deficiency Quantity	1
Quantity Uom	EACH
Potential Action	REPLACE
Urgency of Action	PRIORITY 5
Purpose of Action	LEVEL 6
Deficiency Photo1	No photo recorded
Violations	No violations recorded.
MOTOR CONTROLLER	Inspected
Motor Control Center	Does not Exist

Building Condition Assessment Survey 2023 - 2024

eureur mspection		~-00
Question	Response	
MOTOR CONTROLLER		
Motor Starter/Contactor	Inspected	
Condition	3 - Fair	
Deficiency	No deficiencies recorded	
Variable Frequency Drive	Does not Exist	
PANEL BOARD	Inspected	
Fused Disconnect Switch Type	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	No deficiencies recorded	
Fused Knife Switch Type	Does not Exist	
Fused Toggle Switch Type	Does not Exist	
Molded Case Circuit Breaker Type	Inspected	
Condition	2 - Between Good and Fair	
Deficiency	CIRCUIT BREAKER NOT OPERATIONAL	
Deficiency Location/Instance	Electrical Closet - Room 322A	
Deficiency Quantity	1	
Quantity Uom	EACH	
Potential Action	REPLACE CIRCUIT BREAKER	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
PUBLIC ADDRESS SYSTEM	Inspected	
Replacement Quantity	110,000	
Replacement Uom	S.F.	
Instance	Telecom Room 119B	
Instance Condition	3 - Fair	
Instance Quantity	1	
Instance Quantity Uom	EACH	
Model	Rauland Telecenter	
Installation Year	2008	
Source of Installation	Documented	
Deficiency	CLOCK NOT OPERATIONAL	
Deficiency Location/Instance	Auditorium, 2nd Floor Corridor by Room 216	
Deficiency Quantity	3	
Quantity Uom	EACH	
Potential Action	REPLACE	
Urgency of Action	PRIORITY 3	
Purpose of Action	LEVEL 2	
Deficiency Photo1	No photo recorded	
Violations	No violations recorded.	
SECURITY	Inspected	
IPDVS/CCTV System	Inspected	
Replacement Quantity	110,000	
Replacement Uom	S.F.	
Installation Year	2024	
Source of Installation	Custodial Staff	
Condition	1 - Good	
Deficiency	No deficiencies recorded	

Building Condition Assessment Survey 2023 - 2024

ricai inspection	Y-
estion	Response
SECURITY	
Intrusion Alarm System	Inspected
Replacement Quantity	110,000
Replacement Uom	S.F.
Central Control Panel	Inspected
Instance	Custodian's Office
Instance Condition	3 - Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Model	Vista-128BP
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Infrared Sensor	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Panic Switch	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Remote Annunciator	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Siren/Strobe	Inspected
Condition	3 - Fair
Deficiency	No deficiencies recorded
Lighting - Security	Inspected
Replacement Uom	EACH
Condition	1 - Good
Deficiency	No deficiencies recorded
ERVICE SWITCH	Inspected
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	1200AMP Fuses SS#2 (DP-3R RM. 322A)
Capacity/Size Quantity	1,200
Capacity/Size UOM	Amps
Source of Capacity/Size	Fuse Size
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
<u></u>	
Instance Manufacturer	Electrotech
Equipment	1600AMP Fuses SS#3 (DP-R RM. 519A)
Capacity/Size Quantity	1,600
Capacity/Size UOM	Amps Page 18 of 22 Print Page 6/25/20

Building Condition Assessment Survey 2023 - 2024

Electrical Inspection Q260

Question	Response
SERVICE SWITCH	
Source of Capacity/Size	Fuse Size
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	1600AMP Fuses SS#4 (DP-1B RM. 119A, DP-2B RM. 219A)
Capacity/Size Quantity	1,600
Capacity/Size UOM	Amps
Source of Capacity/Size	Fuse Size
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	1600A SS#5 (DP3B, DP4B RM. 319A)
Capacity/Size Quantity	1,600
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	Sprinkler Booster Pump
Capacity/Size Quantity	600
Capacity/Size UOM	Amps
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	3000AMP Fuses SS#1 (MDP-A RM. B-121)
Capacity/Size Quantity	3,000
Capacity/Size UOM	Amps

Building Condition Assessment Survey 2023 - 2024

Question	•	Response
	SWITCH	•
	Source of Capacity/Size	Fuse Size
	Installation Year	2008
	Source of Installation	Documented
•	Deficiency	No deficiencies recorded
SWITCH	BOARD	Inspected
	Number of Spares	6
Fused D	Disconnect Switch Type	Inspected
	Instance	Electrical Closet Room 119A
	Instance Condition	2 - Between Good and Fair
	Instance Quantity	1
	Instance Quantity Uom	EACH
	Instance Manufacturer	Electrotech
	Equipment	DP-1B, FED FROM SWB-A SW. 4 IN RM. B-121
	Capacity/Size Quantity	800
	Capacity/Size UOM	Amps Total
	Capacity/Size2 Quantity	1
	Capacity/Size2 UOM	Section(S)
	Source of Capacity/Size	Switchboard Mains Size
•	Installation Year	2008
	Source of Installation	Documented
	Deficiency	No deficiencies recorded
	Instance	Electrical Closet Room 219A
	Instance Condition	2 - Between Good and Fair
	Instance Quantity	1
	Instance Quantity Uom	EACH
	Instance Manufacturer	Electrotech
	Equipment	DP-2B, FED FROM SWB-A SW. 4 IN RM. B-121
	Capacity/Size Quantity	800
	Capacity/Size UOM	Amps Total
	Capacity/Size2 Quantity	1
	Capacity/Size2 UOM	Section(S)
	Source of Capacity/Size	Switchboard Mains Size
•	Installation Year	2008
	Source of Installation	Documented
	Deficiency	No deficiencies recorded
	Instance	Electrical Closet Room 319A
	Instance Condition	2 - Between Good and Fair
	Instance Quantity	1
	Instance Quantity Uom	EACH
•	Instance Manufacturer	Electrotech
	Equipment	DP-3B
	Capacity/Size Quantity	800
	Capacity/Size UOM	Amps Total
	Capacity/Size2 Quantity	1
	Capacity/Size2 UOM	Section(S)
	Source of Capacity/Size	Switchboard Mains Size
	Installation Year	2008
	Source of Installation	Documented

Building Condition Assessment Survey 2023 - 2024

estion	Pognanca
estion WITCHBOARD	Response
Fused Disconnect Switch Type	
Deficiency	No deficiencies recorded
Instance	Electrical Closet Room 419A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Quantity Com	Electrotech
Equipment	'DP-4B' Section 1, 2
Capacity/Size Quantity	800
Capacity/Size Quantity Capacity/Size UOM	Amps Total
	2
Capacity/Size2 Quantity	
Capacity/Size2 UOM	Section(S)
Source of Capacity/Size	Switchboard Mains Size
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Closet Room 519A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	DP-R, FED FROM SWB-A SW. 3 IN RM. B-121
Capacity/Size Quantity	1,600
Capacity/Size UOM	Amps Total
Capacity/Size2 Quantity	1
Capacity/Size2 UOM	Section(S)
Source of Capacity/Size	Nameplate
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Instance	Electrical Equipment Room B121A
Instance Condition	2 - Between Good and Fair
Instance Quantity	1
Instance Quantity Uom	EACH
Instance Manufacturer	Electrotech
Equipment	Distribution Switchboard 'MDP-A' FED FROM SWB-A SW. I IN B-121
Capacity/Size Quantity	3,000
Capacity/Size UOM	Amps Total
Capacity/Size2 Quantity	3
Capacity/Size2 UOM	Section(S)
Source of Capacity/Size	Service Switch Fuse Size
Installation Year	2008
Source of Installation	Documented
Deficiency	No deficiencies recorded
Fused Knife Switch Type	Does not Exist
Molded Case Circuit Breaker Type ELEPHONE SYSTEM	Does not Exist Inspected

Building Condition Assessment Survey 2023 - 2024

Inspected
3 - Fair
TELEPHONE NOT OPERATIONAL
Electrical Equipment Room B121A
1
EACH
REPLACE TELEPHONE
PRIORITY 3
LEVEL 2
No photo recorded
No violations recorded.
Inspected
3 - Fair
No deficiencies recorded
Does not Exist