

MATERIAL SAFETY DATA SHEET

SIKALASTOMER 58, 68

Page 1 of 4

TRADE NAME: RediMat (surface applied detectable warning) MAUFACTURER: Detectable Warning Systems, Inc. 866,999,7452

1. Product And Company Identification	
Supplier SIKA CORPORATION 201 Polito Ave Lyndhurst, NJ 07071	Manufacturer None Given
Company Contact: Kristin Kelley Telephone Number: (201) 933-8800 FAX Number: (201) 933-9379 Web Site: www.sikausa.com	
Supplier Emergency Contacts & Phone Number CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887	Manufacturer Emergency Contacts & Phone Number None Given

Issue Date: 11/01/1996

Product Name: SIKALASTOMER 58, 68

CAS Number: Not Established

Chemical Family: BUTYL MASTIC SEALER

MSDS Number: 275

2. Composition/Information On Ingredients		
Ingredient Name	CAS Number	Percent Of Total Weight
CALCIUM CARBONATE	1317-65-3	
CARBON BLACK	1333-86-4	
TALC	14807-98-6	

3. Hazards Identification

Eve Hazards

MAY CAUSE MECHANICAL IRRITATION.

Skin Hazards

MAY CAUSE SLIGHT SKIN IRRITATION.

Ingestion Hazards

INGESTION MAY CAUSE SLIGHT DISCOMFORT.

Inhalation Hazards

NO INHALATION EFFECTS KNOWN OR REPORTED.

4. First Aid Measures

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

WASH SKIN WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN.

Ingestion

IF INGESTED, DO NOT INDUCE VOMITING. IF DISCOMFORT PERSISTS, CALL A PHYSICIAN.

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, INSTITUTE ARTIFICIAL RESPIRATION. CONSULT

MATERIAL SAFETY DATA SHEET

Page 2 of 4

SIKALASTOMER 58, 68

4. First Ald Measures - Continued

Inhalation - Continued
WITH PHYSICIAN.

5. Fire Fighting Measures

Flash Point: 470 °F 243 °C Flash Point Method: TOC

Fire And Explosion Hazards

NONE KNOWN

Extinguishing Media

DRY CHEMICAL, WATER FOG, FOAM OR CARBON DIOXIDE, AS FOR SURROUNDING FIRES.

Fire Fighting instructions

WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR, AS FOR SURROUNDING FIRES.

6. Accidental Release Measures

SCRAPE UP AND PUT INTO SUITABLE CONTAINERS.

7. Handling And Storage

Handling And Storage Precautions

STORE IN COOL DRY PLACE. KEEP OUT OF REACH OF CHILDREN.

8. Exposure Controls/Personal Protection

Eve/Face Protection

SAFETY GLASSES/CHEMICAL GOGGLES

Skin Protection

WEAR GLOVES TO AVOID SKIN CONTACT.

Other/General Protection

WASH THOROUGHLY AFTER HANDLING.

Ingredient(s) - Exposure Limits

CALCIUM CARBONATE ACGIH TLV: 10mg/m3

OSHA PEL: 5 mg/m3

NTP: NO

IARC: NO

CARBON BLACK

ACGIH TLV: 3.5 mg/m3

OSHA PEL: 3.5 mg/m3

NTP: NO

IARC: NO

TALC

ACGIH TLV: 2 mg/m3

OSHA PEL: 20 mppcf

9. Physical And Chemical Properties

Appearance

BLACK OR LIGHT GRAY TACKY SOLID

Odor

NO ODOR

Chemical Type: Pure

9. Physical And Chemical Properties - Continued

Odor - Continued
Melting Point: N/AV °F
Specific Gravity: 1.51
Molecular Weight: 0.00
Percent VOCs: 0.00
Vapor Pressure: N/AV
Vapor Density: N/AV
Solubility: INSOLUBLE

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR

Conditions To Avoid (Stability)

NONE KNOWN

Incompatible Materials

STRONG OXIDIZERS

Hazardous Decomposition Products

CARBON MONOXIDE, CARBON DIOXIDE AND HYDROCARBONS MAY BE LIBERATED UPON COMBUSTION.

11. Toxicological information

Conditions Aggravated By Exposure

NONE KNOWN

12. Ecological Information

No Data Available...

13. Disposal Considerations

DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

14. Transport information

Proper Shipping Name

NOT D.O.T. REGULATED

15. Regulatory Information

No Data Available...

18. Other information

HMIS Rating Health: 0 Fire: 1 Reactivity: 0

Disclaimer

PPE: B

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other materialor in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe on any patents.

MATERIAL SAFETY DATA SHEET

Page 4 of 4

SIKALASTOMER 58, 68

Disclaimer - Continued

Labeling information

HMIS

H-0, F-1,R-0, PPE-B

CAUTION: Slight Irritant: No respiratory effects know n, however may be slightly irritation to the skin and can be a mechanical irritant if contact with eye. Can cause discomfort of ingested.

FIRST AID: Wash with soap and water if skin imitation develops and guard against further contact. Rinse eyes with water to remove material. If discomfort persistsfollowing ingestion, contact physician.

CLEAN UP: Scrap up and put into s uitable containers. Dispose of in accordance with Federal, State and Local environmental regulations.

SIKA CORPORATION

rinted Using MSDS Generator 12 2000