

Made of White Pine Mortised and Tenoned

Gordon-Van Tine screens are made of the very best grade of Western White Pine, specially kin-dried. This wood has wonderful weather-resisting qualities. Every joint is mortised and tenoned then fastened securely with a steel pin. 14-Mesh Galvanized Wire

ONLY the very best obtainable galvanized wire is used. It is coated with a coat of spelter by electrolysis—not dipping, giving a **rust-resisting** screen that gives long service. It is applied on special benches which stretch it tightly and evenly. The result is a **rigid**, **staunch** screen that will last indefinitely with reasonable care. Screens come "in the white" so you may paint them any color you desire.

Used at every joint on all our screen. Such screens do not sag or loosen up.

Mortise and Tenon

Prices

Screen Windows to Fit	Screen Windows to Fit Two Light V	
Four Light Windows	Glass Size of Price Glass Size of	Price dow. Are 1½ inches thick
Glass Size of Opening Class Gal.	Size Opening with Galv. Size Opening tr. in, ft. in, tr. in, ft. in, ft.	in. Galv. mesh Galvanized Wire.
ft. in. ft. in. Wire	12x20 1 4 x 3 11 81.47 26x18 2 6 x 3 12x24 1 4 x 4 7 1.57 26x20 2 6 x 3	7 \$1.81 1 1.69 If your window is only 1/2 inch narrower or 1 inch
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3 2.00 shorter than size of open-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16x24 1 8 x 4 7 1.69 26x28 2 6 x 5	3 2.14 can get the stock sizes
12x24 2 5 x 4 7 2.00 12x26 2 5 x 4 11 2.06	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	72.22 2.08 2.14and cut them down, as side rails are full 2 inches
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	18x24 1 10 x 4 7 1.75 28x28 2 8 x 5 20x20 2 0 x 3 11 1.71 28x30 2 8 x 5	$\frac{2.12}{3}$ 2.22 wide, bottom rail $3\frac{1}{2}$ in.
8 LIGHT	20x22 2 0 x 4 3 1.77 28x32 2 8 x 5 20x24 2 0 x 4 7 1.81 30x24 2 10 x 4	1 2.45 7 2.14 Half Screens
10x12 2 1 x 4 7 \$1.89	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 2.22 85c and up 3 2.28 Half screens are made up in any 2.36
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccc} & & & & \\ 7 & & & & \\ 3 & & & \\ 3 & & & \\ 2.45 & & \\ \end{array} \text{ size wanted and in three ways:} \\ & & & \\ 11 & 1\frac{1}{3} \text{ inch is thick, (2) } \frac{1}{3} \text{ inch is with} \\ & & \\ 11 & 1\frac{1}{3} \text{ inch thick, with} \end{array}$
12 LIGHT	24x18 2 4 x 3 7 1.75 32x30 3 0 x 5 24x20 2 4 x 3 1 1.81 38x20 3 6 x 3 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 3 1 3 1	72.51grooved side rails. (In ordering12.37be sure to state which is wanted.)
demostated alwait fild man A	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	7 2.48 Price per square foot, outside measure:
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 2.65 Electro Galvanized 14 mesh wire -24c per square foot. 7 2.90 No Half Screen is mode up
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	26x14 2 6 x 2 11 1.72 44x28 4 0 x 5 26x16 2 6 x 3 1.75 44x28 4 0 x 5	72.90No Half Screen is made up32.95for less than 85c.73.02
High Our	Lity Schoon Ha	At Low

Quality Screen Hardware O

Interchangeable Screen and Storm Window Hangers	Galvanized Screen Wire Cloth (Resists Rust)
Use them the year around. To change from screen to storm sash simply push screens out and lift up slightly and hang storm sash. It takes only a minute. Made of wrought japan polished steel. Size 2x2 ½ in. Guaranteed to hold screens and storm sash firmly in place. No ratific of danger	Width Square Galvanized Inches feet wire Cloth per roll per lin, ft. No of 3R9803 Width Square Galvanized Width Square Galvanized Wire Cloth per roll per lin, ft.
of being blown off. To avoid changing the hangers from screen to storm sash order an extra pair of half hangers, same hook will, of course, do for both. 3R2069. Per set, complete with screws. 8c	44(JANO) ^{ID} 130 140 90.00 32 20073 30.11 WIRE CLOTH 20 16654 0.07 34 28345 0.12 22 18355 0.08 38 31655 0.13 24 200 0.09 42 350 0.14 26 21635 0.09 46 38336 0.16 28 23335 0.10 48 400 0.16
3R2070. Price per extra pair lower half hangers	3J9803. Galvanized Wire Cloth. Less than roll lots. Price per sq. ft4½c
Screen and Storm Window Numbers	Screen Door Hinge Pulls
(1T50)	 Strong durable spiral hinge, size 3x3 in., adjustable. Com- plete with screws. Br2055. Antique copper finish. Each.
Numbers come in pairs. Place one number on screen and storm sash or door, place the duplicate number on casing or frame. Diameter 3/ in. Weight of set 1 b. Wrought steel	3R2031. Antique copper on steel.
Come in packages as listed below. Weight 2 oz. No. 3R2092 Package with single numbers from 1-25	pair
pairs of numbers from 1-2554c No. 3R2093. Package with single numbers from 26-5054c No. 3R2093.5. Steel wire. Average	2R3049, Diameter 7/16 in. Japan polish. Each
Screen Window Fastener H and y H and y	Wrought Steel Butt or Hinges
Streen win- dow loek, strong steel, Japan peli- mared 1/3,	For 76 to 11/5 in. thickness doers, opening out. Wrought steel. Escutch- con 13/5 43/5 in. publicks attachment, weight 13 oz. complete with screws, knobs and strike. 2 x2 in. Wt. 12 oz 14c
Weight 2 oz. 3R2073. Complete with screws6c	3R2013. A n t i q u e copper finish. $2^{12}y^{3}x^{2}y^{10}$. Weight 1^{10} . 10^{10} . Set
Page 2 GORDON-VAN TIN	E CO., Davenport, Iowa



in an instant, without the aid of tools. Simply lift out one panel and insert the other. Not necessary to take door off its hinges. Made in our own factories of clear white pine. used—a finer screen the 12 mesh. This unique door rea-two doors at the price painted or varnished.

12 mesh. This unique door really gives you two doors at the price of one. Not



A Screen Door in Summer

Doors Are Great Values Our Screen

The screen doors shown on this page are made in our own fac-tory under our own strict supervision by workmen with years of experience. We build screen doors with the knowledge that they must wear better and last longer than the ordinary kind, and theydo. Only the finest clear white pine without a knot is used in these screen doors. It is all thoroughly kiln dried and yaid seasoned. The extra heavy side supporting rails and stiles are put fogether with mortises and tenon joints, glued and blind-nailed. This gives you a door that will stand up under the hard usage as screen door always gets. They are 11's inches thick compared to 7's inches for the ordinary kind. These screen doors will not shrink, warp or check when properly variished or painted. Highest quality galvanized screen wire is used. It is electro-plated with a cooling of spelter that insures years of service and wire. Special "Screen Tables" used in putting of wire make it "tight as a drum." Our screen wire is 14-mesh; the average but 2-mesh.

12-mesh.

12-mesh. If you need screen doors, order right from this page with perfect confidence—if it isn't satisfactory your money will be promptly refunded.

WHITE PINE

Made of Best Western White Pine. Not varnished. Furnished in 14-Mesh Galvanized Wire Cloth. 11-4 inches thick. Side rails 4% inches wide.

	2R1766
~	Galvanized
Size	. Wire
2- 8x6- 8	\$3.70
2- 8x7- 0	3.85
3- 0x7- 0	4.05
OA.	K
Highest grade C	lear Oak Screen
Door, side stiles 4 3/4	inches wide. Not
arnished. Door is	11% inches thick.
Furnished in 14	
creen wire.	
creen wite.	2R1772
	Galvanized

\$7.15

8x6- 8. 8x7- 0. 0x7- 0.

GORDON-VAN TINE CO., Davenport, Iowa



1

A Storm Door in Winter

This door is made of Clear White Pine. 1% inches thick, with 5-inch stiles, wide center rall. The door is furnished in the "white," unvarnished and unpainted, to allow you to finish the door up to match the rest of your entrance 2R1776

Size					vanized
					\$5.40
2-0x7-					5.60
3-0x0-					5.80
D OAT-	10		-	-	5.00
The	W			15	

Made of Best Western White Pine. Not varnished. Furnished in 14 mesh Galvanized Wire Cloth. 1½ inch thick. 2R1762 Galvanized Wire • \$3.40 • 3.50 • 3.60 • 3.90 Size 2- 6x6- 6.... 2- 8x6- 8... 2- 8x7- 0....

0....

8x7- 0 0x7- 0

Highest Quality Paint **OUALITY HOUSE PAINT** PER **OUR GUARANTEE** We guarantee Gordon-Van Tine "Quality" House Paint to be the equal of any Ready Mixed Paint on the market. Your Money Back if you are not satisfied. GALLON Gordon-QUALITY BRAND Regardless of price—the equal of any Mixed Paint on the market. The low price is made possible only by our Selling Direct to you—not by cheapening the paint. Read our Guarantee above. P.1045 Up Quality Paint has unusual capacity-300 square feet, two coast, per gallon. This makes it by far the Cheapest Paint per Square Foot you can buy-a little goes an unbelievably long ways. Buy Your 50 Gal. Barrels 52.38 Per Gallon Paint By Its Formula is on every can. Our Guarantee is back of every quart. 25 Gal. 1-2 Barrel How to Estimate the Quantity of Paint You'll Need \$2,40 You'll Need To find the quantity of paint you require, measure the length, width and beight of the building. Add together the total length in feet of the two sides and two ends of the building. Multiply this by the height of the building. Then divide the number of square feet of the building surface by 300 and you have the number of gallons of "Quality" paint required for the building. If there is a gable, multiply the width of the gable at the base by balf the height of the gable. **Square Foot** Per Gallon 5 Gallon Kits Covering 52.50 Per Gallon Complete List of Colors of "Quality" Ready Mixed House Paint
 R-1001 Lemat Stone
 R-1005 Gir Quarty Viceday Willow (R-1014 Pea Green 4R-1002 Silver Gray

 4R-1003 Clear Gray
 4R-1007 Lead Color

 4R-1005 Light Gray
 4R-1007 Lead Color

 4R-1005 Light Gray
 4R-1012 Siraw

 4R-1005 Light Gray
 4R-1012 Siraw

 4R-1005 Willow
 4R-1012 Siraw

 4R-1015 Bile
 4R-1012 Siraw

 4R-1015 Bile
 4R-1012 Siraw

 4R-1015 Bile
 4R-1012 Siraw

 4R-1015 Bile
 4R-1012 Siraw

 4R-1016 Willow
 4R-1012 Siraw

 4R-1019 Olive
 4R-1025 Inside While

 4R-1020 Willow Green
 4R-1027 Light Ivory

 4R-1021 Marca Red
 Color
 1 Gallon Cans Capacity 52.60 4R-1013 Set 4R-1018 Terra Cotta 4R-1019 Olive 4R-1020 Willow Green 4R-1021 Maroon Red 4R-1022 Oxide Red 4R-1024 Outside White Per Gallon 1 Quart Cana 75c Be sure to mention Color and Catalog Number Every "EXTRA QUALITY FLAT BRUSH POPULAR FLAT Gallon PAINT BRUSH **Guaranteed** To 4R-9002 - Nickeled ferrule. Black Chinese bristles. A good brush for family use. Width in inches, price 3, **59c**, 3½, **70c**, 4, **89c**. Cover 300 sq.ft. A Fine Brush for general use. Bristles set in rubber. 4R - 9003-3½ inch width, 93c, 4 inch width, \$1.17. 2 Coats SHINGLE STAIN A high grade stain made especially for use on shingled roofs and walls. Contains large amount of creosote, best wood pre-servative. Gives a beautiful soft color to shingles and adds years to the life of the roof. **H**H щ PRICES AND LIST OF COLORS No. 4R-3302 Brown No. 4R-3301 Silver Gray No. 4R-3304 Moss Green No. 4R-3303 Oxide Red 1-35 1 gallon cans..... 5 gallon kits, per gallon.... 25 gallon ½ barrels. Gal... 50 gallon barrels. Gal.... 12444

1 ...

Varnishes, Wall Paints, Enamels AT WHOLESALE PRICES

MURALTONE Perfect Wall Paint

Dries with a soft, velvety finish—no gloss. Washable. Most economical wall finish you can buy. Extra quality—made of purest oils and pigments. There is no better wall paint on the market. Unusually low prices. Compare them with local costs. Dries hard over night. You can put it on yourself. Comes in a variety of lovely tints and colors.

LIST OF COLORS

 4R-4101
 Tan
 4R-4100
 White

 4R-4102
 Silver Gray
 4R-4107
 Pea Green

 4R-4104
 Light Biue
 4R-4108
 Light Buff

 4R-4105
 Nile Green
 4R-4109
 Shell Pink

 4R-4105
 White
 4R-4109
 Shell Pink

 4R-4105
 Shell Pink
 4R-4100
 Olive

 Per quart
 \$0.683

Per gallon..... 2.48





Renew your old furniture, interior floors, woodwork, with a very small investment of time and expense. You can easily do this work yourself and you'll enjoy it, too.

If you want to refinish or renew old work, and desire a lighter shade, apply a coat of ground color, and then a coat of the shade desired. On old work, sandpaper loose paint or stains, and then apply a coat of varnish stain. Easily applied, dries quickly, with a rich, permanent horter.

> Per Quart 72c

lustre. Per Gallon \$2.40

Per Pint 43c



Page 5

Window	vs, F	rame	5	and	Scr	eens
4 Light 8 Light	2 Light Check		onial		OLESALE	
				Order Windows.	Frames and Sere	ens right from this lity money can buy,
				at manufacturers'	prices. These che	ck rail windows are
	and the		1	be used for oil fin skilled workmen.	and primed with h ish work or paint 1 ³ / ₈ inches thick.	nseed oil so they can ed. Well glazed by We guarantee safe
				Screens are of	equally high and	lity. They are 11/8 and will never warp,
12 Light	1140	Pasa	dena	ings. Screened	with 14-mesh galv	han window open-
	TV-ABANAS VI			Colonial and P modernize any ho inches thick Siz	asadena sash are me. They are che	sis. widely used. They ock rail windows 13% tar are carried in
	A A			Stock leady for i.	inneulate sulpinet	16.
				These frames ar	e com-	FRAMES
Anno La Composition	2 LIGH	IT		pletely machined together in a few n with no tool but	l. Put ninutes a ham-	in the second
Windows	Screens Fram		sadena	mer. Buildersever say our frames are t they have ever us	he best	
Size Size of Opening 2R2111 2R2112	2R2912 Price 2R2912 With v	Frame with 2R2403 2R2404 2R240	07 2R2408	SPECIFICAT 2R3111. Outside	Casing	
Gl'ss ft.in.ft.in. Price Price Glazed Glazed S S D S	with Galvanized Wire	1%-in. SS DS SS tside	DS	13 in. Pulley Stil Head Jambs	les and $\frac{1}{3} \times \frac{51}{4}$ ing and	- Sup CAY
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	\$1.47 \$2.35 \$	Sizes marked th carried in stock, al	glazed	in. plowed for part blind stops. Sill inches. Outside	13% x71/4 Casing	A sure sound
14x20 1- 6x3-10	1.52 2.41	2.57 Ment. On all oth our service is from 14 days.	er sizes	136 x4½ in. Drip C 1¼ in. See sketch ble or Twin Fran double the price	nes are	-
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		2.88 \$2.21 \$2.73 \$2.2	1 \$2.73	cents. 2R3112. Outside	Cas-	Annar Jinas
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.69 2.74	2.65 2.27 2.50 2.2 3.17 2.57 2.94 2.5	7 2.50 7 2 94	ing. $1\frac{1}{5}$ in. Stiles and Head $\frac{13}{5} \times 5\frac{1}{4}$ in. inc Blind Stop plow	Pulley Jambs Eluding	Mon A
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.64 2.54	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.42 2.81	parting Stop. Si 7¼ in. Drip Car	11 13/8X	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.77 2.75 2	2.77- *2.41 *2.73 *2.4 2.97 2.54 2.92 2.5 3.08 *2.66 *3.05 *2.6	1 2.92	1% in. Outside 1%x4½ in. See Double or Twin 1 are double the pri	Frames ce plus	2R3111 2R3112
20x26 2- 0x4-10 2.11 2.56 20x28 2- 0x5-2 2.22 2.73	1.89 2.95 3	3.08 *2.66 *3.05 *2.60 3.19 *2.77 *3.19 *2.77 3.29 *2.88 *3.36 *2.88	7 *3.19	35 cents. No inside (w. stops included. 1	indow) Plain Car	p Window Frame
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.95 3.01 3	3.14 *2.77 *3.19 *2.77 3.25 *2.88 *3.36 *2.88 3.36 *3.02 *3.55 *3.02	3 *3.36	for Cottage Windo same opening.	ws take same size	as two light sizes of
24x18 2- 4x3- 6 1.83 2.19 24x20 2- 4x3-10 2.00 2.42	1.81 2.72	2.73 *2.54 *2.92 *2.54 2.90 *2.66 *3.05 *2.66	*3.05	100 - 12 - 12-	4 LIGHT Windows	Frames
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.95 2.98 3 2.02 3.08 3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	*3.53	Size Size of Opening	2R2121 2R2122 Price Price	with 13 in with 11"
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.14 3.27 3	3.42 *3.24 *3.84 *3.24 3.53 *3.44 *4.10 *3.44 0.00 +0.40 +0.01 +0.41	*4.10	Glass ft.in. ft.in.	Glazed S S D S	Outside O'tside Casing Casing
26x14 2-6x2-10 1.83 2.19 26x16 2-6x3-2 1.83 2.19 26x18 2-6x3-6 2.00 2.42	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	8 *2.81 *2.81 *3.05	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	\$1.65 1.76 2.06 2.00 2.30	\$2.65 2.92 3.14
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.00 2.93 3 2.02 3.03 3	3.16 *3.02 *3.55 *3.0 3.27 *3.02 *3.55 *3.0	*3.55	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.29 2.59 1.69 1.99	2.92 3.14 3.10 3.36 2.51 2.70 2.77 2.96
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3.37 *3.24 *3.84 *3.2 3.48 *3.51 *4.18 *3.5 3.59 3.76 4.52 3.7	L *4.18	12x24 2-5x4-6 12 26 2-5x4-10	2.33 2.63 2.46 2.76	3 03 3.27 3.13 3.37
26x36 2- 6x6- 6 3.65 4.57		3.33 *3.42 *4.01 *3.4		$\begin{array}{c c c c c c c c c c c c c c c c c c c $	2.64 2.94 2.93 3.23 8 LIGHT	3 22 3.50 3 32 3.59
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.14 3.19 3 2.22 3.28 3	3.44 *3.69 *4.35 *3.6 3.55 *3.94 *4.68 *3.9 3.65 *3.96 *4.70 *3.9	9 *4.35 1 *4.68		I Windows	Frames
28x32 2- 8x5-10 3.63 4.55 28x36 2- 8x6- 6		3.76 4.50 5.40 4.5	0 5.40	Size Size of Opening	2R2131 2R2132 Price Price	2R3111 2R3112 Frame Frame with 13 in. with 1 1
30x24 2-10x4-6 2.77 3.44 30x26 2-10x4-10 3.08 3.85 30x28 2-10x5-2 3.10 3.87	2.22 3.26 3	3.40 *3.62 *4.26 *3.6 3.51 *3.94 *4.68 *3.9	4 *4.68	Glass ft.in.ft.in.	Glazed S S D S	Outside Casing Casing
30x30 2-10x5-6 3.94 4.53 30x34 3-10x6-2 4.42 5.13	2.36 3.45	3.62 *3.96 *4.70 *3.9 3.73 *4.82 *5.38 *4.8	2 *5.38	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.22 2.52	\$2.92 3.10 3.22 3.48
32x24 3- 0x4- 6 3.12 3.87 32x26 3- 0x4-10 3.15 3.90 32x28 3- 0x5- 2 3.63 4.55	2.45 3.40 3	3.46 *3.98 *4.70 *3.9 4.01 4.73 4.0 3.68 4.50 5.40 4.5	1 4.73		12 LIGHT	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$-\frac{2.51}{2.37} \frac{3.50}{3.33} \frac{3}{3}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 <u>5.42</u> 5.42	Size Size of	Windows	2R3111 2R3112
38x24 3- 6x4- 6 4.57 38x26 3- 6x4-10 5.13 38x28 38x28 3- 6x5- 2 5.15	2.56 3.69 3	3.87 5.42 3.98 *5.99 4.09 *6.01	*5.99	of Opening Glass	2R21412R2142PricePriceGlazedGlazed	Frame Frame with Hin with 11"
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.81 3.85	4.17 6.76	6.76	ft.in. ft.in. 8x10 2- 4½x3-1		Casing Casing
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2.95 4.03	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6.78 7.37 8.46	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	3 10 3.33 3 21 3.46 3 40 3.68
Page 6		N-VAN TINE CO.		port lowa		0.00 1 0.00

.

Fine Front and Interior Doors and Frames PRICED FAR BELOW THE AVERAGE


The doors shown below are the finest experienced workmen and

The doors shown below are the finest experienced workmen and modern machinery can produce. The White Pine and Fir Doors are made of the very best material obtainable—air seasoned and kiln dried. There is not a blemish or a knot of any kind to mar the finish. Each door is glued with a special glue, pressed together by steam power, and then carefully sandpapered. The result is a handsome, substantial and well fin-ished door. The beautiful natural grain of these doors, coupled with the low prices, make them doubly attractive. All our Veneered Oak Doors are built up of a core made of

5-0 x 7-0

AVERAGE RETAIL MARKET separate pieces dovetailed .ogether and having grain turned in different directions so that warping is impossible. The veneer is then applied under hydraulic pressure. The handsome grain of the finished Oak Door gives a most pleasing effect. At the wholesale prices below each one is a distinct bargain. Doors shown on this page are glazed with heavy, French bev-eled plate, or double strength clear glass, as indicated in price column.

We guarantee safe delivery and absolute satisfaction on any door purchased or will refund your money and freight both ways.



Lal	Fayette	Monterey	5 Cross Panel 2 Panel Mexico				Sheffield					
These	La Fayette	Pasadena	Monterey	Reno	5 Cross	a Panel	001	2 Panel		Mex	Ico	Sheffield
doors are giving satisfac- tion daily in thousands of homes.	1 ¾ inches thick. Glazed bevel plate glass.	1%4" thick Same glass size as La Fayette, divided as shown. Glazed Clear Plain	3% in. thick. Glazed clear glass. 34 in. thick. Glazed bevel plate.	Same glass size as Monterey, divided as shown. Glazed Clear Bevel Glass Plate	inches thick. quality. White stiles, rails and ls.	inches thick. quality Fir. tiles, rails and ls.	inches thick. te Pine stilles rails, Fir pan-	% inches thick. stiles and rails, panels.	f inches thick. eered plain Red	thi	ed as ted or	1% inches thick. "A" quality. Glazed
They will satisfy you.	White Pine Oak	Glass Plate White Dak 2R1513 2R1112	Fir Oak	Fir Oak 13% in. 13% in. thick thick	1 1 3% A., A., Bine Bane	2R1475	Mhit Whit els.	8% I 2R1422	2R1222	As Illus- trated 2R1391	Clear Glass 2R1392	clear glass. 2R1557
2-0 x 6-0 2-0 x 6-6 2-0 x 6-8 2-6 x 6-8 2-6 x 6-8	Door, No. 2J16 Pine frame crac	281513 281112 23. You get abs eking or splitting. The price is unusua	r Panel White Plu blute assurance a Fir panels are t	ne Stiles and Rails gainst the White he handsomest of	3.25 33.41 33.47 3.902	3.782 44.328 44.38	5.22	4.23 4.72 4.83 4.79 4.80	8.54 88.72 89.47 9.53	6.05		
2-8 x 6-8 2-6 x 7-0 2-8 x 7-0		0 14.75 22.90			4.21 4.35 4.54	4.41	5.53 5.71 5.96 6.49	4.94			4.95	9.80 10.25 11.05
Special Si	Special Size Doors: If you need a door of size not listed, add one-half to price of next larger stock size of same style and kind of wood. Write for prices on sizes over 3 feet wide and 7 feet high. Specials require two weeks for shipment.											

DOOR FRAMES-READY TO SET UP COMPLETE **French Doors** H in. and 11/8 in. Outside Casings the first f White Pine or **Red Oak** Plain Cap Door Frames **Inside Frames** 1¾ Inches Thick 1¼ Inches Thick French doors opening on to porch or veranda add greatly to the beauty and comfort of the home. They are being in-cluded in plans drawn by high-priced architects. If you are planning a new home you could spend the small amount re-quired in no better way than including a pair of these hand-some French doors. The doors come in four sizes shown and are glazed with clear double strength glass or best polished plate glass. or Jambs or Jambs Come in Yellow Pine, Fir and Plain Re d Oak. Jambs are ½x Jam 15 Write for prices. **PLANCAP DOOR FRAMES** Door frames are carried in stock in sizes listed below. For smaller or intermediate sizes we ship nextflargest size, and jambs can be cut down and dadoed. All frames are shipped knocked down, one complete frame to a bundle consisting of side and head jambs, sill, outside casing and drip cap. EXPECTICATIONS All Out-side Door Frames are rab-beted for doors 1%-in. thick un-less ot herw 1se specified. If you want frames rab-beted for 1%-in. doors be sure and specify this on your order and we will furnish them without ex-tra charge. Casing and Gip Cap. SPECIFICATIONS 13/16 in. Outside Casing—Jambs, $1\frac{4}{3}x5\frac{1}{3}$ in.; rabbeted, $\frac{4}{3}x1\frac{1}{3}x6$ in.; sill, $\frac{1}{3}x7\frac{1}{3}$ in.; out-side casing, $13/16x4\frac{1}{3}$ in.; drip cap, $13/16x1\frac{1}{3}$ in. 1% in. Outside Casing — Jambs, 1%x5% in.; rabbeted, %x1% in.; sill, 1%x7% in.; outside casing, 1%x4% in.; drip cap, 1%x1% in. These frames made to receive 1½ in. storm or screen doors. These frames made for 2x4 sized studding. French Doors (1% in. thick) Per Pair French Door **Frames** White Pin Red Oak Veneer Size of 2R1831 2R1832 2R1835 2R1836 Wood Building PLAIN CAP FRAME PRICES. PRICES INSIDE DOOR FRAMES OR JAMBS Opening D. S. | Plate 3 R3831 Plate D. S. 2R3901 Yellow Pine 2R3902 Flr 2R3903 Plain Red Oak 2R3801 13/16 inch Outside Casing 2R3802 1½ inch Outside Casing Size 27.60 36.25 28.30 36.95 32.70 44.20 34.20 45.65 Size of .07 17.65 26.05 17.9026.30 19.80 30.90 3589 4-0 x 6-8 4-0 x 7-0 5-0 x 6-8 5555 2-8x6-8 or smaller 3-0x7-0 or smaller 6-0x7-0 or smaller 10-0x8-0 or smaller 1.01 1.12 1.29 1.63 2.19 2.44 2.82 2.58 Doors 2-8 x 6-8 3-0 x 7-0 4.15 4.56

Builders' Hardware at Half Dealers' Price



FRONT DOOR

3R1105.

INSIDE DOOR

A big selling design, each complete with key and screws. Lock $3\frac{34}{2}$ x $3\frac{36}{2}$ inches. Escutcheon $7x2\frac{16}{2}$ in. Weight $2\frac{16}{2}$ lbs. Carried in four following models: 3R1113. Dull brass, finish on steel. Price ... 78c 3R1119. Antique copper finish on steel.

Price78c 3R1117. Antique copper finish on genuine bronze. Price. \$1.85

CYLINDER FRONT DOOR

Every article of hardware and tinwork on this page must meet our very high standards —both in quality of material and workman-ship before being offered to our customers. Our large purchases get us the very lowest quotations. You can share in these savings by ordering direct from us at the low whole-sale prices shown below.

REGAL and IOWA LOCK SETS

The dignity and correctness of these designs make them both very popular. Either design reflects good taste and adds immensely to the attractiveness of any room. All outside locks have night look attachment. Can be used on all regular doors, over $1\frac{1}{2}$ inches in thickness, with $4\frac{1}{3}$ inch stiles. We carry push plates and sash lifts to match.



D

@]][[

0

IOWA DESIGN LOCK SETS


Patent adjusting bar. For doors $\frac{1}{16}$ in. to 2 in. thick. Two steel keys. Complete with screws. Shipping wt. $1\frac{1}{16}$ lbs.

3R4083. Extra heavy T-hinge. Powerful hinge, wrought polished steel, for heavy doors. Weight from 11b. 7 oz. to 11b. 8 oz., varying with size. Size in inches. Price per pair. 5in. 6 in. 20c 24c 38c 51c 8c 8c

0

0

Cellar, Barn and Dairy Sash — Window Hardware



Tinwork and Nails Priced Very Low



Complete with 6 ft. of Pipe, Elbow, Wall Collar, Toilet Paper and Holder and 1 gal. of Chemical. Shipping weight, 50 lbs.



Support

WHICH DO YOU PREFER?

Eliminate the outdoor closet—it's a cold, inconvenient place in winter, a hot, ill-smelling nuisancein summer and a menace to health the year 'round. Install right in your house a modern, sanitary indoor chemical closet, recommended by physicians and health officers.

There is nothing displeasing about it. It is handsome in appearance, and remember it is absolutely odorless. Sold under an iron clad guarantee.

HOW IT WORKS

Two gallons of water are placed in the inner container with a pint of chemical. When used the closet is absolutely odorless. The vent pipe insures pure air. The chemical kills all germs. The contents are emptied, say once a month, and should be buried or used as fertilizer.

THE CHEMICAL

A gallon of chemical will last a family of three for eight months. It will not freeze at normal temperature and a little common salt will keep it from freezing at all times. Price of additional chemical \$1.75 per gallon. We guarantee the success of the closet when this chemical is used.

With the closet we furnish 6 ft. of pipe, elbow, wal¹collar, toilet paper, paper holder and one gallon of chemical. Shipping weight 50 lbs., 3 in. pipe enamel finished in 15-inch lengths.

3R3801—Price of closet complete.....



GORDON-VAN TINE CO., Davenport, Iowa

Page 9

\$1337 Floors a Room 10x14 With Oak



Catalogue No.	Kind of Oak	Grade	feet Board Measure
2R8951	Plain Red Oak	Clear	\$ 85.00
2R8952	Plain Red Oak	Select	71.50
2R8961	Quart'd Red Oak	Clear	125.00
2R8971	Q't'd White Oak	Clear	135.00

Yellow Pine Flooring

02 Thin

To arrive at the quantity of flooring required for any given space, figure the number of square feet, which means the width multiplied by the length. For instance a room 12 til, while 15 fil long would contain 12 times 15, or 180 sq. ft. To the number of sq. ft. add one-third for foss in cutting and waste in matching and dressing; 180 sq. ft. plus one-third or 60 ft. would equal 240 ft. board measure count. This flooring is made from boards 3 in. wide, but after having passed through the machines for matching and dressing, actually measure only 2¼ in. face, and this 15 the reason why the waste (equal to one-third of the square footage) must be added to the actual sq. ft of space. Therefore if Oak Flooring is desired the 240-foot board measure at \$71.50 per thousand feet will cost \$17.16.

Fir Flooring



It's Easy to Lay Your Own Floor

IMPORTANT NOTE: In ordering Yellow Pine and Fir flooring be sure to allow ½ for waste in cutting and laying and difference in width as this flooring is figured as 4 inches wide. Yellow Pine flooring 13/16 inches thick, weighs 2000 pounds per 1000 feet.

High Quality Window and Door Trim—Complete—No Waste

		(Doc	OLONI Door Tr 2R970 Vindow 7 2R971 or Trim in Base Blo	im 4 Frim 4 ncludes	you then time for D bea	r Trim as sho re any chance of e and bother, proper length fitting and tri boor Trim con d casing and co Vindow Trim	tte, when you order wan here, neither ! of mistake. It savc. We cut all parts to is allowing liberally imming. sists of side casing, ap mouldings. consists of side cas-		For Door	4239	Do 2 Wind 2 Door T Base	ITARY or Trim R9401 iow Trin R9411 'rim ince Blocks Price p	m ludes
	For Door Op'n'	Door Tri	m-Price	perside	and and	apron and w	cap moulding, stool indow stops.		Opening Size Up to	Y. P.	1/1	Tir	Oak
11111	Size Up to Ft. In. Ft. In.	Y. P.	Fir	Oak	high	lest. Conside	f our trim is the ring quality—prices		Ft.In. Ft.In.		_		
	$\frac{1}{2-6 \times 6-6}$	\$1.45	\$1,15	\$2.76	are	lowest.		LERINAL PROPERTY OF	2-6 x 6-6 2-8 x 6-8	\$1.11 1.11		.88	\$2.12
Window	2-8 x 6-8 3-0 x 7-0	1.45	1.15	2.76		Ba	se and Back Band	Window	3-0 x 7-0 6-0 x 7-0	1.23 1.40	1	.97	2.34 2.66
Trim	6-0 x 7-0	2.05	1.62	3.08	TOIS!	Be	autiful stock. Sold in	Trim	8-0 x 8-0 Glass Size	1.63		29 ow Trin	3.10
quoted in	<u> </u>	1 2.44	1.93 ow Trin	4.64		ran ft.	dom lengths, 8 to 16 Specified lengths 10%	quoted in 73	24 x 20	\$1.39	\$1	.09	\$1.64
73 sizes in	24 x 20	\$1.71	\$1.35	\$3.26			extra. Base	sizes in	24 x 26 26 x 14	1.53		.21	2.92
our	24 x 26 26 x 14	1.86	1.47	3.54		2R	8828. Size ³ / ₄ x7 ¹ / ₄ in. rice per 100 lineal feet	our Building	32 x 24	1.73	1	.37	3.30 3.58
Building	32 x 24 32 x 28	2.07	1.83	3.94		Ye	low Pine \$7.00	Material	38 x 26	1.73	1	.37	3.30
Material	38 x 26	2.21	1.75	4.22		Fir	7.50	Catalog	38 x 28 44 x 28	1.88		.49	3.58 3.96
Catalog	38 x 28 44 x 28 -	2.36	1.87	4.50	144		Carnet Strin				M	SSIO	1
						P	8422. Size ½x¾ in. rice per 100 lineal feet	Contraction in contraction of the local division of the local divi		100	D	oor Trin	n
		122	AFTSM		S.C	Fir	low Pine\$.90 .75 	Contraction of the local division of the loc	Concession of the local division of the loca	XII		2R9406 ndow Tr	
Marin	11100		2R9404	n	1.00	Oal			- And - And -			2R9416	
ALESS	1999	W	indow Tr	im	121	and the second second	Back Band, size	and the second	and the second second			Trim in	
			2R9414		100	100	for use with Base No. 2R8828.	Provide State		AND		se Block	
	For Door	Door Trim-	-Price	per side	- 200		2R8717. Back	1 BALL	For Door Op		or Tri	m-Price	perside
	Opening	Y. P.	Fir	Orb			Band. rice per 100 lineal feet.	1344	Size Up t Ft. In. Ft.	0 1	7. P.	Fir	Oak
N. N. 11	Ft. In. Ft. In.	1.1.	r II	Oak	T.W.	Y Y	ellow Pine\$2.47	and Real			1.34	51.06	\$2.56
LAT XX11A			1.13	\$2.72	Fir	\$1.76	Oak 4.70		2-6 x 6-6 2-8 x 6-8		1.34	1.06	2.56
	3-0 x 7-0	1.52 1	.20	2.90	1	Pictur	e Moulding	Window	3-0 x 7-0 6-0 x 7-0		1.46	1.15 1.43	2.78
Window			1.41	3.40	100	Saves driv	ving nails in walls and	Trim	8-0 x 8-0		2.15	1.70	4.10
Trim	Glass Size		w Trim		E.S.S.	room.	to appearance of the	quoted	Glass Size			w Trin	the second se
quoted in 73 sizes in	24 x 20 \$ 24 x 26		.32	\$3.18	1	homes finish	Especially adapted to ned in Colonial or Mis-	in 73 sizes in	24 x 20 24 x 26	1	1.61	\$1.27	\$3.06
our	26 x 14	1.59 1	.46	3.52 3.02		sion design.	Size %x1% inches. 00 lineal feet random	our	26 x 14		1.58	1.25	3,00
Building	32 x 24 32 x 28	2.04 1	.61	3.88	lengths	s. Specified le	engths, 10% extra.	Building Material	32 x 24 32 x 28		2.16	1.71	4.12
Material Catalog	38 x 26	2.08 1	. 64	3.96	Plain I	Red Oak	\$3.90 1.40	Catalog	38 x 26 38 x 28		2.02	1.59	3.84
outurog	38 x 28 44 x 28		.75	4.22	Yellow	Pine	1:70		44 x 28		2.43	1.92	4.62
Page 10			0	0000			00 Deserved	Lauria					

Page 10


mber at Wholesa SAVES YOU \$100 TO \$200 PER CAR

Our immense volume of business enables us to sell you lumber at rock bottom, wholesale prices. We quote a partial list only below to give you an idea of our low prices. We will gladly figure freight to your town. Be sure and get our prices freight paid to your station before you buy anywhere. Read the following carefully.

TERRITORY.—If you live in Northern Wisconsin, Minnesota, North or South Dakota, Kansas or Nebraska, or anywhere west of these states, order from the Coast Price Column. We will ship you our beautiful Fir lumber from our Washington mill. All other states order from St. Louis list, and we will ship strong, long leaf, yellow pine from St. Louis or our Mississippi mill, whichever is closer, thus insuring you the lowest possible delivered price. CARLOAD WEIGHTS AND FREIGHT.—Be careful that you order from the right list. Our lists of states are so arranged as to give you the lowest possible freight rates from our three mills and we want you to profit to the fullest extent on our unusually low prices.

Minimum weight from St. Louis is 34,000 lbs. or about 14,000 ft.; minimum weight from the Coast is 38,000 lbs. or about 15,000 ft. If you live in a western state, fill up your car with our Ax Split, Old Growth Red Cedar Posts. These posts are only shipped from our Washington mill. PRICES.—These prices are for carloads or less F.O.B. St. Louis.

Washington mill. PRICES.—These prices are for carloads or less F.O.B. St. Louis, Mo., Hattiesburg, Miss., or Chehalis, Wash. We can ship in any quantity in the States of Iowa, Illinois and Missouri from St. Louis. If you live outside of these states you must order a car-load. Your savings are greater if you order a carload on account of the lower freight rate. Send all bills to figure to Davenport.



Strong, Good Looking, Garage Doors



All-Purpose Double **Garage Doors**

Whether you are building Whether you are building a new Garage or whether you are remodeling an old building to use as a Garage, these doors are what you need. They are suitable for single doors on barns, shops and outbuildings, or as dou-ble doors on these same buildings if desired.

Made to Last

Very carefully constructed of best White Pine or Spruce. Stiles and rails are clear, panels are No. 1 clear on one


panels are No. 1 clear on one side. Have extra heavy construction and are strong and substantial in every way. Panels are made from ¾ in matched stock; every joint is perfect. Rabbeted edges can be planed off and not spoil the appearance. These are furnished unpainted "in the white," and can be finished to match the building. Price per pair, \$19.90 price. \$10.25 2R1809—Each door is 4x8 feet—opening 8x8 feet. Thickness 1¾ inches. Good quality clear glass 8 lights in each door as shown. Shipping weight each door 90 lbs.

Garage Door Hardware Set Complete

Garage Hinged Door Set contains complete hardware for swinging doors. Extra heavy tee hinges with reversed pads to permit application to jamb. Set includes: 3 pairs 10 inch extra heavy japanned tee hinges with reversed pad. 1 chain bolt, 6 inch japanned steel with 3 staples.

1 foot bolt, 6 inch japanned steel. 1 thumb latch, japanned steel. 1 handle or pull, japanned steel. Set is packed in neat attractive box and is complete with screws. Weight per set, 20 pounds

3R3501—Garage Set, complete.... \$3.25



Triple Folding Garage Door

These open on the i -side and folding up tightly leave practically the full opening clear. In winter there will be no snow to shovel to get your doors open when you want your car.

Excellent Construction-**Best Quality Material**

Made extra strong with heavy mortise and tenon construction.

used.

Complete Set of Hardware for Door No. 2R1805

Consisting of one adjustable bracket; one anti-friction adjustable swivel hanger; two door handles; 4½ pair butts; one end bracket; one 6-inch steel chain bolt; one 6-inch steel foot bolt; one hinge hasp; and 6 feet of track. \$7.45



3R4935-Per Set Complete. COMPLETE READY- SQN

CUT GARAGES UP Put them up yourself—Detailed plans furnished

Finest material, cut by machinery in our mills at big savings in labor and material for you. We furnish lumber, paint, hardware and guaranteed, fire resistant, slate surfaced roofing.

Before You Build Send For Free Circular Prices and describes many designs and sizes

Blackhawk **Ideal for Use in New** Vallboard or Old Buildings



Blackhawk wallboard is a high grade fourply wood pulp board of sceptional strength and density. This board is made from the shredded fibre of spruce logs into strong, substantial panels three-sixteenths of an inch thick; four feet wide and six, seven, eight, nine, ten and twelve feet long.

Thoroughly Waterproofed

Blackhawk Wallboard is thoroughly waterproofed. A water resisting compound is mixed with it while still a pulp and oil sizing which gives it excellent water resistance.

A Wonderful Surface

The natural surface of **Blackhawk Wallboard** is a pleasing cream color which requires no paint for some uses. This surface takes paint particularly well and the lighter tints applied to it when used for the interior walls of a home will give beautiful results.

Ideal for lining cellars, attics, garages, camp cottages and farm buildings.

Sample Sent on Request

Wallboard is being used all over America for almost every kind and class of buildings. It is easy to ap-ply. It is very suitable for use in new construction because of its quick application independent of weather conditions and the entire absence of the muss and dirt that comes with plastering. In many instances wall-board is better and cheaper than lath and plaster. In most instances it will do the work just as well. Most attractive effects can be ob-



Most attractive effects can be ob-tained through its use in panels in diaing room and living room. The variety of artistic treatments make it a favorite for bed room use. Its vermin and damp proof qualities make it popular for kitchen use.

PRICES-"BLACKHAWK" WALLBOARD Shipped from Davenport or Ci

Catalog No.	Length	Width	Price per Crate of 10 sheets	Price per Sheet
5R5001	6 ft. 7 ft. 8 ft. 9 ft. 10 ft. 12 ft.	48 in. 48 in. 48 in. 48 in. 48 in. 48 in. 48 in.	3 7.68 8.96 10.24 11.52 12.80 15.36	5.80 .99 1.13 1.28 1.42 1.70

In full crates of 10 sheets to the crate. When ordering give length of sheets. Shipping weight, about 800 pounds to the 1000 square feet. Please be sure and specify the size you want when ordering. Nails for "Quality" Wallboard—Special Wallboard Nails, allowing 2 pounds per 100 square feet. 386027—Per keg of 1001bs. 286027—Per keg of 1001bs. 2000 Less than keg lots, per pkg. of 5 lbs. 30

Beautiful Colonnades—Handy Built-In Fixtures



GORDON-VAN TINE CO., Davenport, Iowa

Page 13

Send for this Big Free Wall Paper Sample Book!

Tells How

to hang your own paper, what materials are needed, how to prepare the walls (new or painted) how to make paste, how to match, how to hang ceiling, wall and border, how to avoid smearing. With these complete instructions you can hang paper without difficulty and get excellent results.

Tells How

to figure quantity of paper for any room.

Beautiful papers for entire room 10 ft. x 12 ft. cost only Shows 50 beautiful patterns wholesale prices, lowest since before the war. This book contains actual samples, just as they will look on the wall. Many designs for every room in the house, all colorsand shades.

Prices range from 4c to 35c a single roll.

This Book Shows You Both Borders and Side Walls

Our new patented process shows you not only actual samples of wall paper, but in addition it shows with each side wall pattern **a sample of the border to match.** Makes it easier to select the border you want, and shows you exactly how the paper will look on the wall.

Book is **Free**. Get your copy—choose from the newest 1923 designs and save 30 to 50 per cent on your order.

Send for Free Book today!

Door and Window Cap Trin	INSIDE FINISH AND MOULDINGS Round Edge Casing
The accompanying illustration shows a tasty design for an eco-	This Round Edge Casing is the
nomical Cap Trim and the man- ner in which it is put together. We carry this design in Yellow	Craftsman Head Casing Base Blocks most popular design. Used in all modern houses. It is not a
Pine, Fir and Oak. Price is per 100 lineal feet in random lengths.	Craftsman Design Cap Trim Especially adapted for Craftman Blocks are carried lineal feet, in random lengths
2R8393. Cap Moulding: size.	in stock in Yellow
11/sx21/2 inches. Price per 100	Price per 100 lineal feet in random sizes listed below. lengths 10% extra.
Yellow Pine	extra
Oak	is used, you should use Side Casing State size wanted 44 inches
2R8394. Head Casing: size, ¾x4½ Inches. Price 100 lineal feet: Yellow Pine	2R8713. Back Band; size, 1x1 inch. when ordering.
Fir	Red Oak \$4.70 Fir 1.76 Vellow Pine. 2.12 2R8483 2R8485 2R8310. Yellow Pine, ¾x 4¾ inches. 5.10
2R8395. Fillet; size, 7/16x1 1/8 inches.	2R8394 1/2. Head Casing; size, 1/2 Size Yellow Fir Oak 2R3311. Yellow Pine, Mut-
Yellow Pine	Bed Oak 51100 51/ inches 5.10
Fir	
Quality Quarter Roun Quarter Round is carried in	Cove moulding
stock in Yellow Pine, Fir and Oak	Oak in sizes listed below. Prices are for the for and part and priced per 100 lineal 7 ¹ / ₄ inches.
for 100 lineal feet, in random lengths Specified lengths 10% net extra.	100 lineal feet, in random lengths. Speci- fied lengths 10% net extra. 10% net extra. Yellow Pine \$ 7.00 Fir. \$7.50 Oak. 16.00
No. Size Yellow Fir Oak	Size Vellow
2R8064 5% x 5% 60c 58c 2.00	2R8061 34x138 1.13 2R80991 34x134 1.80 1.50 4.00 115 Pir. 750 04k. 2.00
Crown Mouldin	ags Bed Mouldings Parting Stop and Blind Stop
Crown Moulding is carrie in White Pine and Fir in a	ed in stock 2R3038. Bed Moulding is carried in Per 100 lineal feet
below Price per 100 line random lengths, 10 to 16 fe	al feet in below. Prices are for 100 lineal feet, ran- dom lengths, from 8 to 16 feet. Size 156 Per 100 lineal feet
	x1 ³ /
	Style Shown to Left Drip Cap is carried in stock in White 1.50 Catalanna Na I Size I Not Data
2R8003 2R8003 34x234 2R8000 34x34	Catalogue No. Size Net Price 2R8031 ¾ x1¾ \$1.50 Catalogue No. Size Net Price
2R8002 34x35/8 3	3.00 2R8032 3.56 2R8030 3.42 1.69 2R8284 1.482 3.41 3.41
14AI/4 1	

Tufkote Roofing Per Roll

apor

Tough—Flexible—Smooth Surfaced Roofing **GUARANTEED 15 YEARS**

Tufkote Asphalt Roofing is made of strong, tough, long roofing fibre felt and into this is forced, under friction, high test mineral asphalt. Every roll bears the Underwriters' label. We unhesitat-ingly recommend it as the best smooth-surfaced asphalt roofing that we know of.

Tufkote Roofing will not melt in hot weather nor crack in cold. It is elastic and pliable.

FIRE RESISTANT

The asphalt is a lasting preservative and makes the roofing both weather proof and fire resisting. Sparks may fall on the roof and there is practically no danger of its being set on fire.

LONG WEARING

LONG WEARING It is a proven fact that the best grade of Tufkote Roof-ing will outwear wood shingles, tar or steel roofing. If the roof of an old building is leaky it will be cheaper and better to cover it with Tufkote Roofing. Kindly specify if you are going to relay over old roofing, because longer nails will be needed. This roofing weighs full 55 pounds to the roll, is fully guaranteed and we will refund money for every year it falls short of specified time. You cannot make a better buy. The price is remarkably low. The freight charges are very small. We will ship the roofing from our nearest warehouse, reducing freight charges and insuring prompt delivery. Shipped from Davenport, Chicago, Cincinnati, Kansa City or factory in New York No. 5R2003—Per roll of 108 so. ft.......\$2.35

No. 5R2003-Per roll of 108 sq. ft.....\$2.35

RIVAL ASPHALT ROOFING Per Roll

Good Value at an **Exceptionally Low Price** FOR TEMPORARY BUILDINGS AND HOUSE SHEATHING

RIVAL is our cheapest asphalt roofing. It is made of a fair quality of felt, saturated and coated with asphalt and surfaced on one side with sharp flint sand. We do not recommend this roofing to be used on permanent buildings, as much better results will be obtained from our better grades of roofing. We offer it, however, as a competitive roofing and believe it to be better value than many roofings sold at higher prices.

No. 5R2021-Rival Asphalt Roofing. Weight 35 pounds, complete with lap cement and large head polished nails. Per roll of 108 sq. ft. (to cover 100 sq. ft. net). Price, **95**c

Our Greatest Roofing Value Genuine "Jap-a-Top" Roofing

Guaranteed 15 Years Slate Surfaced—Resists Fire

Made of long fibre felt, saturated with pure asphalt. Into this is imbedded crushed slate of either natural red or sea green color. Non-inflammable materials in base, covered with slate, gives great fire resistance. Sparks won't set fire to it.

> Often laid right over old shingles. If you want to do this let us know and we will send longer nails.

> > Red or Green

Plain Roll

Plain design as shown above weighing 85 lbs. to the roll of 108 sq. ft. Non-conductor of heat and cold. Colors are permanent—will not fade—not affected by sun or rain. Easy to apply. We furnish nails and cement. Carries Fire Underwriters' Label.

5R2059—Dark Red

Price per roll of 108 sq. ft., \$1.95

Shipped from Davenport, Chicago, Cincinnati, Kansas City or factory in New York.

Shingle Roll

Has a shingle design as shown above deeply stamped into roofing. Not painted — will not wash off. Looks like shingles themselves—from a short distance the difference would not be noted.

Weighs 90 lbs. to the roll—a little more than a plain roll. Colors absolutely fast—will not fade or run. Easily applied. Each roll contains 108 sq. ft. We furnish nails and cement. Carries Fire Underwriters' Label.

5R3009—Dark Red 5R3011—Dark Green Price per roll of 108 sq. ft., \$3.15 Shipped from Davenport, Chicago, or Cincinnati.

Jap-a-Top Shingles and Slab Shingles

Jap-a-Top Shingles

Jap-a-Top individual shingles (shown below) are made of the same material as our Roll Roofing, but are stiffer and thicker because of more coatings of asphalt and slightly heavier materials.

Shingles are 8x1234 inches each. Laid 1/2-inch apart, 4



ches each. Laid ½-inch apart, 4 inches to the weather, which gives three thicknesses of the shingle. Square contains 424 shingles which will cover 100 sq. ft. of roof surface. Do not turn black nor crack with age. Out wear wood shingles many times. Comply with all fire underwriters' requirements.

5R2065-Sea Green

5R3001—Dark Red 5R3005—Gray Green. Per square, \$5.55.

Shingles and slab shingles shipped from Davenport, Chicago, Cincinnati, Kansas City, St. Louis, Western New York and New Jersey.

Jap-a-Top Slab Shingles

Slab or multiple shingles are same material as other Japa-Top roofing. Look just like individual shingles when laid but come in strips of 4 to save time in laying. Slab is 10x32 inches. Laid 4 inches to weather. Square contains 112 slabs and covers 100 square feet net.

