

## Supplementary Online Content

Flegal KM, Kurszon-Moran D, Carroll MD, Fryar CD, Ogden CL. Trends in Obesity Among Adults in the United States, 2005 to 2014. *JAMA*. doi:10.1001/jama.2016.6458

**eTable 1.** Distribution of Smoking Status by Sex and Survey Cycle (Unweighted Sample Size and Weighted Prevalence): NHANES 2005-2014

**eTable 2.** Distribution of Educational Categories by Sex and Survey Cycle (Unweighted Sample Size and Weighted Prevalence): NHANES 2005-2014

**eTable 3.** *P*-Values for Statistical Tests of Factors Associated With the Prevalence of Obesity (BMI  $\geq$  30) and Class 3 Obesity (BMI  $\geq$  40): NHANES 2013-2014

**eTable 4.** Age-Adjusted Prevalence (% [95% CI]) of Obesity (BMI  $\geq$  30) and Class 3 Obesity (BMI  $\geq$  40), by Sex and Survey Years, NHANES 2005-2014

This supplementary material has been provided by the authors to give readers additional information about their work.

**eTable 1.** Distribution of Smoking Status by Sex and Survey Cycle (Unweighted Sample Size and Weighted Prevalence): NHANES 2005-2014

Survey Cycle (Years)	Smoking Status	Men		Women	
		n	% (95% CI)	n	% (95% CI)
2005-6	Missing	0	0	3	0.1(0.0 -0.3 )
	Never	949	43.7(40.1 -47.4 )	1297	57.5(54.4 -60.5 )
	Former	695	28.5(25.9 -31.3 )	418	21.4(19.4 -23.5 )
	Current	593	27.7(24.5 -31.2 )	401	21.1(18.6 -23.7 )
2007-8	Missing	4	0.1(0.0 -0.3 )	2	0.1(0.0 -0.4 )
	Never	1175	45.3(41.6 -49.0 )	1727	59.6(56.2 -63.0 )
	Former	852	28.2(26.2 -30.4 )	534	20.3(18.3 -22.5 )
	Current	715	26.4(23.4 -29.6 )	541	20.0(17.5 -22.7 )
2009-10	Missing	0		0	
	Never	1324	49.9(46.1 -53.6 )	1864	60.5(57.1 -63.8 )
	Former	857	27.9(24.9 -31.2 )	588	20.9(18.5 -23.4 )
	Current	708	22.2(20.2 -24.4 )	585	18.6(16.6 -20.8 )
2011-12	Missing	4	0.1(0.0 -0.2 )	3	0.0(0.0 -0.1 )
	Never	1209	48.7(44.6 -52.7 )	1748	62.4(59.0 -65.7 )
	Former	721	27.4(24.3 -30.6 )	455	21.4(18.0 -25.2 )
	Current	651	23.9(20.9 -27.2 )	390	16.2(13.8 -18.9 )
2013-14	Missing	1	0.0(0.0 -0.1 )	0	
	Never	1255	50.5(47.3 -53.7 )	1811	61.8(59.3 -64.2 )
	Former	771	28.5(26.1 -31.0 )	495	19.2(16.9 -21.7 )
	Current	611	21.0(18.8 -23.3 )	511	19.0(16.3 -22.0 )

**eTable 2.** Distribution of Educational Categories by Sex and Survey Cycle (Unweighted Sample Size and Weighted Prevalence): NHANES 2005-2014

Survey Cycle (Years)	Educational Category	Men		Women	
		n	% (95% CI)	n	% (95% CI)
2005-6	Missing	3	0.1(0.0 -0.7 )	3	0.1(0.0 -0.4 )
	<HS	660	18.6(15.2 -22.5 )	534	16.4(14.0 -19.2 )
	HS	537	25.3(23.0 -27.8 )	516	25.0(22.9 -27.3 )
	>HS	1037	56.0(51.4 -60.5 )	1066	58.4(54.8 -61.9 )
2007-8	Missing	1	0.1(0.0 -0.6)	5	0.1(0.0 -0.2 )
	<HS	858	21.3(18.0 -24.9 )	854	19.6(16.7 -22.8 )
	HS	701	26.4(22.6 -30.6 )	673	24.5(22.5 -26.6 )
	>HS	1186	52.2(46.2 -58.2)	1272	55.9(51.7 -60.0 )
2009-10	Missing	4	0.2(0.1 -0.7 )	9	0.2( 0.1 -0.3 )
	<HS	824	18.5 (16.4 -20.9 )	865	19.2(17.4 -21.1 )
	HS	699	23.9(21.2 -26.9 )	664	21.9(19.8 -24.2 )
	>HS	1362	57.3(53.7 -60.9 )	1499	58.7(56.1 -61.3 )
2011-12	Missing	2	0.0(0.0 -0.1 )	2	0.0(0.0 -0.1 )
	<HS	643	17.8(14.5 -21.6 )	585	15.7(12.3 -19.9 )
	HS	573	21.1(18.0 -24.7 )	517	19.4(17.1 -21.8 )
	>HS	1367	61.1(55.3 -66.5 )	1492	64.9(59.7 -69.7 )
2013-14	Missing	2	0.0(0.0 -0.1 )	2	0.1(0.0 -0.3 )
	<HS	595	15.9(12.8 -19.5 )	581	14.7(11.7 -18.4 )
	HS	626	23.0(20.4 -25.8 )	594	20.4(17.5 -23.7 )
	>HS	1415	61.1(56.8 -65.3 )	1640	64.8(59.7 -69.5 )

**eTable 3.** *P*-Values for Statistical Tests of Factors Associated With the Prevalence of Obesity (BMI  $\geq$  30) and Class 3 Obesity (BMI  $\geq$  40): NHANES 2013-2014

		<b>Obesity</b>	<b>Class 3 Obesity</b>
Men	Age group	.364	.766
	Race/Hispanic origin group	.005	.381
	Smoking status	.011	.492
	Educational category	.895	.617
Women	Age group	.020	.014
	Race/Hispanic origin group	<.001	.007
	Smoking status	.327	.115
	Educational category	.006	.789

**eTable 4. Age-Adjusted Prevalence (% (95% CI)) of Obesity (BMI  $\geq$  30) and Class 3 Obesity (BMI  $\geq$  40), by Sex and Survey Years, NHANES 2005-2014**

	All	Men	Women
<b>Obesity (BMI <math>\geq</math> 30)</b>			
2005-6	34.3 (31.4-37.2)	33.3 (29.0-37.7)	35.3 (32.4-38.4)
2007-8	33.7 (31.5-36.1)	32.2 (29.3-35.2)	35.4 (33.1-37.8)
2009-10	35.7 (33.8-37.7)	35.5 (31.9-39.2)	35.8 (34.0-37.7)
2011-12	34.9 (32.0-37.9)	33.5 (30.7-36.5)	36.1 (32.6-39.9)
2013-14	37.7 (35.8-39.7)	35.0 (32.8-37.3)	40.4 (37.6-43.3)
<b>Class 3 obesity (BMI <math>\geq</math> 40)</b>			
2005-6	5.9 (4.9-6.9)	4.2 (3.2-5.3)	7.4 (5.9-9.1)
2007-8	5.7 (4.9-6.7)	4.2 (3.3-5.3)	7.3 (6.2-8.5)
2009-10	6.3 (5.7-7.0)	4.4 (3.6-5.2)	8.1 (7.1-9.2)
2011-12	6.4 (5.2-7.7)	4.4 (2.6-6.8)	8.3 (6.9-9.8)
2013-14	7.7 (6.3-9.4)	5.5 (4.2-7.0)	9.9 (8.1-12.1)