

# Why should I get the COVID-19 vaccine while I'm pregnant?

If you're pregnant, you have a higher risk of more severe illness from COVID-19 than people who are not pregnant. Getting vaccinated may protect you from severe illness. Vaccination during pregnancy also helps protect your fetus.

ACOG strongly recommends COVID-19 vaccination for all people, including anyone who is pregnant. If you are pregnant and want to know more about the vaccines, talk with your obstetrician—gynecologist (ob-gyn).

#### **Risks of COVID-19 infection**

Pregnant women who get sick with COVID-19 are more likely than nonpregnant women to...







Certain health conditions, such as diabetes or high blood pressure, may also increase your risk. You and your ob-gyn should talk about your risk of severe illness if you get sick.

## **Benefits to getting vaccinated**

The COVID-19 vaccines available in the United States are effective at protecting against severe illness, hospitalization, and death from COVID-19.



# Getting vaccinated during pregnancy may help protect...









# Safety and fertility facts



The vaccines cannot give you COVID-19.

The vaccines do not use the live virus that causes COVID-19



**COVID-19 vaccines are safe to get during pregnancy.** 

Scientists have compared the pregnancies of women who have received COVID-19 vaccines and women who have not. The reports show that these women have had similar pregnancy outcomes. Data do not show any safety concerns.



After you get vaccinated, the antibodies made by your body may be passed through breastmilk and may help protect your baby from the virus. ACOG recommends that breastfeeding women be vaccinated against COVID-19.



There is no evidence that the COVID-19 vaccines affect fertility. ACOG recommends vaccination for anyone who may consider getting pregnant in the future.



### How will I feel after getting the vaccine?

Side effects vary from person to person. Some people develop a fever and arm pain for a short time.

#### Remember:



If you have a fever or other discomfort after getting a shot, you can take acetaminophen. This over-the-counter medication is safe during pregnancy.



If your discomfort lasts more than a couple of days or if you have questions, talk with your ob-gyn.

If you have had a severe allergic reaction to a vaccine in the past, talk with your ob-gyn before getting the COVID-19 vaccine.

### Other things to consider

- The vaccine is updated regularly to protect against the most common COVID-19 variants. Make sure to stay up to date on recommended vaccines.
- You may choose to wear a mask in crowded areas even after being vaccinated. Masks are most important for people at increased risk of severe illness from COVID-19.

#### More information

- Other questions about COVID-19, pregnancy, and breastfeeding: www.acog.org/COVID-Pregnancy
- More vaccine information for people who are pregnant and breastfeeding: <u>www.cdc.gov/coronavirus/2019-ncov/vaccines/recommendations/pregnancy.html</u>
- Other COVID-19 vaccine questions: <a href="https://www.cdc.gov/coronavirus/2019-ncov/vaccines"><u>www.cdc.gov/coronavirus/2019-ncov/vaccines</u></a>

PFSI029: This information is designed as an educational aid for the public. It offers current information and opinions related to women's health. It is not intended as a statement of the standard of care. It does not explain all of the proper treatments or methods of care. It is not a substitute for the advice of a physician. For ACOG's complete disclaimer, visit <a href="https://www.acog.org/WomensHealth-Disclaimer">www.acog.org/WomensHealth-Disclaimer</a>.

Copyright November 2023 by the American College of Obstetricians and Gynecologists. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, posted on the internet, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.

