

## State Water Project

## CVP

Water Year Type	COS	PA	PA – COS (% change)	COS	PA	PA v COS (% change)
Wet	10,961	12,235	1,275 (11.6%)	1,456	1,553	97 (6.7%)
Above Normal	5,613	5,911	298 (5.3%)	756	895	139 (18.4%)
Below Normal	4,807	5,717	910 (18.9%)	1,024	1,095	71 (7.0%)
Dry	3,146	3,938	791 (25.1%)	959	1,133	173 (18.1%)
Critical	837	1,130	294 (35.1%)	394	572	178 (45.3%)

Water Year Type	CVP/SWP			
	COS	PA	PA-COS	% change
Wet	12,417	13,788	1,371	11.0
Above Normal	6,369	6,806	437	6.9
Below Normal	5,831	6,812	981	16.8
Dry	4,105	5,071	966	23.5
Critical	1,231	1,702	471	38.3

Water Year Type	CVP/SWP Salvage			
	PA	COS	PA-COS	% change
Wet	13,788	12,417	1,371	11
Above Normal	6,806	6,369	437	7
Below Normal	6,812	5,831	981	17
Dry	5,071	4,105	966	24
Critical	1,702	1,231	471	38

Water Year Type	State Water Project			Central Valley Project		
	COS	PA	PA – COS (% change)	COS	PA	PA v COS (% change)
Wet	26,589	58,046	31,457 (118%)	15,943	28,560	12,617 (79.1%)
Above Normal	16,286	43,560	27,273 (167.5%)	6,770	16,100	9,329 (137.8%)
Below Normal	4,632	9,819	5,187 (112.0%)	1,183	1,860	677 (57.3%)
Dry	10,659	19,692	9,034 (84.8%)	3,226	4,426	1,200 (37.2%)
Critical	5,131	9,272	4,141 (80.7%)	2,497	3,201	705 (28.2%)

Water Year Type	CVP/SWP			
	COS	PA	PA-COS	% change
Wet	42,532	86,606	44,074	103.6
Above Normal	23,056	59,660	36,604	158.8
Below Normal	5,815	11,679	5,864	100.8
Dry	13,885	24,118	10,233	73.7
Critical	7,628	12,473	4,845	63.5

Water Year Type	CVP/SWP Salvage			
	PA	COS	PA-COS	% change
Wet	86,606	42,532	44,074	104
Above Normal	59,660	23,056	36,604	159
Below Normal	11,679	5,815	5,864	101
Dry	24,118	13,885	10,233	74
Critical	12,473	7,628	4,845	64