
From: Noble Hendrix <noblehendrix@gmail.com>
Sent: Thursday, March 28, 2019 11:13 AM
To: Eric Danner - NOAA Federal
Cc: Miles Daniels - NOAA Affiliate
Subject: Re: RocOn WRLCM Model Runs with Newman Eqs ROC_AR_DPP

Hi Eric and Miles,

Data attached for temps at Keswick under each alternative along with the Water Year file. Let me know if you would like the data for the other physical data plots, and I can pull those out.

Cheers,
Noble

On Thu, Mar 28, 2019 at 9:56 AM Eric Danner - NOAA Federal <eric.danner@noaa.gov> wrote:
Noble - we came up with some different results in our plots for the physical drivers. Can you send Miles the CSV file you used so we can cross-check?

On Thu, Mar 28, 2019 at 9:31 AM Noble Hendrix <noblehendrix@gmail.com> wrote:

Hi Eric,

I just finished up the next round of runs with the Newman equations for the smolt survivals this morning, and they are attached. Short story is that the model reflects the additional exports under the PA relative to the COS. There is an average decrease in abundance and a consistently lower (albeit small difference on average) in CRR. I am available this morning if we would like to discuss the outputs.

Best,
Noble

--
[QEDA Consulting, LLC](http://www.qedaconsulting.com)
noblehendrix@gmail.com
206.300.5595

Affiliate Faculty University of Washington

--
Eric Danner, Ph.D.
Supervisory Research Ecologist
Fisheries Ecology Division, Southwest Fisheries Science Center
110 McAllister Way
Santa Cruz, CA 95060
831-420-3917
<http://swfsc.noaa.gov/>

--

QEDA Consulting, LLC
noblehendrix@gmail.com
206.300.5595

Affiliate Faculty University of Washington