

to gauge petroleum and certain petroleum products for customs purposes for the next three years as of October 28, 2013.

**DATES:** The approval of SGS North America, Inc., as commercial gauger became effective on October 28, 2013. The next triennial inspection date will be scheduled for October 2016.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.13, that SGS North America, Inc., 900B Georgia Ave., Deer Park, TX 77536, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. SGS North America, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API Chapters	Title
3 .....	Tank gauging.
7 .....	Temperature Determination.
8 .....	Sampling.
12 .....	Calculations.
17 .....	Maritime Measurements.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

[http://www.cbp.gov/sites/default/files/documents/gaulist\\_3.pdf](http://www.cbp.gov/sites/default/files/documents/gaulist_3.pdf)

Date: July 14, 2014.

**Ira S. Reese,**  
Executive Director, Laboratories and Scientific Services.

[FR Doc. 2014-17069 Filed 7-18-14; 8:45 am]

**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**U.S. Customs and Border Protection**

**Approval of Inspectorate America Corporation, as a Commercial Gauger**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of approval of Inspectorate America Corporation, as a commercial gauger.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Inspectorate America Corporation has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of April 24, 2014.

**DATES:** The approval of Inspectorate America Corporation, as commercial gauger became effective on April 24, 2014. The next triennial inspection date will be scheduled for April 2017.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1331 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.13, that Inspectorate America Corporation, 384 North Post Oak Road, Sulfur, LA 70663, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Inspectorate America Corporation is approved for the following gauging procedures for petroleum and certain petroleum products per the American Petroleum Institute (API) Measurement Standards:

API Chapters	Title
3 .....	Tank gauging.
7 .....	Temperature determination.
8 .....	Sampling.
12 .....	Calculations.
14 .....	Natural Gas Fluids Measurements.
17 .....	Maritime measurement.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060.

The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

[http://www.cbp.gov/sites/default/files/documents/gaulist\\_3.pdf](http://www.cbp.gov/sites/default/files/documents/gaulist_3.pdf)

Dated: July 11, 2014.

**Ira S. Reese,**  
Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2014-17005 Filed 7-18-14; 8:45 am]

**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**U.S. Customs and Border Protection**

**Approval of Omni Hydrocarbon Measurement, Inc., as a Commercial Gauger**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of approval of Omni Hydrocarbon Measurement, Inc., as a commercial gauger.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Omni Hydrocarbon Measurement, Inc. has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of February 28, 2014.

**DATES:** The approval of Omni Hydrocarbon Measurement, Inc., as commercial gauger became effective on February 28, 2014. The next triennial inspection date will be scheduled for February 2017.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1331 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.13, that Omni Hydrocarbon Measurement, Inc., 914 Kennings Avenue, Crosby, TX 77532, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Omni Hydrocarbon Measurement, Inc. is approved for the following gauging procedures for petroleum and certain petroleum products per the American Petroleum Institute (API) Measurement Standards:

API chapters	Title
8 .....	Sampling.
10.9 .....	Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

[http://www.cbp.gov/sites/default/files/documents/gaulist\\_3.pdf](http://www.cbp.gov/sites/default/files/documents/gaulist_3.pdf)

Dated: July 8, 2014.  
**Ira S. Reese,**  
*Executive Director, Laboratories and Scientific Services Directorate.*  
 [FR Doc. 2014-17001 Filed 7-18-14; 8:45 am]  
**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOMELAND SECURITY**

**U.S. Customs and Border Protection**

**Accreditation of Inspectorate America Corporation, as a Commercial Laboratory**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.  
**ACTION:** Notice of accreditation of Inspectorate America Corporation, as a commercial laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Inspectorate America Corporation has been accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of May 13, 2014.

**DATES:** The accreditation of Inspectorate America Corporation, as commercial laboratory became effective on May 13, 2014. The next triennial inspection date will be scheduled for May 2017.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1331 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12, that Inspectorate America Corporation, 2184 Jefferson Highway, Lutcher, LA 70071, has been accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12. Inspectorate America Corporation is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-01 .....	ASTM D 287	Standard Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method).
27-03 .....	ASTM D 4006	Standard test method for water in crude oil by distillation.
27-05 .....	ASTM D 4928	Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration.
27-06 .....	ASTM D 473	Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method.
27-11 .....	ASTM D 445	Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (the Calculation of Dynamic Velocity).
27-13 .....	ASTM D 4294	Standard test method for sulfur in petroleum and petroleum products by energy-dispersive x-ray fluorescence spectrometry.
27-50 .....	ASTM D 93	Standard test methods for flash point by Pensky-Martens Closed Cup Tester.

Anyone wishing to employ this entity to conduct laboratory analyses should request and receive written assurances from the entity that it is accredited by the U.S. Customs and Border Protection to conduct the specific test requested. Alternatively, inquiries regarding the specific test this entity is accredited to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories.

[http://www.cbp.gov/sites/default/files/documents/gaulist\\_3.pdf](http://www.cbp.gov/sites/default/files/documents/gaulist_3.pdf)

Date: July 11, 2014.

**Ira S. Reese,**  
*Executive Director, Laboratories and Scientific Services Directorate.*  
 [FR Doc. 2014-17003 Filed 7-18-14; 8:45 am]  
**BILLING CODE 9111-14-P**

**DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT**

[Docket No. FR-5766-N-02]

**Mortgage and Loan Insurance Programs Under the National Housing Act—Debt Interest Rates**

**AGENCY:** Office of the Assistant Secretary for Housing—Federal Housing Commissioner, HUD.

**ACTION:** Notice.

**SUMMARY:** This notice announces changes in the interest rates to be paid on debentures issued with respect to a loan or mortgage insured by the Federal Housing Administration under the provisions of the National Housing Act (the Act). The interest rate for debentures issued under section 221(g)(4) of the Act during the 6-month period beginning July 1, 2014, is 2<sup>3</sup>/<sub>8</sub> percent. The interest rate for debentures issued under any other provision of the

Act is the rate in effect on the date that the commitment to insure the loan or mortgage was issued, or the date that the loan or mortgage was endorsed (or initially endorsed if there are two or more endorsements) for insurance, whichever rate is higher. The interest rate for debentures issued under these other provisions with respect to a loan or mortgage committed or endorsed during the 6-month period beginning July 1, 2014, is 3<sup>1</sup>/<sub>4</sub> percent. However, as a result of an amendment to section 224 of the Act, if an insurance claim relating to a mortgage insured under sections 203 or 234 of the Act and endorsed for insurance after January 23, 2004, is paid in cash, the debenture interest rate for purposes of calculating a claim shall be the monthly average yield, for the month in which the default on the mortgage occurred, on United States Treasury Securities adjusted to a constant maturity of 10 years.