

Dated: April 20, 2016.  
**Sylvia L. Neal,**  
*Program Analyst, Office of Federal Advisory  
 Committee Policy.*

[FR Doc. 2016-09585 Filed 4-25-16; 8:45 am]

**BILLING CODE 4140-01-P**

**DEPARTMENT OF HEALTH AND  
 HUMAN SERVICES**

**National Institutes of Health**

**National Institute of Dental &  
 Craniofacial Research; Notice of  
 Meeting**

Pursuant to section 10(d) of the Federal Advisory Committee Act, as amended (5 U.S.C. App.), notice is hereby given of a meeting of the National Advisory Dental and Craniofacial Research Council.

The meeting will be open to the public as indicated below, with attendance limited to space available. Individuals who plan to attend and need special assistance, such as sign language interpretation or other reasonable accommodations, should notify the Contact Person listed below in advance of the meeting.

The meeting will be closed to the public in accordance with the provisions set forth in sections 552b(c)(4) and 552b(c)(6), Title 5 U.S.C., as amended. The grant applications and the discussions could disclose confidential trade secrets or commercial property such as patentable material, and personal information concerning individuals associated with the grant applications, the disclosure of which would constitute a clearly unwarranted invasion of personal privacy.

*Name of Committee:* National Advisory Dental and Craniofacial Research Council.  
*Date:* May 24, 2016.  
*Open:* 8:30 a.m. to 12:10 p.m.  
*Agenda:* Report to the Director, NIDCR.  
*Place:* National Institutes of Health, Building 31, 6th Floor, Conference Room 10, 31 Center Drive, Bethesda, MD 20892.  
*Closed:* 1:30 p.m. to Adjournment.

*Agenda:* To review and evaluate grant applications.  
*Place:* National Institutes of Health, Building 31, 6th Floor, Conference Room 10, 31 Center Drive, Bethesda, MD 20892.  
*Contact Person:* Delores M. Robinson, National Institute of Dental and Craniofacial Research, National Institutes of Health, 6701 Democracy Blvd., Bethesda, MD 20892-487, 301-594-4890, [robinsondel@nidcr.nih.gov](mailto:robinsondel@nidcr.nih.gov).

In the interest of security, NIH has instituted stringent procedures for entrance onto the NIH campus. All visitor vehicles, including taxicabs, hotel, and airport shuttles will be inspected before being allowed on campus. Visitors will be asked to show one form of identification (for example, a government-issued photo ID, driver's license, or passport) and to state the purpose of their visit.

Information is also available on the Institute's/Center's home page: <http://www.nidcr.nih.gov/about>, where an agenda and any additional information for the meeting will be posted when available. (Catalogue of Federal Domestic Assistance Program Nos. 93.121, Oral Diseases and Disorders Research, National Institutes of Health, HHS)

Dated: April 20, 2016.  
**Natasha M. Copeland,**  
*Program Analyst, Office of Federal Advisory  
 Committee Policy.*

[FR Doc. 2016-09584 Filed 4-25-16; 8:45 am]

**BILLING CODE 4140-01-P**

**DEPARTMENT OF HOMELAND  
 SECURITY**

**U.S. Customs and Border Protection**

**Accreditation and Approval of Camin  
 Cargo Control, Inc., as a Commercial  
 Gauger and Laboratory**

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of Camin Cargo Control, Inc., as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Camin

Cargo Control, Inc., has been approved to gauge and accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of August 6, 2015.

**DATES: Effective Dates:** The accreditation and approval of Camin Cargo Control, Inc., as commercial gauger and laboratory became effective on August 6, 2015. The next triennial inspection date will be scheduled for August 2018.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Camin Cargo Control, Inc., 218 Centaurus St., Corpus Christi, TX 78405, has been approved to gauge and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Camin Cargo Control, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API chapters	Title
3 .....	Tank gauging.
7 .....	Temperature Determination.
8 .....	Sampling.
12 .....	Calculations.
17 .....	Maritime Measurements.

Camin Cargo Control, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-01 .....	ASTM D-287	Standard test method for API Gravity of crude petroleum products and petroleum products (Hydrometer Method).
27-02 .....	ASTM D-1298	Standard Test Method for specific gravity by Hydrometer method.
27-03 .....	ASTM D-4006	Standard test method for water in crude oil by distillation.
27-04 .....	ASTM D-95	Standard test method for water in petroleum products and bituminous materials by distillation.
27-06 .....	ASTM D-473	Standard test method for sediment in crude oils and fuel oils by the extraction method.
27-07 .....	ASTM D-4807	Water and Sediment in crude oil by distillation.
27-08 .....	ASTM D-86	Standard Test Method for Distillation of Petroleum Products at Atmospheric Pressure.
27-11 .....	ASTM D-445	Standard Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and Calculation of Dynamic Viscosity).
27-13 .....	ASTM D-4294	Standard test method for sulfur in petroleum and petroleum products by energy-dispersive x-ray fluorescence spectrometry.
27-48 .....	ASTM D-4052	Standard test method for density and relative density of liquids by digital density meter.
27-54 .....	ASTM D-4007	Standard Test Method for Sediment & Water of crude oils.

CBPL No.	ASTM	Title
27-57 .....	ASTM D-7039	Standard Test Method for Sulfur content by monochromatic wavelength dispersive X-ray.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for the current CBP Approved Gaugers and Accredited Laboratories List.

<http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>

Dated: April 15, 2016.

**Ira S. Reese,**

*Executive Director, Laboratories and Scientific Services Directorate.*

[FR Doc. 2016-09632 Filed 4-25-16; 8:45 am]

**BILLING CODE 9111-14-P**

## DEPARTMENT OF HOMELAND SECURITY

### U.S. Customs and Border Protection

#### Approval of Trust Control International as a Commercial Gauger

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of approval of Trust Control International as a commercial gauger.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Trust Control International has been approved to gauge petroleum and petroleum products for customs purposes for the next three years as of December 2, 2015.

**DATES: Effective Dates:** The approval of Trust Control International as commercial gauger became effective on December 2, 2015. The next triennial inspection date will be scheduled for December 2018.

**FOR FURTHER INFORMATION CONTACT:** Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite

1500N, Washington, DC 20229, tel. 202-344-1060.

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to 19 CFR 151.13, that Trust Control International, 11811 East Freeway, Suite 130, Atrium 10 Tower, Houston, TX 77029, has been approved to gauge petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Trust Control International is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API chapters	Title
3 .....	Tank gauging.
7 .....	Temperature Determination.
8 .....	Sampling.
12 .....	Calculations.

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to [cbp.labhq@dhs.gov](mailto:cbp.labhq@dhs.gov). Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: April 15, 2016.

**Ira S. Reese,**

*Executive Director, Laboratories and Scientific Services Directorate.*

[FR Doc. 2016-09633 Filed 4-25-16; 8:45 am]

**BILLING CODE 9111-14-P**

## DEPARTMENT OF HOMELAND SECURITY

### Federal Emergency Management Agency

[Docket ID FEMA-2016-0002]

#### Changes in Flood Hazard Determinations

**AGENCY:** Federal Emergency Management Agency, DHS.

**ACTION:** Final Notice.

**SUMMARY:** New or modified Base (1-percent annual chance) Flood Elevations (BFEs), base flood depths, Special Flood Hazard Area (SFHA) boundaries or zone designations, and/or regulatory floodways (hereinafter referred to as flood hazard determinations) as shown on the indicated Letter of Map Revision (LOMR) for each of the communities listed in the table below are finalized. Each LOMR revises the Flood Insurance Rate Maps (FIRMs), and in some cases the Flood Insurance Study (FIS) reports, currently in effect for the listed communities. The flood hazard determinations modified by each LOMR will be used to calculate flood insurance premium rates for new buildings and their contents.

**DATES:** The effective date for each LOMR is indicated in the table below.

**ADDRESSES:** Each LOMR is available for inspection at both the respective Community Map Repository address listed in the table below and online through the FEMA Map Service Center at [www.msc.fema.gov](http://www.msc.fema.gov).

**FOR FURTHER INFORMATION CONTACT:** Rick Sacbbit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 500 C Street SW., Washington, DC 20472, (202) 646-7659, or (email) [patrick.sacbbit@fema.dhs.gov](mailto:patrick.sacbbit@fema.dhs.gov); or visit the FEMA Map Information eXchange (FMIX) online at [www.floodmaps.fema.gov/fhm/fmx\\_main.html](http://www.floodmaps.fema.gov/fhm/fmx_main.html).

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA) makes the final flood hazard determinations as shown in the LOMRs for each community listed in the table below. Notice of these modified flood hazard determinations has been published in newspapers of local circulation and 90 days have elapsed since that publication. The Deputy Associate Administrator for Mitigation has resolved any appeals resulting from this notification.

The modified flood hazard determinations are made pursuant to section 206 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and with 44 CFR part 65.

For rating purposes, the currently effective community number is shown