




The Illusion of Artificial Inclusion

William Agnew 
Carnegie Mellon University
Pittsburgh, PA, USA


A. Stevie Bergman 
Google DeepMind
New York, NY, USA


Jennifer Chien 
University of California San Diego
San Diego, CA, USA

Mark Díaz 
Google Research
New York, NY, USA

Seliem El-Sayed 
Google DeepMind
London, UK

Jaylen Pittman 
Stanford University
Stanford, CA, USA

Shakir Mohamed 
Google DeepMind
London, UK

Kevin R. McKee 
Google DeepMind
London, UK

ABSTRACT

Human participants play a central role in the development of modern artificial intelligence (AI) technology, in psychological science, and in user research. Recent advances in generative AI have attracted growing interest to the possibility of replacing human participants in these domains with AI surrogates. We survey several such “substitution proposals” to better understand the arguments for and against substituting human participants with modern generative AI. Our scoping review indicates that the recent wave of these proposals is motivated by goals such as reducing the costs of research and development work and increasing the diversity of collected data. However, these proposals ignore and ultimately conflict with foundational values of work with human participants: representation, inclusion, and understanding. This paper critically examines the principles and goals underlying human participation to help chart out paths for future work that truly centers and empowers participants.

CCS CONCEPTS

• **Human-centered computing** → **Human computer interaction (HCI)**; • **Computing methodologies** → *Natural language generation*; • **Applied computing** → **Psychology**; **Sociology**; **Economics**.

KEYWORDS

Human participants, language models, generative AI, participation, user research, AI development, representation, inclusion, understanding

ACM Reference Format:

William Agnew, A. Stevie Bergman, Jennifer Chien, Mark Díaz, Seliem El-Sayed, Jaylen Pittman, Shakir Mohamed, and Kevin R. McKee. 2024. The Illusion of Artificial Inclusion. In *Proceedings of the CHI Conference on Human Factors in Computing Systems (CHI '24)*, May 11–16, 2024, Honolulu, HI, USA. ACM, New York, NY, USA, 12 pages. <https://doi.org/10.1145/3613904.3642703>

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI '24, May 11–16, 2024, Honolulu, HI, USA

© 2024 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-0330-0/24/05.

<https://doi.org/10.1145/3613904.3642703>

1 INTRODUCTION

Participation is a foundational element of the social-behavioral sciences and in the design of new technology. In psychology, user research, human-computer interaction (HCI), and other related fields, research participants offer a window into human cognition and decision making. In the development of new technologies, human participants ground the design process in real-life needs, perspectives, and experiences.

The past year has seen a growing number of proposals recommending the replacement of human participants in technology development and scientific research with large language models (LLMs), a new class of artificial intelligence (AI) systems. These proposals include at least thirteen technical reports and peer-reviewed research articles, jointly sharing over one thousand citations at the time of this manuscript’s submission [4, 10, 16, 33, 36, 47, 53, 54, 61, 65, 68, 107, 143], in addition to several commercial products [103, 131, 138].

The momentum building behind these proposals echoes broader social reactions to modern AI systems: LLMs have shocked and fascinated both AI researchers and the general public with their ability to produce fluent, human-like text in a range of domains [117, 133, 135]. In this paper, we seek to understand and contextualize the arguments for replacing human participants with LLMs and other generative AI systems. Our thematic content analysis suggests that these proposals are motivated by aims such as reducing the costs of scientific research, protecting participants from potential harms, and augmenting diversity in data collection. However, a critical examination of the social structures and epistemic frameworks surrounding human participation reveals fundamental conflicts between these substitution proposals and the values underpinning research and development. In particular, substitution undermines three values: the *representation* of participants’ interests; participants’ *inclusion* and empowerment in the development process; and the *understanding* that researchers otherwise develop through intersubjective engagement with participants. AI-generated substitutes cannot meaningfully support technological development and scientific research in the absence of a deeper reckoning with their relationship to representation, inclusion, and understanding. While current proposals undermine these values, there may be space for scientific and engineering communities to re-imagine ways for generative AI to support human participation. Overall, our analysis underscores the need for researchers and developers to take action

at every stage of their work to center and empower participants and the communities to which they belong.

2 BACKGROUND

2.1 Historic applications of artificial intelligence in social-behavioral research

Advances in artificial intelligence closely intertwine with the histories of psychology and user research [59, 60, 97]. As early as the 1980s, scientists envisioned a key role for AI in supporting psychology research (e.g., [123, 139]), as well as enabling technological development and advancing user experience (e.g., [18, 24]). Over the following decades, the increasing availability of machine learning—AI techniques that solve tasks by adapting to incoming data, in contrast to early rule-based approaches—opened up new possibilities for AI applications in user research and in neighboring social-behavioral fields. Early machine learning algorithms were relatively rudimentary, but nonetheless enabled the automation of various tasks in the research process. For example, new AI tools allowed scientists to quickly analyze sentiment in open-ended text data [105] and to make fine-grained predictions of user preferences [62].

Today, applications of AI pervade throughout user research and psychology. Many occurrences likely seem pedestrian, including common statistical techniques such as regression, factor analysis, and classification. The research community has also pushed a number of boundaries with new, creative applications of AI. For example, researchers have leveraged machine learning to automate the development of user personas [150] and accelerate design iteration [32]. In psychology, AI methods have helped to scale the coverage of traditional experimental tools [98] and explore novel solutions to persistent behavioral puzzles [91]. Overall, recent innovations expand the focus of AI applications from predominantly supporting analysis to aiding the full discovery process [129].

2.2 The emergence and capabilities of large language models

Recent breakthroughs in AI research, most notably the emergence of large language models (LLMs; e.g., [30, 37, 46]), have invigorated new interest in real-world applications of AI systems. At their core, LLMs are natural language processing (NLP) systems: a user can prompt an LLM with text, and the LLM will output text in response. Developing an AI system capable of proficiently conversing with humans has been a longstanding aspiration of AI researchers (e.g., [136]), and NLP systems have existed for decades, in forms including chatbots, text completion, and search engines. However, LLMs represent a substantial breakthrough in language capabilities for AI systems. LLMs can generate text that is fluent, grammatically correct, and surprisingly human-like, in response to a dizzying range of inputs (e.g., [101]). This flexibility enables them to perform remarkably well in applications including summarizing books [8], generating computer code [125], and conversing with users for some specific tasks [134], though serious problems persist (e.g., [74]). Some contemporary models can process and generate data in multiple formats, including not just text, but also images and audio [5]. These multimodal models are often grouped

with language-only models in the broader category of “generative AI” [130].

The capabilities of LLMs and generative AI have fascinated researchers, policymakers, and members of the public [99, 117, 135, 140]. LLMs have also courted controversy, particularly over claims that they “understand” natural language (e.g., [84, 147]) and exhibit signs of general intelligence (e.g., [31]). Critics argue that such claims of understanding and general intelligence generate overconfidence in model abilities, which in turn could deter efforts at oversight and encourage unsafe or inappropriate applications [19, 126, 145]. Regardless of these grander debates, in their capability to produce fluent and human-like text for various tasks in English and other highly datafied languages, LLMs represent a large advance over prior approaches to NLP.

2.3 Human participants in the context of AI development and social-behavioral research

Humans interact with the AI development lifecycle at multiple points [96], including by driving the development process itself (as scientists, engineers, and other development team members); contributing data to train models [69, 109, 116, 119, 120]; evaluating models as annotators, auditors, and testers [22, 90, 108]; and reviewing products and outcomes as system stakeholders [52]. Similarly, in psychology, user research, and other social-behavioral fields, humans play key roles across multiple stages of the research process, including in ideation, hypothesis generation, and study design [39, 73]; data provision and collection [45]; and the interpretation of study results [151].

Across both of these domains, “human participants” are the class of people who provide information and feedback to development work and research projects, typically as distinguished from the developers and researchers themselves.¹ In AI development, they are the individuals “whose judgment and intelligence are widely employed [...] to train and validate models” [108], as well as members of communities who review outcomes as project stakeholders (e.g., [152]). In the behavioral and social sciences, human participants are people who provide information and data to researchers, particularly in systematic investigations intended to produce generalizable insights and knowledge [137]. Traditionally, research participants interact with scientists through channels including laboratory studies and experiments, focus groups, interviews, and surveys. For a detailed historical examination of the role of human participants in social and behavioral research, see [45].

3 REVIEWING SUBSTITUTION PROPOSALS AND THEIR STATED MOTIVATIONS

Enthusiasm for the capabilities of LLMs has motivated a wave of real-world applications of AI, including systems designed to assist scientists and engineers. For instance, several recent models offer support to research scientists and AI developers through article summarization [9] and code generation [35]. A nascent class

¹This distinction is stronger today than at various points in the past. Notably, early efforts in psychology and supervised machine learning often blurred the roles of researcher and participant. Before the advent of online participant platforms, for instance, NLP research teams frequently took responsibility for annotating training datasets themselves [128]. Similarly, in the earliest years of psychology research, scientists often served the roles of both investigator and participant [142].

of these proposals—emerging across academic papers, technical reports, and startup products—suggests using LLMs to take over the roles of human participants in research and development. The defining feature of these “substitution proposals” is the idea that LLMs can simulate or replicate the cognition, decision making, and attitudes of human participants in order to fulfill a role that participants normally play in a project.² For example, to empirically test the possibility of substitution in HCI, Hämäläinen et al. [61] collected materials from a previous user study with human participants and reformulated them as appropriate inputs for an LLM. The authors passed these inputs to an LLM, parsed the model’s outputs as synthetic user responses, and then analyzed and interpreted those responses as they would from human participants.

We conducted a scoping review to better understand the arguments motivating AI substitution, sampling and evaluating a set of prominent papers and sources that advance substitution proposals. Our goal was to survey the different arguments offered for substitution by identifying the motivations set out in the text of the proposals themselves. To conduct this review, we collected an initial purposive sample of proposals, then leveraged snowball sampling to expand to a final set for analysis [15]. Our initial sample included eight proposals [33, 47, 54, 68, 103, 131, 138, 143], each of which gained visibility after publication in disciplinary venues that we monitor (e.g., *Proceedings of the National Academy of Sciences* and *Trends in Cognitive Sciences*) or through discussion on social media platforms (e.g., [70, 124]). We subsequently employed snowball sampling to expand our survey, iteratively identifying additional proposals cited by the sources in our sample (backward connections) and referring to sources in our sample (forward connections). We focused the review on proposals with a demonstrated interest in testing or pursuing AI substitution, excluding sources that conceptually discuss substitution, but that do not empirically explore the idea. Our final sample comprised sixteen sources, including thirteen technical reports and research articles, and three commercial products (Table 1).

These substitution proposals focus on human participation in AI development [36, 54] and in a range of scientific fields including user research [33, 61, 131], social and cognitive psychology [47], and survey research [10]. While we do not claim that this survey represents an exhaustive review, the diversity of the surveyed sources helps provide a broad perspective on the idea of substituting generative AI for human participation. If substitution proposals continue to emerge over time, future research could test the representativeness of our survey themes through a systematic literature review.

3.1 Evaluating manifest motivations for substitution

We take an iterative, inductive, and semantic approach to code the themes in this sample of substitution proposals. Our protocol aims to identify themes through a process of repeated review and refinement, without imposing pre-existing concepts or categories (iterative and inductive [29]), focusing on the explicit contents of

the text (semantic; also known as “manifest content” [21, 111]). We independently read the proposals, noting any quality concerns that might affect the depth or rigor of our analysis. We separately coded passages that communicate explicit motivations for substitution, then jointly discussed and organized these text data into themes. We returned to the text of the sources during these discussions to ensure alignment on our final thematic codes. We also discussed and coded the overall position that each source adopted on AI substitution: overall in favor (offering limited or no reservations about substitution), overall critical (indicating limited or no endorsement of substitution), or mixed (sharing meaningful support alongside meaningful critique or concern).

Table 1 summarizes our overall findings. As a preliminary step for our analysis, we found the sources in our review to be generally clear and coherent. Our sample included, for example, ten research articles that indicated undergoing and passing academic peer review. They, along with the three non-peer reviewed technical reports and the three product websites, were well-written and easy to follow, communicating their arguments effectively. Most sources articulated a position somewhere between guarded excitement (“Practically speaking, LLMs may be most useful as participants when studying specific topics, when using specific tasks, at specific research stages, and when simulating specific samples” [47]) and unbridled optimism (“These language models can be used prior to or in the absence of human data” [10]). We coded 10 sources as overall in favor of substitution, five with a mixture of support and concern, and only one overall critical of the idea.

Every article communicated at least one potential motivation for simulating participants with LLMs. Across the entire sample, our thematic analysis identified four recurring motivations for replacing human participants with generative AI.

3.1.1 “Substitution increases the speed and scale of research and development”. Fourteen proposals—nearly every source in our sample—discuss the possibility of increasing the speed and scale of research or development as a motivation for replacing participants with LLMs. For instance, Wang et al. [143] cite the “time-consuming and labor-intensive” nature of work with human participants as crucial context for preferring to employ state-of-the-art models, since they “can label data non-stoppingly at a much faster speed than human labelers”. Chiang and Lee [36] similarly describe simulated participants as “cheaper and faster than human evaluation”, and Dillion et al. [47] admire how “LLMs can rapidly answer hundreds of questions without fatigue”. Bai et al. [16] argue generative AI can “scale supervision” and “reduce iteration time by obviating the need to collect new human feedback labels when altering the [feedback] objective”. User Persona [138] touts the capability of synthesized participants “to unlock more time for high-value work”, and Horton [68] describes “the advantages in terms of speed” as “enormous”. Pointing out that the majority of researchers who work with human participants are “time-limited”, Synthetic Users [131] offers pithy advice: “simulate to accelerate”.

The proposals frequently conditioned these speed and scale arguments on claims about the accuracy of LLMs. Immediately after identifying “high speed” as a potential benefit of substitution, Hämäläinen et al. [61] muse that “data quality” might prove to

²Notably, this scope excludes social simulacra projects that study LLMs as social or intelligent agents in themselves (cf. [81]), rather than as a replacement for human participants in research and development. For instance, Park et al. [106] investigate the emergent social dynamics between LLM-based agents rather than testing any predictions about human behavior or replacing inputs to development.

Proposal	Motivation(s) discussed	Position	Application domain	Venue
Aher et al. [4]	Increase speed, reduce costs, augment diversity, protect participants	In favor	Behavioral science	<i>Int. Conf. Mach. Learn. (ICML)</i>
Argyle et al. [10]	Augment diversity	In favor	Survey research	<i>Political Anal.</i>
Bai et al. [16]	Increase speed, protect participants	In favor	AI development	<i>arXiv*</i>
Byun et al. [33]	Increase speed, augment diversity, protect participants	Mixed	Human-computer interaction	<i>Conf. Hum. Factors Comput. Syst. (CHI)</i>
Chiang and Lee [36]	Increase speed, reduce costs, protect participants	In favor	AI development	<i>Annu. Meet. Assoc. Comput. Linguist. (ACL)</i>
Dillion et al. [47]	Increase speed	Mixed	Psychological science	<i>Trends Cogn. Sci.</i>
Gerosa et al. [53]	Increase speed, augment diversity, protect participants	Mixed	Software engineering	<i>arXiv*</i>
Gilardi et al. [54]	Reduce costs	In favor	AI development	<i>Proc. Natl. Acad. Sci.</i>
Hämäläinen et al. [61]	Increase speed, reduce costs, augment diversity	Mixed	Human-computer interaction	<i>Conf. Hum. Factors Comput. Syst. (CHI)</i>
Heyman and Heyman [65]	Increase speed	Critical	Psychological science	<i>Behav. Res. Methods</i>
Horton [68]	Increase speed, reduce costs	In favor	Experimental economics	<i>Natl. Bur. Econ. Res.*</i>
OpinioAI [103]	Increase speed, reduce costs, augment diversity	In favor	Marketing research	Product website
Park et al. [107]	Increase speed, protect participants	Mixed	Human-computer interaction	<i>Symp. User Interface Softw. Technol. (UIST)</i>
Synthetic Users [131]	Increase speed, reduce costs, augment diversity	In favor	User research	Product website
User Persona [138]	Increase speed, augment diversity	In favor	Marketing research	Product website
Wang et al. [143]	Increase speed, reduce costs	In favor	AI development	<i>Empir. Methods Nat. Lang. Process. (EMNLP)</i>

Table 1: A summary of the surveyed proposals to substitute human participants in research and development with large language models (LLMs) and generative artificial intelligence (AI). The “Motivation(s) discussed” column lists the potential goals of substitution explicitly discussed by each source. “Position” reflects whether the source overall voices support for simulating human participants, criticism for it, or a combination of optimism and concern. “Application domain” describes the field or area in which the source considers simulating participation. For papers and technical reports, “Venue” provides the ISO 4 abbreviation for the conference, journal, or repository where the proposal was shared, with common abbreviations in parentheses; asterisks indicate technical reports. For products, “Venue” simply states “product website”.

be a concomitant drawback. Gerosa et al. [53] state that “if [software engineers] could simulate [...] human behaviors with sufficient accuracy, the potential for scaling research efforts could be unprecedented”. Finally, Aher et al. [4] propose that future “increase[s] in accuracy” with LLMs can help alleviate “considerations regarding scale” in behavioral research.

3.1.2 “Substitution lowers costs and reduces reliance on human labor”. Reducing cost was another prominent argument, referenced in eight of the proposals. Gilardi et al. [54] estimate that the cost of LLM surrogates is on the order of “thirty times cheaper than MTurk”, a standard online platform for recruiting human participants. Likewise, Hämäläinen et al. [61] laud the possibility of “low

cost and high speed of LLM data generation” in the context of user research. Four sources connect this point to a related motivation: reducing the need for manual labor. As argued by Chiang and Lee [36], substitution alleviates development costs by reducing the need for humans in data collection. Aher et al. [4] similarly note the intertwined benefits of limiting monetary costs and reducing reliance on effort by human participants. Interestingly, these considerations appear to primarily emerge in proposals for AI development, HCI, and commercial products.

Mirroring the discussion of speed and scale advantages, arguments about cost efficiency were frequently paired with assertions concerning the accuracy of AI substitution. In the context of reviewing the high “algorithmic fidelity” of LLMs replacing human participants, Argyle et al. [10] explain that LLMs should require “fewer resources than a parallel data collection with human respondents”. Similarly, Wang et al. [143] argue that AI surrogates “can significantly reduce labeling cost while achieving the same performance with human-labeled data”. Hämäläinen et al. [61] pose this as a “crucial question” for user researchers: “when can low cost and latency offset issues with quality?”

3.1.3 “Substitution augments demographic diversity in datasets”. Eight different proposals mention that certain communities or demographic traits are of particular interest for simulation with generative AI. Aher et al. [4] explain that substitution offers “a simple way to simulate gender and racial diversity”. Argyle et al. [10] contend that LLMs could generate “patterns of attitudes and ideas” held by “many groups (women, men, White people, people of color, millennials, baby boomers, etc.)”, and—along with Gerosa et al. [53]—suggest that simulated participants can help explore intersectionality. Synthetic Users [131], OpinionAI [103], and User Persona [138] similarly mention synthesizing user data reflecting different genders, ethnicities, income levels, geographic locations, languages, and political views. Byun et al. [33] state simply that generative AI can be used to simulate the participation of “vulnerable populations”. Several proposals go as far as arguing that an open-ended range of communities may be simulated, limited only by the researcher or developer’s imagination in writing a textual prompt for the LLM [103, 131].

3.1.4 “Substitution protects participants from harms”. Six proposals argue that substitutions with generative AI can protect participants from potential harm. Byun et al. [33] summarize this idea by suggesting that simulated participants may “prove invaluable in scenarios where human involvement would be impractical, unethical, or unsafe”. Similarly, Aher et al. [4] discuss the use of substitution to explore research questions that would be “unethical to run on human subjects”, offering “experiments on what to say to a person who is suicidal” as an example in which LLMs could shoulder the burdens from high-risk research questions. Bai et al. [16] argue that, in AI development work, the use of LLMs reduces the need for human participants “to engage in the rather unsavory work of trying to trick AI systems into generating harmful content”.

3.2 Contextualizing the motivations reported by proposals

To ensure a balanced evaluation of these proposals and seriously engage with the idea of substitution, we next seek to place these motivations in context. How much merit do these specific concerns carry, given the contemporary state of scientific research and AI development?

Current funding dynamics in research and development offer validation for the first two motivations frequently cited by substitution proposals—reducing costs and increasing the efficiency of data collection. Typically, LLM users pay based on the amount of text they feed into the model and the amount of text it produces (e.g., [102]). Based on standard rates, LLMs can produce data at fractions of the cost of recruiting and working with human participants. Meanwhile, financial resources are a critical constraint on social-behavioral science [6]. In HCI, for example, the need for funds to recruit and work with human participants steers a large proportion of the field into industry partnerships [42]. Financing plays a similarly central role in the AI field. Large technology companies enjoy a great deal of influence over AI development, given the generous resources at their disposal and the smaller pools available to academic laboratories and other organizations [26, 83, 86]. Relative affordability would thus make AI surrogates especially helpful for scientists and developers working outside of corporate laboratories.

Public dialogues around AI and science offer validation for the other two stated goals that we find manifest in substitution proposals: protecting participants from harm and augmenting demographic diversity in datasets. In traditional ethics frameworks, the principles of non-maleficence (often summarized as “do no harm”) and justice (which seeks to ensure a fair and equitable distribution of risks and benefits from research) are paramount [7, 95]. These principles emerged in response to historical incidents where scientists abused their power over participants [28, 95]. The scientists, policymakers, and ethicists who developed these frameworks intended the concept of justice in particular to address the vulnerability of marginalized communities in the research process. With the advent of big data, interpretations of justice now also focus on ensuring that marginalized groups are (safely) reflected in research datasets and outcomes [92]. Non-maleficence and justice are similarly two of the foremost concerns of policymakers and ethicists over AI development [76]. Thus, arguments to use substitution to protect participants and to improve demographic diversity in data collection echo widely shared ethical concerns over research and development.

4 EVALUATING CHALLENGES TO THE REPLACEMENT OF HUMAN PARTICIPANTS

Of course, the role of a critical scholar is not to simply accept prevailing narratives at face value, but rather to interrogate them. We next turn a critical gaze to the manifest motivations offered by substitution proposals. To rigorously analyze these arguments, we first consider the technical properties and limitations of current language models. We then explore the social structure and epistemic foundations of research and development to help deconstruct

the claims, promises, and potential pitfalls embedded within these proposals.

4.1 Practical obstacles to the replacement of human participants

The substitution proposals themselves raise our first practical issue with substitution: modern language models are not yet ready to simulate human cognition and decision making. Despite their general fluency with language, LLMs routinely make mistakes across all domains to which they are applied (e.g., [9, 100]). Their strong tendency to “hallucinate” false information is a particular problem, especially because they do not indicate when they produce or cite false information [74]. In early 2023, for instance, a U.S. lawyer asked an LLM to act as a legal assistant and subsequently submitted a court filing riddled with fabricated legal references—partially because he believed the model’s statements assuring him that the cases were real [146]. Indeed, multiple proposals in our survey acknowledged the risk that hallucination introduces when simulating participants with an LLM [10, 33, 36, 47, 65, 68]. This high risk of generating ungrounded responses undermines the cost and efficiency arguments for substitution, given their assumption of high accuracy levels.

A second technical obstacle is “value lock-in” [145]. The social and cultural conditions of a time period constrain and influence the ways in which people express attitudes, beliefs, and behavior [40]. Conceptually, LLMs develop their representations of human behavior and decision making from the norms and attitudes present in human writing (e.g., implicitly learning from the attitudes expressed on internet websites and in books). However, an LLM is typically trained just once. When the underlying attitudes and conventions shift, an LLM does not update itself to encode new norms: the responses it generates will still reflect attitudes from the time when it was trained. An LLM trained on data before 2018, for instance, would not predict the shift in privacy concerns among social media users following March of that year [56, 77]. Much like the constraints imposed by hallucination, value lock-in challenges the accuracy of substitution, and therefore weakens the arguments focused on efficiency and financial benefits.

Third, modern LLMs struggle to model the wide range of opinions held across human communities, especially minority perspectives. Existing language models most readily simulate opinions from liberal, highly educated, and high-income earning individuals, and struggle to generate opinions reflective of demographic groups including individuals who are older individuals, religious, or widowed [121]. As Crockett and Messeri [43] point out, the training data used for LLMs echoes and reinforces the focus of psychology and HCI research on western, educated, industrialized, rich, and democratic people [63, 82]. Indeed, current LLMs exhibit substantial cultural bias [14, 49, 94] and routinely produce stereotyped images of minority individuals [1, 104]. These myopias severely limit the suggestion that substitution can augment research and development work by simulating perspectives from marginalized communities.

Finally, user and psychology research rely on a variety of non-linguistic indicators to study and understand human cognition and behavior. The measurement of reaction time, facial expressions,

and even pupil dilation have been integral in the history of psychology research [50, 64, 115]. While it is easy to see how the text produced by an LLM can simulate participants’ text responses or multiple-choice selections, language is not a natural analog for many behavioral measures. Though it may accelerate the speed of data collection and alleviate funding issues, substitution also restricts the types of questions available for exploration, and thus on the possible paths that research can take.

4.2 Intrinsic challenges to the replacement of human participants

These four practical obstacles impose substantial constraints on the sorts of research questions and insights that LLM substitutes can support. Nonetheless, they are not inherent flaws in generative modeling. Future iterations and improvements to models could discover novel solutions to address hallucinations, the preclusion of minority perspectives, and value lock-in. Even the problem of non-linguistic measures may admit an eventual solution through clever uses of language (e.g., [148]) or multimodal generative AI (e.g., [67]). Technical progress may alleviate these concerns, and perhaps overcome them entirely.³ In addition, while these obstacles undermine three of the four motivations revealed in our review, they do not erode the argument for protecting participants from risk. A researcher interested in experimenting with AI surrogates might consider such protections worth the costs.

However, practical issues are only part of the picture. We next critically appraise the broader context of human participation. This exploration reveals tensions that are considerably more fundamental in nature. In particular, substitution proposals conflict with values intrinsic to AI development work and research science: namely, representation, inclusion, and understanding.

4.2.1 The values of representation and inclusion. First, replacing human participants with LLMs inherently conflicts with *representation* and *inclusion*, two principles core to the participatory development of AI technology.

Discussing the values of participation, representation, and inclusion can be difficult, given both the ambiguous definitions of the underlying concepts and the way that researchers and developers often use the terms interchangeably [25, 34, 41]. More importantly, invocations of all three concepts have been criticized for connoting the involvement or presence of people without any substantive changes over the status quo [17, 23, 25, 34, 41, 112]. To paraphrase Cornwall [41], being involved in a process is not equivalent to having any voice or any power over it. Participation in particular is often defined shallowly, with “participant” reflecting an incidental sort of role, resulting simply from being part of the environment or process that leads to a technological product [58, 75]. Whether intentional or not, shallow uses of the “participatory” label produce a veneer of representation and inclusion, despite the lack of deeper engagement with participating individuals and communities.

Here we focus on “participation” not in these shallow forms, but as the concept was originally conceived in public planning and

³Indeed, modern AI research has frequently defied expectations, sometimes on remarkable timescales. For example, see the survey conducted by Grace et al. [57], collecting predictions of important milestones in AI development from AI scientists. Multiple breakthroughs handily subverted their corresponding expert-predicted timelines.

development. In a foundational treatise, Arnstein [12] articulated a vision of participation that is “responsive to” and reflective of the “views, aspirations, and needs” of those participating. For Arnstein, authentic participation must involve “the redistribution of power that enables the [have-nots], presently excluded from the political and economic processes, to be deliberately included in the future”. This description reveals two intertwined goals for participatory processes: first, to reflect and respond to the interests of those participating; and second, to redistribute power to those participating. We refer to these attributes as representation and inclusion, respectively, based both on Arnstein’s arguments⁴ and on established frameworks from political science and organizational theory. The goal of representation involves an active process of understanding and “making present” the needs, interests, and perspectives of those being represented.⁵ In contrast, the goal of inclusion emphasizes participants’ agency and exercise of power.⁶ Synthesizing these aims, participatory work should draw in participants to collaboratively set the agenda, empower them with influence over the development process, and guarantee them avenues of recourse, reparation, and resistance.

Corroborating this conceptual framework, prominent AI institutions frequently advocate for participatory approaches to development that explicitly tie participation to the goals of representation and inclusion. Zaremba et al. [149], for instance, argue that future AI systems should “be shaped to be as inclusive as possible” through democratic and representative processes. Other organizations echo similar plans, including one advocating for “democratic participation” to develop principles to govern the behavior of future AI systems [118]. Glaese et al. [55] likewise appeal for “participatory input from a diverse array of users and affected groups” for the development of more advanced systems. These appeals signify that the participation of individuals and communities is not just about improving data collection, but also about representation and empowerment. Turning these ideas back to substitution proposals: simulating human participants with LLMs may support more efficient data collection, but does it embody these participatory goals?

Unfortunately, substitution proposals only support representation in a very weak sense. At some point in their training, the models process linguistic data from humans, and development teams subsequently use these models to stand in for the perspectives and opinions that helped produce those data. But how well do the modeling outputs reflect people’s perspectives, and how responsive is the substitution process to changes in those views? The

current class of substitution proposals do not specify any possible approaches to re-align a wayward LLM, and previous attempts to manually steer models observed limited improvements to representativeness [121]. Without mechanisms to address these questions, substitution is not truly representative—it does not “make present” people’s experiences.

As for inclusion: if the sharing of power is core to inclusiveness, then the current class of substitution proposals are inherently exclusionary. Participation in the development process, even through data enrichment, provides people with critical capabilities and affordances. These include the right to withhold data, the right to opt out, the right to express discontent, and the right to resist, to name a few [3]. Substitution proposals shift several of these powers to AI surrogates, thereby denying participants agency over mechanisms of feedback and change—and implicitly ceding control to the developers. Some rights are lost altogether. When faced with an unethical situation, for instance, LLMs will not report the issue via regulatory authorities, media organizations, or other institutions that could bring the situation to light.

These exclusionary dynamics are especially important given that several proposals recommend simulating racial minorities, women, and other marginalized communities to help address issues with data diversity [10, 33]. These communities have long, painful histories of exclusion and exploitation in scientific and technological development [95, 122]. To ignore this historical context is to risk conflating technological change with social progress, devoid of any “moral and political standards” [87]. Indeed, scholars in the humanities argue that visions of replacing human labor with AI perpetuate troubling social and political legacies. The types of labor considered “appropriate” for automation are typically those already devalued and exploited under capitalism [114]. As a consequence, the idea that new technology will render human labor obsolete echoes colonial fantasies of an ideal servant class, working invisibly without need or desire [13]. Ironically, the very conceit of simulating marginalized communities as a solution to exclusion reinforces the devaluation of their labor and lived experiences.

Ultimately, replacing participants denies them opportunities to directly combat this devaluation, to influence the goals of the development process, and to help adjudicate the balance between their rights and the risks that they experience. It may be the case that the individuals and communities involved in development work wish to relinquish their participatory role. Rather than entirely turning to technological solutions, a truly representative and inclusive process would explicitly ask that question of them.

4.2.2 The value of understanding. The second intrinsic challenge to substitution proposals concerns the foundations of user research and psychological science. Replacing human participants with AI disrupts the intersubjectivity between researcher and participant, undermining the goal of *understanding*.

A core aim of research science is the production of generalizable insights and knowledge (cf. [93]). Indeed, in the U.S., government regulation highlights the goal of “develop[ing] or contribut[ing] to generalizable knowledge” as a definitional characteristic of research [137]. Scientific culture often idealizes research as an objective process that leverages precise measurement and logical interpretation to uncover general insights about the natural world [113].

⁴Arnstein’s treatise is foundational in participatory design, but did not introduce these ideas for the first time. The intellectual lineage of the ideas of responsiveness and power traces back several decades before Arnstein’s piece, emerging across multiple schools of thought in the history of planning [80].

⁵In particular, Pitkin [110] describes representation as “acting in the interest of the represented, in a manner responsive to them”. Arnesen and Peters [11] offer an eloquent elaboration of this idea, defining “substantive representation” as the situation where the “‘making present’ of [a] group’s ideas and the ‘acting for’ that group is done by people who understand what it means to be part of this group”.

⁶Concerning inclusion, Acemoglu and Robinson [2] argue that inclusive institutions distribute power broadly, empowering a wide range of people to participate in their activities. Similarly, Dahl [44] recognizes inclusiveness as a fundamental dimension of democracy, defining it as the participation of all members of society in the exercise of power. In organization theory, Quick and Feldman [112] muse that “inclusion practices” must remake rather than recreate existing power structures in order to truly invite communities to “co-produce” processes, policies, and programs”.

From this perspective, psychological fields observe and measure external indicators like behavior to better understand internal processes like cognition and decision making.

In reality, the basis of psychological research and insight is not objective measurement, but intersubjective corroboration [88]. Consider a user experience (UX) researcher in their laboratory, conducting a study on user preferences over several possible website designs. Each user in the laboratory's study room sits in front of a computer and sees two designs in sequence. They then respond to a question asking for their relative preference between the two on a scale from one to seven. In an objectivist account, the user's preferences are a construct that exists in the real world, but which the researcher cannot directly access. By measuring an indicator that is externally observable and quantifiable, the researcher can estimate the user's preferences (and then test various hypotheses over that construct).

But how does the researcher know the meaning of the external indicator in the first place? If internal states and constructs are truly private, why does the researcher believe that acting in a certain way (e.g., interacting with the mouse and selecting one of the numbers on the scale) maps to some specific internal experience (e.g., a preference for one design over the other)? The answer is that the researcher does not deduce from external measurements alone. Rather, they combine those "objective" indicators with their own internal experience to draw an inference about the participant. The idea of intersubjectivity can seem abstruse on first encounter, but it can be summarized simply as the researcher's assumption that if they were to take another person's position, they would see or experience the situation as that person does. In short, intersubjectivity is "the possibility of trading places" [48].

Sometimes, it is more or less credible for two individuals to "trade places". Variations in this possibility—that is, in the degree of intersubjectivity—constrain and shape a scientist's ability to conduct research.⁷ For instance, an HCI researcher traveling and encountering a foreign culture for the first time would find it very difficult to draw sound inferences about user behavior from its inhabitants without first spending more time studying local norms and ways of living (e.g., [27]). Situations with limited intersubjectivity require researchers to continuously question and challenge their own assumptions.

To return to the topic of AI substitution, let us revisit our hypothetical UX laboratory. Our intrepid researcher remains in the laboratory late one evening to analyze their data. As they diligently work, an alien appears in the study room in front of the computer. It moves its arms—or what *might* be its arms—and in doing so, nudges the mouse, pressing down on its buttons several times. These actions cause the computer to flip through both websites before registering a two on the researcher's seven-point preference scale. Can our researcher thank the alien, not just for the fame of first contact, but also for the free data provided to their study?

⁷Indeed, it is for this reason that philosophers of science sometimes distinguish the social sciences as different in kind from the natural and physical sciences [89]. Unlike psychologists and other social scientists, natural and physical scientists have no intersubjective relationship with the objects of their study. A physicist cannot trade places with a particle, and a geologist cannot trade places with a rock. These scientists cannot (and need not) corroborate their knowledge claims with intersubjectivity. While all scientists seek to develop knowledge of the world, the study of humans demands a special kind of knowledge: *Verstehen*, or a "participatory" type of understanding [144].

Should they add a tally to the count of participants who prefer the first design? Perhaps the alien does prefer the first design, much like the human participant who visited earlier. However, the crucial intersubjective assumption is missing. The researcher has no actual assurance that internal preferences drove the alien's action, or indeed that the alien possesses something resembling human preferences. Until our researcher gains a much deeper understanding of this alien, attempts to transfer any observations to human cognition are made on shaky grounds.

Language models, of course, are not alien—they are trained on human data.⁸ Perhaps they share some form of an intersubjective relationship with research scientists. As in other situations with limited intersubjectivity, research with AI surrogates might then support careful insight into human cognition and decision making. For instance, when prompted to choose from a list of possible consumer options, LLMs demonstrate a fairly reliable preference for the first option (e.g., [78]). A researcher might infer from this model behavior—and from the general way that LLMs are trained on data from humans—that the average consumer is more likely to be swayed by the initial option presented in a user interface (cf. [85]). Ultimately, though, the credibility of trading places with language models and experiencing a situation as they do seems quite limited [20, 127]. And importantly, any intersubjective relationship that a human researcher shares with a language model is different in kind from the relationship between a human researcher and a human participant. Behavioral scientists generally maintain a good sense of the limits of intersubjectivity with their models. For example, researchers are keenly aware of the limited external validity of rule-based models (e.g., [71]). However, LLMs present a distinctly powerful risk of anthropomorphism, even for researchers [145]. Their language proficiency can challenge and distract from the precept that "a map is not the territory". Overall, the limited intersubjectivity that researchers share with generative AI systems constrains the possibility of substituting AI for human participants in research. Improvements in efficiency and acceleration do not actually benefit research if substitution ultimately produces unsound conclusions.

4.2.3 Intrinsic challenges across research and development. Thus far, we have primarily discussed the goals of representation and inclusion in the context of AI development, and the aim of understanding in the context of research science. However, these issues cross over these boundaries, emerging across both domains.

Representation and inclusion are also core to user research, psychology, and other social and behavioral fields. Participatory HCI [141], computer-supported cooperative work [38], participatory action research [51], and critical psychology [142] argue that scientists should avoid viewing participants primarily as sources of data, whose only role is to accept certain inputs and subsequently produce outputs of a desired form. Rather, they argue, researchers have ethical obligations to partner and share power with their participants. Here too, substitution proposals undermine the processes meant to make present participants' interests and erode participants' ability to influence the overall undertaking.

⁸Though as demonstrated by the recently popularity of the "shoggoth" meme [66, 72, 132], many members of the AI community are skeptical of the human-likeness of LLMs.

Similarly, intersubjectivity plays an essential role in modern AI development—particularly in its reliance on data annotation and enrichment. As Lambert and Ustalov [79] explain, “The core challenge in data labeling is to make the annotators understand the task the same way you do”. At the design stage of an annotation study, in order to construct appropriate instructions, interfaces, and questions, developers must have an appreciation for their annotators’ perspectives and experiences. Similarly, at the interpretation stage, developers must understand their annotators’ perspective to make sense of their results and identify any issues that could interfere with their ability to interpret their annotations. Data annotation and enrichment are predicated on the possibility of “trading places”.

4.2.4 Summary. Overall, the values of representation, inclusion, and understanding pose considerable challenges to substitution proposals. These challenges are different in kind from the initial obstacles discussed in Section 4.1. Conflicts with representation, inclusion, and understanding cannot be alleviated with better training or improved model performance alone: they are intrinsic to the models and to the proposed approach to replacement itself.

5 CONCLUSION AND PATHS FORWARD

Large language models (LLMs) and other generative artificial intelligence (AI) systems will likely change the way that people approach many professional tasks. Research science and technology development are no exception. Recently, a set of curious proposals has emerged, recommending the substitution of LLMs for human participants in AI development and in research contexts ranging from human-computer interaction to opinion polling. These proposals carry several potential merits: increasing the speed of research and development; reducing financial costs; mitigating participants’ exposure to potential harms; and augmenting demographic diversity. However, three of these merits are constrained by technical shortcomings of current AI models. More pressingly, replacement faces two intrinsic challenges from the broader social and epistemological structures that support human participation. First, while participatory development aims to “make present” participants’ perspectives and share power with them, substitution proposals have the opposite effect—impeding representation and inclusion. Second, substitution proposals remove the intersubjective basis of psychological and user research, limiting the inferences that psychologists and researchers can draw from studies and experiments with LLMs. These undercut all four stated motivations for substitution, and are thus considerable challenges to any proposal for the replacement of human participants in AI development and psychology research.

A deeper reckoning with the values of representation, inclusion, and understanding is needed to identify changes that could mitigate these intrinsic challenges. A first step toward representative and inclusive versions of substitution will be to involve and empower participants in the agenda-setting process. After formally setting the agenda, projects can maintain an ongoing role for participants, allowing them to monitor and supervise whether their substitutes are making present their perspectives and concerns. This practice of continuous engagement should strive not only to align the development process with those participating, but also to allow participants to exercise power over the development process: provide feedback,

express discontent, and seek recourse. To make substitution compatible with the goal of understanding, user researchers and psychologists will need to confront a potentially uncomfortable idea: that scientists are not immune to the temptation to anthropomorphize language models. One potential approach to mitigating the risk of anthropomorphism would be to establish a clear framework for evaluating the results of substitution experiments and assessing whether they generate any valid insights. Such a framework could help researchers remain mindful of the limits on “trading places” with language models. Overall, by establishing these structures and practices, we may start to build generative AI systems that support the values fundamental to research and development, moving toward authentic—rather than artificial—inclusion.

ACKNOWLEDGMENTS

We thank William Isaac, Piotr Mirowski, our anonymous reviewers, and our anonymous area chair for insightful feedback on our manuscript.

AUTHOR CONTRIBUTIONS

W.A., J.P., and K.R.M. proposed the research idea; K.R.M. supervised the project; W.A. and K.R.M. curated and annotated sources, with assistance from A.S.B., J.C., M.D., S.E., J.P., and S.M.; W.A., A.S.B., J.C., M.D., S.E., J.P., S.M., and K.R.M. interpreted results; and W.A., A.S.B., J.C., M.D., S.E., J.P., S.M., and K.R.M. wrote the paper.

REFERENCES

- [1] Abubakar Abid, Maheen Farooqi, and James Zou. 2021. Persistent anti-Muslim bias in large language models. In *Proceedings of the 2021 AAAI/ACM Conference on AI, Ethics, and Society*. 298–306.
- [2] Daron Acemoglu and James A. Robinson. 2016. Paths to inclusive political institutions. *Economic History of Warfare and State Formation* (2016), 3–50.
- [3] William Agnew, Kevin R. McKee, Iason Gabriel, Jackie Kay, William Isaac, A. Stevie Bergman, Seliem El-Sayed, and Shakir Mohamed. 2023. Technologies of resistance to AI. In *Proceedings of the 3rd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization*. 1–13.
- [4] Gati V. Aher, Rosa I. Arriaga, and Adam Tauman Kalai. 2023. Using large language models to simulate multiple humans and replicate human subject studies. In *Proceedings of the 40th International Conference on Machine Learning*. Proceedings of Machine Learning Research, 337–371.
- [5] Jean-Baptiste Alayrac, Jeff Donahue, Pauline Luc, Antoine Miech, Iain Barr, Yana Hasson, Karel Lenc, Arthur Mensch, Katherine Millican, Malcolm Reynolds, et al. 2022. Flamingo: A visual language model for few-shot learning. *Advances in Neural Information Processing Systems* 35, 23716–23736.
- [6] Jorge Almeida. 2023. Underfunding basic psychological science because of the primacy of the here and now: A scientific conundrum. *Perspectives on Psychological Science* 18, 2 (2023), 527–530.
- [7] American Psychological Association. 2016. Ethical principles of psychologists and code of conduct. <https://web.archive.org/web/20230909061239/https://www.apa.org/ethics/code/>. Accessed: 2023-09-14.
- [8] Anthropic. 2023. Introducing 100K Context Windows. <https://web.archive.org/web/20230903233613/https://www.anthropic.com/index/100k-context-windows>. Accessed: 2023-09-14.
- [9] Anthropic. 2023. Model Card and Evaluations for Claude Models. <https://web.archive.org/web/20230811185640/https://www-files.anthropic.com/production/images/Model-Card-Claude-2.pdf>. Accessed: 2023-09-14.
- [10] Lisa P. Argyle, Ethan C. Busby, Nancy Fulda, Joshua R. Gubler, Christopher Rytting, and David Wingate. 2023. Out of one, many: Using language models to simulate human samples. *Political Analysis* 31, 3 (2023), 337–351.
- [11] Sveinung Arnesen and Yvette Peters. 2018. The legitimacy of representation: How descriptive, formal, and responsiveness representation affect the acceptability of political decisions. *Comparative Political Studies* 51, 7 (2018), 868–899.
- [12] Sherry R. Arnstein. 1969. A ladder of citizen participation. *Journal of the American Institute of Planners* 35, 4 (1969), 216–224.
- [13] Neda Atanasoski and Kalindi Vora. 2019. *Surrogate humanity: Race, robots, and the politics of technological futures*. Duke University Press.

- [14] Mohammad Atari, Mona J. Xue, Peter S. Park, Damián Blasi, and Joseph Henrich. 2023. Which humans? *PsyArXiv* (2023).
- [15] Rowland Atkinson and John Flint. 2001. Accessing hidden and hard-to-reach populations: Snowball research strategies. *Social Research Update* 33, 1 (2001), 1–4.
- [16] Yuntao Bai, Saurav Kadavath, Sandipan Kundu, Amanda Askell, Jackson Kernion, Andy Jones, Anna Chen, Anna Goldie, Azalia Mirhoseini, Cameron McKinnon, et al. 2022. Constitutional AI: Harmlessness from AI feedback. *arXiv preprint arXiv:2212.08073* (2022).
- [17] Angela Calabrese Barton and Edna Tan. 2020. Beyond equity as inclusion: A framework of “rightful presence” for guiding justice-oriented studies in teaching and learning. *Educational Researcher* 49, 6 (2020), 433–440.
- [18] Nicholas J. Belkin, Helen M. Brooks, and Penny J. Daniels. 1987. Knowledge elicitation using discourse analysis. *International Journal of Man-Machine Studies* 27, 2 (1987), 127–144.
- [19] Emily M. Bender, Timnit Gebru, Angelina McMillan-Major, and Shmargaret Shmitchell. 2021. On the dangers of stochastic parrots: Can language models be too big?. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*. 610–623.
- [20] Emily M. Bender and Alexander Koller. 2020. Climbing towards NLU: On meaning, form, and understanding in the age of data. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*. 5185–5198.
- [21] Bernard Berelson. 1952. *Content analysis in communication research*. Free Press.
- [22] A. Stevie Bergman and Mona Diab. 2022. Towards responsible natural language annotation for the arieties of Arabic. In *Findings of the Association for Computational Linguistics: ACL 2022*. 364–371.
- [23] A. Stevie Bergman, Lisa Anne Hendricks, Maribeth Rauh, Boxi Wu, William Agnew, Markus Kunesch, Isabella Duan, Iason Gabriel, and William Isaac. 2023. Representation in AI evaluations. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency*. 519–533.
- [24] Jon Bing. 1986. The text retrieval system as a conversion partner. *International Review of Law, Computers & Technology* 2, 1 (1986), 25–39.
- [25] Abeba Birhane, William Isaac, Vinodkumar Prabhakaran, Mark Diaz, Madeleine Clare Elish, Iason Gabriel, and Shakir Mohamed. 2022. Power to the people? Opportunities and challenges for participatory AI. In *Proceedings of the 2nd ACM Conference on Equity and Access in Algorithms, Mechanisms, and Optimization*. 1–8.
- [26] Abeba Birhane, Pratyusha Kalluri, Dallas Card, William Agnew, Ravit Dotan, and Michelle Bao. 2022. The values encoded in machine learning research. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*. 173–184.
- [27] Paula Bourges-Waldegg and Stephen A. R. Scrivener. 1998. Meaning, the central issue in cross-cultural HCI design. *Interacting with Computers* 9, 3 (1998), 287–309.
- [28] Allan M. Brandt. 1978. Racism and research: The case of the Tuskegee Syphilis Study. *Hastings Center Report* (1978), 21–29.
- [29] Virginia Braun and Victoria Clarke. 2006. Using thematic analysis in psychology. *Qualitative Research in Psychology* 3, 2 (2006), 77–101.
- [30] Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D. Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, et al. 2020. Language models are few-shot learners. *Advances in Neural Information Processing Systems* 33, 1877–1901.
- [31] Sébastien Bubeck, Varun Chandrasekaran, Ronen Eldan, Johannes Gehrke, Eric Horvitz, Ece Kamar, Peter Lee, Yin Tat Lee, Yuanzhi Li, Scott Lundberg, et al. 2023. Sparks of artificial general intelligence: Early experiments with GPT-4. *arXiv preprint arXiv:2303.12712* (2023).
- [32] Daniel Buschek, Charlotte Anlauff, and Florian Lachner. 2020. Paper2Wire: A case study of user-centred development of machine learning tools for UX designers. In *Proceedings of Mensch und Computer 2020*. 33–41.
- [33] Courtnei Byun, Piper Vasicek, and Kevin Seppi. 2023. Dispensing with humans in human-computer interaction research. In *Extended Abstracts of the 2023 CHI Conference on Human Factors in Computing Systems*. 1–26.
- [34] Kyla Chasalow and Karen Levy. 2021. Representativeness in statistics, politics, and machine learning. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*. 77–89.
- [35] Mark Chen, Jerry Tworek, Heewoo Jun, Qiming Yuan, Henrique Ponde de Oliveira Pinto, Jared Kaplan, Harri Edwards, Yuri Burda, Nicholas Joseph, Greg Brockman, et al. 2021. Evaluating large language models trained on code. *arXiv preprint arXiv:2107.03374* (2021).
- [36] Cheng-Han Chiang and Hung-yi Lee. 2023. Can large language models be an alternative to human evaluations?. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*. Association for Computational Linguistics, 15607–15631.
- [37] Aakanksha Chowdhery, Sharan Narang, Jacob Devlin, Maarten Bosma, Gaurav Mishra, Adam Roberts, Paul Barham, Hyung Won Chung, Charles Sutton, Sebastian Gehrmann, et al. 2022. PaLM: Scaling language modeling with pathways. *arXiv preprint arXiv:2204.02311* (2022).
- [38] Luigina Ciolfi, Myriam Lewkowicz, and Kjeld Schmidt. 2023. Computer-supported cooperative work. In *Handbook of Human-Computer Interaction*. Springer, 1–26.
- [39] Richard W. Coan. 1979. *Psychologists: Personal and theoretical pathways*. Irvington Publishers.
- [40] Catherine R. Cooper and Jill Denner. 1998. Theories linking culture and psychology: Universal and community-specific processes. *Annual Review of Psychology* 49, 1 (1998), 559–584.
- [41] Andrea Cornwall. 2008. Unpacking “participation”: Models, meanings and practices. *Community Development Journal* 43, 3 (2008), 269–283.
- [42] Critical Platform Studies Group, Lilly Irani, Niloufar Salehi, Joyojeet Pal, Andrés Monroy-Hernández, Elizabeth Churchill, and Sneha Narayan. 2019. Patron or poison? Industry funding of HCI research. In *Conference Companion Publication of the 2019 on Computer Supported Cooperative Work and Social Computing*. 111–115.
- [43] Molly Crockett and Lisa Messeri. 2023. Should large language models replace human participants? *PsyArXiv* (2023).
- [44] Robert A. Dahl. 2008. *Polyarchy: Participation and opposition*. Yale University Press.
- [45] Kurt Danziger. 1994. *Constructing the subject: Historical origins of psychological research*. Cambridge University Press.
- [46] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*. 4171–4186.
- [47] Danica Dillon, Niket Tandon, Yuling Gu, and Kurt Gray. 2023. Can AI language models replace human participants? *Trends in Cognitive Sciences* (2023).
- [48] Alessandro Duranti. 2010. Husserl, intersubjectivity and anthropology. *Anthropological Theory* 10, 1-2 (2010), 16–35.
- [49] Esin Durmus, Karina Nyugen, Thomas I. Liao, Nicholas Schiefer, Amanda Askell, Anton Bakhtin, Carol Chen, Zac Hatfield-Dodds, Danny Hernandez, Nicholas Joseph, et al. 2023. Towards measuring the representation of subjective global opinions in language models. *arXiv preprint arXiv:2306.16388* (2023).
- [50] Paul Ekman. 1993. Facial expression and emotion. *American Psychologist* 48, 4 (1993), 384.
- [51] Orlando Fals-Borda and Muhammad Anisur Rahman. 1991. *Action and knowledge: Breaking the monopoly with participatory action-research*. Intermediate Technology Publications.
- [52] Sina Fazelpour and Maria De-Arteaga. 2022. Diversity in sociotechnical machine learning systems. *Big Data & Society* 9, 1 (2022), 20539517221082027.
- [53] Marco A. Gerosa, Bianca Trinkenreich, Igor Steinmacher, and Anita Sarma. 2023. Can AI serve as a substitute for human subjects in software engineering research? *arXiv preprint arXiv:2311.11081* (2023).
- [54] Fabrizio Gilardi, Meysam Alizadeh, and Maël Kubli. 2023. ChatGPT outperforms crowd workers for text-annotation tasks. *Proceedings of the National Academy of Sciences* 120, 30 (2023), e2305016120.
- [55] Amelia Glaese, Nat McAleese, Maja Trębacz, John Aslanides, Vlad Firoiu, Timo Ewalds, Maribeth Rauh, Laura Weidinger, Martin Chadwick, Phoebe Thacker, et al. 2022. Improving alignment of dialogue agents via targeted human judgments. *arXiv preprint arXiv:2209.14375* (2022).
- [56] Felipe González-Pizarro, Andrea Figueroa, Claudia López, and Cecilia Aragon. 2022. Regional differences in information privacy concerns After the Facebook-Cambridge Analytica data scandal. *Computer Supported Cooperative Work* 31, 1 (2022), 33–77.
- [57] Katja Grace, John Salvatier, Allan Dafoe, Baobao Zhang, and Owain Evans. 2018. When will AI exceed human performance? Evidence from AI experts. *Journal of Artificial Intelligence Research* 62 (2018), 729–754.
- [58] Lara Groves, Aidan Peppin, Andrew Strait, and Jenny Brennan. 2023. Going public: The role of public participation approaches in commercial AI labs. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency*. 1162–1173.
- [59] Jonathan Grudin. 2009. AI and HCI: Two fields divided by a common focus. *AI Magazine* 30, 4 (2009), 48–48.
- [60] Jonathan Grudin. 2022. *From tool to partner: The evolution of human-computer interaction*. Springer Nature.
- [61] Perttu Hämäläinen, Mikke Tavast, and Anton Kunnari. 2023. Evaluating large language models in generating synthetic HCI research data: a case study. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*. 1–19.
- [62] David Heckerman, David Maxwell Chickering, Christopher Meek, Robert Rounthwaite, and Carl Kadie. 2000. Dependency networks for inference, collaborative filtering, and data visualization. *Journal of Machine Learning Research* 1, Oct (2000), 49–75.
- [63] Joseph Henrich, Steven J. Heine, and Ara Norenzayan. 2010. Most people are not WEIRD. *Nature* 466, 7302 (2010), 29–29.
- [64] Eckhard H. Hess and James M. Polt. 1964. Pupil size in relation to mental activity during simple problem-solving. *Science* 143, 3611 (1964), 1190–1192.

- [65] Tom Heyman and Geert Heyman. 2023. The impact of ChatGPT on human data collection: A case study involving typicality norming data. *Behavior Research Methods* (2023), 1–8.
- [66] @hlntr. 2023. If you spend much time on AI twitter, you might have seen this tentacle monster hanging around. But what is it, and what does it have to do with ChatGPT? It's kind of a long story. But it's worth it! It even ends with cake. THREAD. <https://web.archive.org/web/20230306124925/https://twitter.com/hlntr/status/1632030583462285312>.
- [67] Jonathan Ho, William Chan, Chitwan Saharia, Jay Whang, Ruiqi Gao, Alexey Gritsenko, Diederik P. Kingma, Ben Poole, Mohammad Norouzi, David J. Fleet, et al. 2022. Imagen video: High definition video generation with diffusion models. *arXiv preprint arXiv:2210.02303* (2022).
- [68] John J. Horton. 2023. *Large language models as simulated economic agents: What can we learn from homo silicus?* Technical Report. National Bureau of Economic Research.
- [69] Ben Hutchinson, Andrew Smart, Alex Hanna, Emily Denton, Christina Greer, Oddur Kjartansson, Parker Barnes, and Margaret Mitchell. 2021. Towards accountability for machine learning datasets: Practices from software engineering and infrastructure. In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency*. 560–575.
- [70] @infoxia. 2023. A trend I see at #CHI23 is HCI researchers beginning to use LLMs to create synthetic user studies. E.g., <https://dl.acm.org/doi/10.1145/3544548.3580688>. While it is convenient, I do worry about the potential representational harms posed by such trend – experiences of minorities being erased. <https://web.archive.org/web/20240113081958/https://nitter.net/infoxia/status/1651160544307544064>.
- [71] Joshua Conrad Jackson, David Rand, Kevin Lewis, Michael I. Norton, and Kurt Gray. 2017. Agent-based modeling: A guide for social psychologists. *Social Psychological and Personality Science* 8, 4 (2017), 387–395.
- [72] @jacyanthis. 2023. Here's the latest iteration of the "techniques like RLHF are just putting superficial smiley faces on an opaque, alien, Shoggoth intelligence that we have no real control over" AI safety meme. Artist: Anna Husfeldt, CC-BY SA 3.0. <https://web.archive.org/web/20230306110137/https://twitter.com/jacyanthis/status/1631291175381475331>.
- [73] Michelle K. Jamieson, Gisela H. Govaert, and Madeleine Pownall. 2023. Reflexivity in quantitative research: A rationale and beginner's guide. *Social and Personality Psychology Compass* (2023), e12735.
- [74] Ziwei Ji, Nayeon Lee, Rita Frieske, Tiezheng Yu, Dan Su, Yan Xu, Etsuko Ishii, Ye Jin Bang, Andrea Madotto, and Pascale Fung. 2023. Survey of hallucination in natural language generation. *Comput. Surveys* 55, 12 (2023), 1–38.
- [75] Felicia S. Jing, Sara E. Berger, and Juana Catalina Becerra Sandoval. 2023. Towards labor transparency in situated computational systems impact research. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency*. 1026–1037.
- [76] Anna Jobin, Marcello Ienca, and Effy Vayena. 2019. The global landscape of AI ethics guidelines. *Nature Machine Intelligence* 1, 9 (2019), 389–399.
- [77] J. Jones. 2018. Facebook users' privacy concerns up since 2011. The Gallup Organization.
- [78] Samuel N. Kirshner. 2024. GPT and CLT: The impact of ChatGPT's level of abstraction on consumer recommendations. *Journal of Retailing and Consumer Services* 76 (2024), 103580.
- [79] Nathan Lambert and Dmitry Ustalov. 2023. Reinforcement learning from human feedback: A tutorial at ICML 2023. <https://doi.org/10.5281/zenodo.8186168>.
- [80] Marcus B. Lane. 2005. Public participation in planning: An intellectual history. *Australian Geographer* 36, 3 (2005), 283–299.
- [81] Steven Levy. 1992. *Artificial life: The quest for a new creation*. Random House Inc.
- [82] Sebastian Linxen, Christian Sturm, Florian Brühlmann, Vincent Cassau, Klaus Opwis, and Katharina Reinecke. 2021. How weird is CHI?. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–14.
- [83] Dieuwertje Luitse and Wiebke Denkena. 2021. The great transformer: Examining the role of large language models in the political economy of AI. *Big Data & Society* 8, 2 (2021), 205395172111047734.
- [84] Christopher D. Manning. 2022. Human language understanding & reasoning. *Daedalus* 151, 2 (2022), 127–138.
- [85] Antonia Mantoukaki, Pauline Roder, Isabelle Lesschaeve, and Reid Hastie. 2009. Order in choice: Effects of serial position on preferences. *Psychological Science* 20, 11 (2009), 1309–1312.
- [86] Fernando Martínez-Plumed, Pablo Barredo, Sean O. Heigeartaigh, and Jose Hernandez-Orallo. 2021. Research community dynamics behind popular AI benchmarks. *Nature Machine Intelligence* 3, 7 (2021), 581–589.
- [87] Leo Marx. 2010. Technology: The emergence of a hazardous concept. *Technology and Culture* 51, 3 (2010), 561–577.
- [88] Michael F. Mascolo and Eeva Kallio. 2020. The phenomenology of between: An intersubjective epistemology for psychological science. *Journal of Constructivist Psychology* 33, 1 (2020), 1–28.
- [89] Renate Mayntz. 2005. Forschungsmethoden und erkenntnispotential: Natur- und sozialwissenschaften im vergleich. Max-Planck-Institut für Gesellschaftsforschung.
- [90] Kevin R. McKee. 2023. Human participants in AI research: Ethics and transparency in practice. *arXiv preprint arXiv:2311.01254* (2023).
- [91] Kevin R. McKee, Andrea Tacchetti, Michiel A. Bakker, Jan Balaguer, Lucy Campbell-Gillingham, Richard Everett, and Matthew Botvinick. 2023. Scaffolding cooperation in human groups with deep reinforcement learning. *Nature Human Behaviour* 7, 10 (2023), 1787–1796.
- [92] Jacob Metcalf and Kate Crawford. 2016. Where are human subjects in big data research? The emerging ethics divide. *Big Data & Society* 3, 1 (2016), 2053951716650211.
- [93] Douglas G. Mook. 1983. In defense of external invalidity. *American Psychologist* 38, 4 (1983), 379.
- [94] Tarek Naous, Michael J. Ryan, and Wei Xu. 2023. Having beer after prayer? Measuring cultural bias in large language models. *arXiv preprint arXiv:2305.14456* (2023).
- [95] National Commission for the Protection of Human Subjects of Biomedical and Behavioral Research. 1978. *The Belmont report: Ethical principles and guidelines for the protection of human subjects of research*. United States Government Printing Office.
- [96] National Institute of Standards and Technology. 2023. Artificial Intelligence Risk Management Framework. <https://web.archive.org/web/20230914024011/https://nvlpubs.nist.gov/nistpubs/ai/NIST.AI.100-1.pdf>. Accessed: 2023-09-14.
- [97] Allen Newell. 1982. Intellectual issues in the history of artificial intelligence. *Artificial Intelligence: Critical Concepts* (1982), 25–70.
- [98] Gandalf Nicolas, Xuechunzi Bai, and Susan T. Fiske. 2021. Comprehensive stereotype content dictionaries using a semi-automated method. *European Journal of Social Psychology* 51, 1 (2021), 178–196.
- [99] Matt Novak. 2023. That viral image of Pope Francis wearing a white puffer coat is totally fake. *Forbes* (2023). <https://web.archive.org/web/20230914181410/https://www.forbes.com/sites/mattnovak/2023/03/26/that-viral-image-of-pope-francis-wearing-a-white-puffer-coat-is-totally-fake/>
- [100] OpenAI. 2023. GPT-4 System Card. <https://web.archive.org/web/20230914132031/https://cdn.openai.com/papers/gpt-4-system-card.pdf>. Accessed: 2023-09-14.
- [101] OpenAI. 2023. GPT-4 technical report. *arXiv preprint arXiv:2303.08774* (2023).
- [102] OpenAI. 2023. Pricing. <https://web.archive.org/web/20230914164619/https://openai.com/pricing>.
- [103] OpinioAI. [n. d.]. OpinioAI. <https://web.archive.org/web/20230914170909/https://opinio.ai/>. Accessed: 2023-09-14.
- [104] Nedjma Ousidhoum, Xinran Zhao, Tianqing Fang, Yangqiu Song, and Dit-Yan Yeung. 2021. Probing toxic content in large pre-trained language models. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*. 4262–4274.
- [105] Bo Pang, Lillian Lee, and Shivakumar Vaithyanathan. 2002. Thumbs up? Sentiment classification using machine learning techniques. In *Proceedings of the 2002 Conference on Empirical Methods in Natural Language Processing (EMNLP 2002)*. 79–86.
- [106] Joon Sung Park, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. 2023. Generative agents: Interactive simulacra of human behavior. *arXiv preprint arXiv:2304.03442* (2023).
- [107] Joon Sung Park, Lindsay Popowski, Carrie Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. 2022. Social simulacra: Creating populated prototypes for social computing systems. In *Proceedings of the 35th Annual ACM Symposium on User Interface Software and Technology*. 1–18.
- [108] Partnership on AI. [n. d.]. Responsible sourcing of data enrichment services. <https://web.archive.org/web/20230722043958/https://partnershiponai.org/responsible-sourcing-considerations/>. Accessed: 2023-09-14.
- [109] Amandalynne Paullada, Inioluwa Deborah Raji, Emily M. Bender, Emily Denton, and Alex Hanna. 2021. Data and its (dis)contents: A survey of dataset development and use in machine learning research. *Patterns* 2, 11 (2021).
- [110] Hanna Pitkin. 1967. *The concept of representation*. University of California Press.
- [111] W. James Potter and Deborah Levine-Donnerstein. 1999. Rethinking validity and reliability in content analysis. *Journal of Applied Communication Research* (1999).
- [112] Kathryn S. Quick and Martha S. Feldman. 2011. Distinguishing participation and inclusion. *Journal of Planning Education and Research* 31, 3 (2011), 272–290.
- [113] Julian Reiss and Jan Sprenger. 2014. Scientific objectivity. In *The Stanford Encyclopedia of Philosophy*. Zalta, Ed.
- [114] Jennifer Rhee. 2018. *The robotic imaginary: The human and the price of dehumanized labor*. University of Minnesota Press.
- [115] David K. Robinson. 2001. Reaction-time experiments in Wundt's institute and beyond. In *Wilhelm Wundt in History: The Making of a Scientific Psychology*. Springer, 161–204.

- [116] Esther Rolf, Theodora T. Worledge, Benjamin Recht, and Michael Jordan. 2021. Representation matters: Assessing the importance of subgroup allocations in training data. In *Proceedings of the 38th International Conference on Machine Learning*. Proceedings of Machine Learning Research, 9040–9051.
- [117] Kevin Roose. 2023. A conversation with Bing’s chatbot left me deeply unsettled. *The New York Times* (2023). <https://web.archive.org/web/20230914044532/https://www.nytimes.com/2023/02/16/technology/bing-chatbot-microsoft-chatgpt.html>
- [118] Kevin Roose and Casey Newton. 2023. Dario Amodei, C.E.O. of Anthropic, on the paradoxes of A.I. safety and Netflix’s “Deep Fake Love”. <https://web.archive.org/web/20230908235314/https://www.nytimes.com/2023/07/21/podcasts/dario-amodei-ceo-of-anthropic-on-the-paradoxes-of-ai-safety-and-netflixs-deep-fake-love.html>.
- [119] Nithya Sambasivan. 2021. Seeing like a dataset from the global south. *Interactions* 28, 4 (2021), 76–78.
- [120] Nithya Sambasivan, Shivani Kapania, Hannah Highfill, Diana Akrong, Praveen Paritosh, and Lora M Aroyo. 2021. “Everyone wants to do the model work, not the data work”: Data cascades in high-stakes AI. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems*. 1–15.
- [121] Shibani Santurkar, Esin Durmus, Faisal Ladhak, Cinoo Lee, Percy Liang, and Tatsunori Hashimoto. 2023. Whose opinions do language models reflect? *arXiv preprint arXiv:2303.17548* (2023).
- [122] Darcell P. Scharff, Katherine J. Mathews, Pamela Jackson, Jonathan Hoffsuemmer, Emeobong Martin, and Dorothy Edwards. 2010. More than Tuskegee: Understanding mistrust about research participation. *Journal of Health Care for the Poor and Underserved* 21, 3 (2010), 879.
- [123] Charles F. Schmidt, Natesa S. Sridharan, and John L. Goodson. 1978. The plan recognition problem: An intersection of psychology and artificial intelligence. *Artificial Intelligence* 11, 1-2 (1978), 45–83.
- [124] @schock. 2023. Now class, can anyone tell me why this might be a bad idea? <https://web.archive.org/web/20230516201648/https://twitter.com/schock/status/1643392611560878086>.
- [125] John Schulman. 2022. ChatGPT: Optimizing Language Models for Dialogue. <https://web.archive.org/web/20221130180912/https://openai.com/blog/chatgpt/>. Accessed: 2023-09-14.
- [126] Chirag Shah and Emily M. Bender. 2022. Situating search. In *Proceedings of the 2022 Conference on Human Information Interaction and Retrieval*. 221–232.
- [127] Murray Shanahan. 2022. Talking about large language models. *arXiv preprint arXiv:2212.03551* (2022).
- [128] Boaz Shmueli, Jan Fell, Soumya Ray, and Lun-Wei Ku. 2021. Beyond fair pay: Ethical implications of NLP crowdsourcing. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. 3758–3769.
- [129] Åsne Stige, Epraxia D. Zamani, Patrick Mikalef, and Yuzhen Zhu. 2023. Artificial intelligence (AI) for user experience (UX) design: A systematic literature review and future research agenda. *Information Technology & People* (2023).
- [130] Chris Stokel-Walker and Richard Van Noorden. 2023. What ChatGPT and generative AI mean for science. *Nature* 614, 7947 (2023), 214–216.
- [131] Synthetic Users. [n. d.]. Synthetic Users. <https://web.archive.org/web/20230913012207/https://www.syntheticusers.com/>. Accessed: 2023-09-14.
- [132] @TetraspaceWest. 2022. [Reply to “Humans can’t accept the truth about GPT-3, so they modified GPT-3 to be understandable”]. <https://web.archive.org/web/20230814053841/https://twitter.com/tetraspacewest/status/1608966939929636864>.
- [133] Derek Thompson. 2022. Breakthroughs of the year. *The Atlantic* (2022). <https://web.archive.org/web/20230421060355/https://www.theatlantic.com/newsletters/archive/2022/12/technology-medicine-law-ai-10-breakthroughs-2022/672390/>
- [134] Romal Thoppilan, Daniel De Freitas, Jamie Hall, Noam Shazeer, Apoorv Kulshreshtha, Heng-Tze Cheng, Alicia Jin, Taylor Bos, Leslie Baker, Yu Du, et al. 2022. LaMDA: Language models for dialog applications. *arXiv preprint arXiv:2201.08239* (2022).
- [135] Nitasha Tiku. 2022. The Google engineer who thinks the company’s AI has come to life. *The Washington Post* (2022). <https://web.archive.org/web/20230826183724/https://www.washingtonpost.com/technology/2022/06/11/google-ai-lamda-blake-lemoine/>
- [136] Alan M. Turing. 1950. Computing machinery and intelligence. *Mind* LIX, 236 (1950), 433–460.
- [137] U.S. Department of Health and Human Services. 2018. Code of Federal Regulations: Title 45, Part 46. <https://web.archive.org/web/20230710202634/https://www.hhs.gov/ohrp/regulations-and-policy/regulations/45-cfr-46/revised-common-rule-regulatory-text/index.html>. Accessed: 2023-09-14.
- [138] User Persona. [n. d.]. User Persona. <https://web.archive.org/web/2023072124412/https://userpersona.dev/>. Accessed: 2023-09-14.
- [139] Jan J. Van Cuienburg, Jan Kleinnijenhuis, and Jan A. De Ridder. 1988. Artificial intelligence and content analysis: Problems of and strategies for computer text analysis. *Quality and Quantity* 22, 1 (1988), 65–97.
- [140] James Vincent. 2022. All these images were generated by Google’s latest text-to-image AI. *The Verge* (2022). <https://web.archive.org/web/20230725102931/https://www.theverge.com/2022/5/24/23139297/google-imagen-text-to-image-ai-system-examples-paper>
- [141] John Vines, Rachel Clarke, Peter Wright, John McCarthy, and Patrick Olivier. 2013. Configuring participation: On how we involve people in design. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. 429–438.
- [142] Richard T. G. Walsh. 2014. *Researcher-participant relationship*. 645–672.
- [143] Shuohang Wang, Yang Liu, Yichong Xu, Chenguang Zhu, and Michael Zeng. 2021. Want to reduce labeling cost? GPT-3 can help. In *Findings of the Association for Computational Linguistics: EMNLP 2021*. 4195–4205.
- [144] Max Weber, A. M. Henderson, and Talcott Parsons. 1947. *The theory of social and economic organization*. Free Press.
- [145] Laura Weidinger, Jonathan Uesato, Maribeth Rauh, Conor Griffin, Po-Sen Huang, John Mellor, Amelia Glaese, Myra Cheng, Borja Balle, Atoosa Kasirzadeh, et al. 2022. Taxonomy of risks posed by language models. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency*. 214–229.
- [146] Benjamin Weiser. 2023. Here’s what happens when your lawyer uses ChatGPT. *The New York Times* (2023). <https://web.archive.org/web/20230913041650/https://www.nytimes.com/2023/05/27/nyregion/avianca-airline-lawsuit-chatgpt.html>
- [147] Blaise Agüera y Arcas. 2022. Do large language models understand us? *Daedalus* 151, 2 (2022), 183–197.
- [148] Shunyu Yao, Jeffrey Zhao, Dian Yu, Nan Du, Izhak Shafran, Karthik R. Narasimhan, and Yuan Cao. 2022. ReAct: Synergizing reasoning and acting in language models. In *The Eleventh International Conference on Learning Representations*.
- [149] Wojciech Zaremba, Arka Dhar, Lama Ahmad, Tyna Eloundou, Shibani Santurkar, Sandhini Agarwal, and Jade Leung. 2023. Democratic inputs to AI. <https://web.archive.org/web/20230525194339/https://openai.com/blog/democratic-inputs-to-ai>. Accessed: 2023-09-14.
- [150] Xiang Zhang, Hans-Frederick Brown, and Anil Shankar. 2016. Data-driven personas: Constructing archetypal users with clickstreams and user telemetry. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems*. 5350–5359.
- [151] John Ziman. 1991. Public understanding of science. *Science, Technology, & Human Values* 16, 1 (1991), 99–105.
- [152] Douglas Zytok, Pamela J. Wisniewski, Shion Guha, Eric P. S. Baumer, and Min Kyung Lee. 2022. Participatory design of AI systems: Opportunities and challenges across diverse users, relationships, and application domains. In *CHI Conference on Human Factors in Computing Systems Extended Abstracts*. 1–4.