

Exploiting N-Gram Analysis to Predict Operator Sequences

Christian Muise Sheila McIlraith Jorge A. Baier Michael Reimer

Department of Computer Science, University of Toronto, Toronto, Canada. M5S 3G4.

{cjmuisse, sheila, jabaier, mreimer} @cs.toronto.edu

Abstract

N-gram analysis provides a means of probabilistically predicting the next item in a sequence. Due originally to Shannon, it has proven an effective technique for word prediction in natural language processing and for gene sequence analysis. In this paper, we investigate the utility of n-gram analysis in predicting operator sequences in plans. Given a set of sample plans, we perform n-gram analysis to predict the likelihood of subsequent operators, relative to a partial plan. We identify several ways in which this information might be integrated into a planner. In this paper, we investigate one of these directions in further detail. Preliminary results demonstrate the promise of n-gram analysis as a tool for improving planning performance.

Introduction

The augmentation of deterministic planners with a learning component has been a topic of much research in recent years. A learning component generally takes as input a set of high-quality problem- or domain-specific *bootstrap* plans from which plan properties are learned. These properties are then used to augment an existing planner or planning domain so that subsequent plan generation over related planning instances is improved. Improvement is generally measured by a reduction in plan generation time and/or by an increase in plan quality relative to the performance of the planner without the learning component input. A notable result of the interest in planning and learning was the creation of a new *Learning Track* at the 2008 International Planning Competition (IPC-2008). This competition attracted 13 entrants from 10 groups. Entries differed with respect to the types of knowledge learned and with respect to how this knowledge was incorporated into subsequent planning. Approaches included learning policies, macro operators, sub-goal decompositions, and improving value functions; the most successful all-round planner was simply a portfolio of existing planners (Fern, Tadepalli, and Khardon 2008).

In this paper we take a different approach to learning that is inspired by research in computational linguistics, and in particular by the task of word prediction. In word prediction, given a partial sentence, the system predicts the next likely word to extend the sentence. Most of us have seen word

prediction technology, which is common on mobile devices and often used by keyboard users with physical or cognitive disabilities. This predictive technology is often based on n-gram analysis (Garay-Vitoria and Abascal 2006).

N-gram analysis provides a means of probabilistically predicting the next item in a sequence. Due originally to Shannon, it has proven an effective technique for word prediction in natural language processing and for gene sequence analysis. Here, we investigate the utility of n-gram analysis in predicting operator sequences in plans. Given a set of sample plans, we perform n-gram analysis to predict the likelihood of subsequent operators, relative to a partial plan.

An n -gram is a subsequence of n items (e.g., letters, words, base pairs, plan operators) from a sequence. An n -gram of size 1 is a unigram, of size 2 is a bigram, and of size 3 is a trigram. When performing n-gram analysis, one defines both the size of the subsequence (the window size) and the size of n . If the window size is greater than n , wildcard items may be interspersed among grounded ones. The analysis results in statistics regarding the frequency of occurrence of n-grams within subsequences of a corpus.

Certainly the idea of using n-gram analysis seems intuitive and compelling, but there are a number of challenges to its use. What is the optimal window and n-gram size? What is the analogue of a word? Is it a lifted operator name or a propositional representation of a grounded operator? If lifted, how are arguments encoded and how are the relationships between arguments in sequences of operators exploited? And how do we integrate this information into subsequent planning? We might, for example, enhance the quality of a search heuristics with our predictive information; we might use these statistics to define a preferred operator ordering for operator selection in enforced hill-climbing (EHC) or A* search; or we might use n-gram statistics to suggest macro operators that could be used to augment the set of operators used for planning.

In this paper, we elected to exploit lifted representations of operators for our original n-gram analysis, resulting in the determination of high frequency operator sequences and/or orderings. We then postprocessed our n-grams to discover argument relationships. The result is a set of high-occurrence *patterns*: a notion which refers to a sequence of operators plus zero or more equality constraints between the arguments of the operators. We use these patterns to match

with the plan history during the EHC phase of FF (Hoffmann and Nebel 2001). By matching the patterns with the history and possible next operators, we construct a set of *familiar operators* to investigate that take precedence over the helpful actions generated by FF.

In the sections to follow, we describe our approach and present preliminary results, which demonstrate the promise of n-gram analysis as a tool for improving planning performance. We conclude with some discussion and future work.

Approach

We divide the presentation of our approach in two parts. The first corresponds to the *learning phase*, in which we extract statistical information from a set of plans, and then compile this information into patterns that can be exploited by the planner. The second phase is the *planning phase*. Our planner is a modification of FF that exploits the learned patterns. Next we describe the two components.

Learning Phase

The learning phase of our approach involves a number of individual steps, which are described below.

1. Solve the *bootstrap* problem set. Problems are solved using the Lama planner (Richter, Helmert, and Westphal 2008), run until it produces the best possible solution.¹
2. Convert each of the discovered plans into sequences of operator names.
3. Run n-gram analysis on the operator-name sequences. Here we run a standard n-gram statistics package (Banerjee and Pedersen 2003) on the sequences of operator names with various n-gram lengths and window sizes. In our experiments, the lengths we chose to investigate range from 2 to 5 and the window sizes range from 2 to 10.
4. Construct patterns and pattern scores for each of the top n-grams. Patterns are the central piece of information that is exploited by the planner. Intuitively, they describe families of sequences of operators and corresponding argument constraints that seem to appear very frequently in solutions. Further elaboration is provided below.
5. Determine the best *settings* for our planner. A setting is a collection of patterns together with a parameter that estimates the number of *familiar operators* the planner should use. These settings are produced by solving the *target* problems using our planner, and determining which *settings* are most effective in solving as many problems as possible. (Further details follow.)
6. Generate an experimental strategy. To maximize the number of problems solved, our planner will attempt to use not one, but possibly several of the best settings computed in the previous step. During experimental evaluation of our planner, each setting is tried for 120 seconds and then the planner switches to the next best setting. The order in which the settings are tried is computed with a greedy algorithm that attempts to maximize coverage.

¹Quite often Lama is able to prove optimality with problems of this size.

Constructing Patterns After retrieving the n-gram statistics, we must compile the information into a form that can be used within a planner. Using only the operator sequences, however, is not enough. To illustrate this point, consider the N-Puzzle domain where the only operator available is **move**. The n-grams generated from a corpus where only a single operator appears (ie. ‘move’) provide little value. To extract more information from the generated plans, we consider the relationship arguments have inside of the n-gram.

For each of the most frequent n-grams, we find all of their occurrences in the generated plans and generalize the grounded arguments. For example, consider the n-gram $\langle move, move \rangle$ in a planning domain where movement can occur between locations connected to one another. When examining the previous plans, we may find an occurrence of the following which matches the n-gram:

$$move(loc_a, loc_b), move(loc_b, loc_c)$$

By forgetting the operator names and listing the arguments from left to right, we can see that the second and third argument is the same (*loc_b*). Each set of argument indices is referred to as a *group*, and the set of argument groups, [1][2,3][4], along with the associated n-gram, constitutes a pattern. Each n-gram yields a set of patterns.

For use within the FF planner, we associate a score to each pattern. This score can then be used to choose which pattern to apply first in the generation of familiar operators. The scoring procedure for patterns consists of sorting every pattern, regardless of its associated n-gram, based on a generic comparing function. The score of a pattern is set to be its rank in this sorted list of all patterns. The comparing function we used is a series of tie-breaks on two patterns:

1. Prefer the pattern with higher frequency.
2. Tie-break: Prefer the pattern with more operators.
3. Tie-break: Prefer the pattern with fewer groups.
4. Tie-break: Prefer the pattern with more arguments.
5. Tie-break: Randomly pick one pattern.

Intuitively, we want to give a higher score to more frequent patterns. If two patterns have equal frequencies, then we want the one with more grounded operators² since having more operators indicates more of the pattern has been matched. If these counts are equal as well, we choose the pattern with the smaller number of groups, as this captures more information about how the arguments relate to one another. Finally we select a pattern with the greatest number of arguments in general – if both patterns have the same number of groups, then more arguments indicates more information about argument relations.

This is not the only possible scoring function, and we hope to investigate further options in future work.

Planning Phase: Using Patterns in FF

The automated planner FF (Hoffmann and Nebel 2001) operates in two distinct phases: EHC and best-first search. While there are a number of ways we could incorporate the use of patterns in FF, we decided to augment the set of successor states considered in the EHC stage. When a state is

²Note that wildcard operators are not counted here.

evaluated by the relaxed planning graph heuristic,³ a number of helpful actions are generated for expanding the EHC search frontier. In many situations, however, this frontier is not sufficient to discover valid plans.

When expanding a state S , our planner takes the history of operators that lead to S and suggests *familiar operators* based on patterns with the highest score that match the history. Familiar operators play a similar role to helpful actions, and the number of familiar operators that should be added to the frontier is a run-time setting (as described in Step 5 above), and this value is considered on a per-domain basis to find the optimal bound. Having too many may cause the search frontier to become too large, yielding poor performance. In general, we tested settings in the range of 1 to 15. Note that a setting of 0 causes FF to run without any change.

The familiar operators are a subset of all the applicable operators from the current state S . For each applicable operator A , we define $seq(A, S)$ as $history(S) \circ A$, i.e. the sequence of operators that correspond to the operators leading to S , plus the operator A . We then associate a score with A to be:

$$score(A) = \max_{p \in P_{seq(A, S)}} score(p),$$

where $P_{seq(A, S)}$ are the patterns that match the sequence $seq(A, S)$. If $|seq(A, S)|$ is smaller than the length of the pattern, it does not count as matching. Additionally, if $|seq(A, S)|$ is larger than the length k of a pattern, only the last k operators of $seq(A, S)$ are used for comparison.

Example To illustrate this procedure, consider the scenario in Figure 1 from the Gold Miner domain. Here, we are performing EHC and have arrived at state S after going through states 1, 2, and 3 via the operators ‘move’, ‘pickup_laser’, and ‘move’. For the sake of this example, assume that neither ‘move’ nor ‘fire_laser’ appear in the set of helpful actions, but are applicable in state S . Assume further that the following patterns exist:

$$\begin{aligned} p_1 &\equiv \langle pickup_laser, *, fire_laser \rangle : [1, 2] \\ p_2 &\equiv \langle move, move \rangle : [1][2, 3][4] \\ p_3 &\equiv \langle move, *, *, move \rangle : [1][2][3][4] \end{aligned}$$

Pattern p_1 is of length three and has a single wildcard (any single operator matches this), p_2 is only of length two, and p_3 is of length four with two wildcards. The arguments for $pickup_laser$ and $fire_laser$ refer to the same object (since there is only one group), and the argument grouping for p_2 ensures that movement is through some specific location (the second group). For p_3 , there is no relation between the two move operators. In the framework described above, we have the following realization:⁴

- $history(S) = move, pickup_laser, move$
- $seq(fire_laser, S) = move, pickup_laser, move, fire_laser$
- $seq(move, S) = move, pickup_laser, move, move$
- $P_{seq(fire_laser, S)} = \{p_1\}$

³It is assumed that the reader is familiar with the relaxed planning graph heuristic, EHC, and FF in general.

⁴For ease of readability, we suppress listing arguments and assume the patterns match.




Figure 1: EHC Search in the Gold Miner domain. Solid lines after state S represent helpful actions and dashed lines represent familiar operators.

- $P_{seq(move, S)} = \{p_2, p_3\}$
- $score(fire_laser) = score(p_1)$
- $score(move) = \max\{score(p_2), score(p_3)\}$

Once the frontier has been constructed, the EHC will investigate the heuristic value of each state on the frontier and commit to one if it has a better value than S . The order in which these states should be investigated can have an impact on the efficiency of the planner, so we chose to evaluate the familiar operators prior to the helpful actions.

If no state in the frontier is found to have a better heuristic value, the search continues to a deeper level. It is interesting to note that states in a level deeper than two may have been reached from applications of both familiar operators and helpful actions. Because of the ordering we place on frontier evaluation, at level k in the breadth first search we evaluate states from the most familiar (having been reached by applying familiar operators only) to the most helpful (having been reached by applying helpful actions only). Figure 1 demonstrates the spectrum of states that are investigated with lighter shades representing familiar operators and darker shades representing helpful actions.

Since we only modify the EHC phase of FF, if it fails to find a solution in this phase our approach behaves exactly as FF normally would.

Experimental Results

To evaluate our approach, we reproduced the experimental framework used in the IPC-2008 Learning Track. We built a testing framework analogous to the learning track, with the same problem sets used during the contest – 30 bootstrap / 30 target problem for training, and 30 target problems for testing. FF was run with and without the learned patterns (FF with the pattern usage enabled is referred to as FF*). Three primary metrics are associated with each planner in the contest: time, quality (plan length), and success rate. For each problem p , the best time and quality found by any planner is referred to as T_p^* and N_p^* respectively. The performance of any particular planner on p is denoted as T_p and N_p , and its score for the problem is calculated to be T_p^*/T_p and N_p^*/N_p . The overall time and quality metric for a planner is the sum over all of the individual problem scores.⁵ Fi-

⁵Note that the maximum score a planner can have for a particular problem is 1.

Domain	Time Metric		Quality Metric		Success Rate	
	FF	FF*	FF	FF*	FF	FF*
Gold Miner	0.001	19.19	6.86	30	0.26	1.0
Matching	0.13	0.11	7.42	7.41	0.33	0.33
N-Puzzle	0.22	0.03	10.16	8.29	0.53	0.43
Parking	0.03	0.03	4.04	4.04	0.23	0.23
Sokoban	0.14	7.41	10.22	11.83	0.43	0.43
Thoughtful	0.84	1.20	10.26	16.69	0.36	0.6
Overall	1.37	27.97	48.97	78.27	0.36	0.51
Delta	+ 26.60		+ 29.30		+ .15	
(O. Wedge)	(+ 36.05)		(+ 29.02)		(+ 0.17)	

Table 1: Time, Quality, and Success Rate Metrics of FF* and FF. For all metrics, larger numbers are better. Values for Ob- tuse Wedge were obtained using a slightly faster machine.

nally, the success rate is the percentage of problems solved in the given time limit of 15 minutes per problem. All ex- periments were conducted on a Linux desktop with a Dual Core 2.13GHz processor and 2GB of memory.

Unfortunately, most of the planners that were entered in this track are not publicly available. To compute our time and quality metrics, we compared to the raw data generated by the planners in the competition, giving us a lower bound on the score since the hardware configuration we used was slower than the contest machines.

Time, quality, and success rate metrics for the six domains used in the Learning Track are given in Table 1. For one domain, Parking, we were unable to learn any patterns since every configuration tested by the automated process caused the planner to fail in the EHC phase – thus results shown are for vanilla FF (the fall-back solution to our approach).

FF* displayed impressive performance along some di- mensions and only modest performance along others. Most impressive are our Delta values – values that measure the effect of learning on the performance of our planner. Ta- ble 1 lists our Delta values for time, quality and success rate, as well as those of Obtuse Wedge (Yoon, Fern, and Givan 2008), recipient of the *Best Learner Award*. Delta values indicate that our planner displayed competitive results to Ob- tuse Wedge, even in the limited setting of slightly slower hardware. Our approach to learning is significantly different than that of Obtuse Wedge. We conjecture that combining both techniques may provide even better results.

Further analysis of the IPC-2008 statistics indicates that while most planners’ learning components negatively im- pacted quality, ours had a positive impact, showing improve- ment in both quality and success rate metrics. These obser- vations lead us to conjecture that perhaps the other planners’ learning components generated too much overhead, result- ing in an inability to solve problems within the allotted time. FF* did not suffer this fate.

Our planner did have its shortcomings. In general FF* scored in the middle of the pack, or slightly better relative to the IPC-2008 planners for time, quality, and success rate. It excelled in a few domains, but was unexceptional in others. Nevertheless, the preliminary nature of this work and the fact that our Delta values characterize us as one of the top learners relative to all other IPC-2008 entrants does much to demonstrate the promise of this line of research.

Discussion and Future Work

In this paper we presented a new perspective on planning strategies through the lens of computational linguistics. By treating partial plans as incomplete sentences, we showed how word prediction techniques can help discover effective operators during forward-search planning. We introduced the concept of a *pattern* which extends the notion of an n- gram to include argument relations. With the n-gram of op- erator names, and argument restrictions of a pattern, we sug- gest a set of *familiar* operators for the EHC search to choose from. Preliminary results are encouraging, and indicate that this approach is a powerful learning technique.

The interpretation of serialized plans as sentences in a lan- guage reveals a number of interesting avenues to investigate. We made the assumption that the ‘sentences’ are formed only from the operator names. This can be generalized to include other aspects of a planning problem such as state, goals, and landmarks. Using a richer source of information as input to the n-gram analysis may lead to better results.

Another intriguing idea we hope to investigate is the re- lationship between our approach and macro operators. In contrast to macro operator approaches, our method matches with the pattern history applying only one operator to obtain a successor. An investigation of the use of patterns in a way more similar to a macro operator – in which we would ap- ply more than one operator to generate a successor – is an interesting avenue of future research.

The applicability of our approach need not be confined to IPC planning domains. Further extensions may be real- ized that allow a life-long robot companion (eg. Thrun and Mitchell 1995) to learn habitual patterns in every day rou- tines – even allowing those patterns to change over time; given sufficient background behaviour, plans being executed can be monitored for any discrepancies observed as statis- tical anomalies compared to the known n-gram statistics. Many aspects of plan monitoring could also benefit from the use of n-gram analysis on operator sequences.

Acknowledgements The authors gratefully acknowledge funding from NSERC and Ontario’s ERA program.

References

- Banerjee, S., and Pedersen, T. 2003. The Design, Implementa- tion and Use of the Ngram Statistics Package. In *Proceedings of the Fourth International Conference on Intelligent Text Process- ing and Computational Linguistics*, 370–381.
- Fern, A.; Tadepalli, P.; and Khordon, R. 2008. Results of IPC 2008: Learning track.
- Garay-Vitoria, N., and Abascal, J. 2006. Text prediction systems: a survey. *Univers. Access Inf. Soc.* 4(3):188–203.
- Hoffmann, J., and Nebel, B. 2001. The FF planning system: Fast plan generation through heuristic search. *JAIR* 14:253–302.
- Richter, S.; Helmert, M.; and Westphal, M. 2008. Landmarks revisited. In *AAAI*, 975–982.
- Thrun, S., and Mitchell, T. 1995. Lifelong robot learning. *Robotics and autonomous systems* 15(1):25–46.
- Yoon, S.; Fern, A.; and Givan, R. 2008. Learning Control Knowl- edge for Forward Search Planning. *JAIR* 9:683–718.