

MIT Open Access Articles

Quantum Generative Adversarial Learning

The MIT Faculty has made this article openly available. **Please share** how this access benefits you. Your story matters.

Citation: Lloyd, Seth and Christian Weedbrook. "Quantum Generative Adversarial Learning." Physical Review Letters 121, 4 (July 2018): 040502 © 2018 American Physical Society

As Published: <http://dx.doi.org/10.1103/PhysRevLett.121.040502>

Publisher: American Physical Society

Persistent URL: <http://hdl.handle.net/1721.1/117204>

Version: Final published version: final published article, as it appeared in a journal, conference proceedings, or other formally published context

Terms of Use: Article is made available in accordance with the publisher's policy and may be subject to US copyright law. Please refer to the publisher's site for terms of use.



Quantum Generative Adversarial Learning

Seth Lloyd¹ and Christian Weedbrook²¹*Massachusetts Institute of Technology, Department of Mechanical Engineering,
77 Massachusetts Avenue, Cambridge, Massachusetts 02139, USA*²*Xanadu, 372 Richmond Street W, Toronto, Ontario M5V 1X6, Canada*

(Received 30 April 2018; published 26 July 2018)

Generative adversarial networks represent a powerful tool for classical machine learning: a generator tries to create statistics for data that mimics those of a true data set, while a discriminator tries to discriminate between the true and fake data. The learning process for generator and discriminator can be thought of as an adversarial game, and under reasonable assumptions, the game converges to the point where the generator generates the same statistics as the true data and the discriminator is unable to discriminate between the true and the generated data. This Letter introduces the notion of quantum generative adversarial networks, where the data consist either of quantum states or of classical data, and the generator and discriminator are equipped with quantum information processors. We show that the unique fixed point of the quantum adversarial game also occurs when the generator produces the same statistics as the data. Neither the generator nor the discriminator perform quantum tomography; linear programming drives them to the optimal. Since quantum systems are intrinsically probabilistic, the proof of the quantum case is different from—and simpler than—the classical case. We show that, when the data consist of samples of measurements made on high-dimensional spaces, quantum adversarial networks may exhibit an exponential advantage over classical adversarial networks.

DOI: [10.1103/PhysRevLett.121.040502](https://doi.org/10.1103/PhysRevLett.121.040502)

Introduction.—In machine learning by generative adversarial networks (GANs) [1], a generator learns to generate statistics of data by trying to fool a discriminator into believing that the generated statistics actually come from the data. The discriminator is presented either with real data, or with data generated by the generator: her goal is to maximize the probability of assigning the correct label, real or fake, to data. The generator is equipped with a random number generator which he uses to try to produce data that minimize the probability of the discriminator assigning the correct label: his goal is to produce data that match the statistics of the true data. That is, the discriminator and generator are adversaries in a machine learning game.

The endpoint of such an adversarial game, under reasonable assumptions [1], results in the generator producing data with the true statistics, and the discriminator having a probability of 1/2 of discriminating correctly. In practice, adversarial games work well in training the generator to generate data with the true statistics of the data. This has led to practical applications such as generating photorealistic images [2] and videos [3], image super resolution [4], and image inpainting [5]. This has resulted in significant interest in industries such as driverless cars, finance, medicine, and cybersecurity. In this Letter, we introduce quantum generative adversarial networks, or QGANs, where the discriminator, the generator, and the system generating the actual data can be quantum mechanical. These protocols can be considered additions to

the field of quantum machine learning [6] and show significant benefits over their classical counterparts. Here, we consider three specific QGAN protocols.

First, we look at the situation where the system, data, discriminator, and generator are all fully quantum mechanical: the data takes the form of an ensemble of quantum states generated by the system, the generator has access to a quantum information processor and tries to match that ensemble; the discriminator can make arbitrary quantum measurements. In this fully quantum setting, in analog to the classical result, we will show that the quantum discriminator and generator perform linear programming, the simplest form of convex optimization, with the unique fixed point for the quantum adversarial game. This is the situation where the generator accurately reproduces the true ensemble of quantum states, and the discriminator can't tell the difference between the true ensemble and the generated ensemble.

The quantum adversarial game can be formulated in the language of Nash equilibria for a process in which the discriminator tries to optimize her strategy over a fixed number of trials with the generator's strategy fixed. This is followed by the generator trying to optimize his strategy over a number of trials with the discriminator's strategy fixed. The endpoint of the game, with the generator finding the correct statistics and the discriminator unable to tell the difference between true data and the generated data, is the unique Nash equilibrium.

Second, we look at situations where the real data is generated from the quantum system by a fixed measurement. The key point in this setting is that relatively simple quantum systems can generate data whose statistics—under reasonable assumptions of computational complexity—cannot be generated efficiently by any classical system equipped with a random number generator. This feature of quantum systems is sometimes called quantum supremacy or quantum advantage [7]. Quantum supremacy implies that a generator that does not have access to quantum information processing will, in general, be unable to match the statistics of data generated by another quantum system. Consequently, a classical generator will fail to generate the correct data, and a classical discriminator—either classical or quantum—can in principle make measurements that will discriminate between the true data and the generated data. Whether or not the discriminator can make such measurements in practice, either systematically or by adaptation, is an open question.

Finally, we look at the question of whether a quantum generator can do better than a classical generator at generating classical data. The ability of quantum information processors to represent vectors in N -dimensional spaces using $\log N$ qubits, and to perform manipulations of sparse and low-rank matrices in time $O(\text{poly}(\log N))$ implies that QGANs exhibit a potential exponential advantage over classical GANs when the object of the game is to reproduce the statistics of measurements made on very high-dimensional data sets. Note that a more in-depth practical implementation of QGANs can be found in a companion paper [8].

Data quantum, discriminator quantum, generator quantum.—As in the classical adversarial game [1], the quantum adversarial game is set up as follows. First, the discriminator tries to improve her strategy, with the generator’s strategy fixed. Then the generator tries to improve his strategy, with the discriminator’s strategy fixed. The players continue updating in turn until a fixed point is reached. We will show that, as long as the generator is producing statistics that are different from those of the true data, the discriminator can always adjust her measurement towards the minimum error discriminating measurement so that she succeeds in discriminating true from fake data with a probability $>1/2$. Next, we show that the generator can always decrease the probability of success of the discriminator by moving in a direction that decreases the relative entropy between the true data and the generated data. As this is a convex optimization (linear programming) problem, there is a unique endpoint to the process, which is where the generator correctly matches the statistics of the data, and the discriminator is unable to distinguish between real and fake data with a probability different from $1/2$.

To see that quantum adversarial networks also result in the generator correctly matching the data, suppose that the true data are described by an ensemble of states described




FIG. 1. Schematic of a general QGAN protocol. The ultimate goal of this adversarial game is for the discriminator (D) to determine whether the input data are real (σ) or fake (ρ). Here, G is the generator which generates fake data hoping to fool the discriminator. We consider a variety of QGAN situations. First, where the real data are quantum, the generator is quantum (and hence, generates fake quantum data), and the discriminator is quantum. Second, the real data are quantum, the generator is classical, and the discriminator is either classical or quantum. Finally, we consider the case where the real data are purely classical and the generator and discriminator are both quantum.

by a density matrix σ , and the generator generates an ensemble of states with density matrix ρ , cf. Fig. 1. The discriminator is presented either with a state from the true ensemble or the generated ensemble and has to try to discriminate between them. First, we assume that the generator is fixed, and generates ρ for each trial; then, we train the discriminator to try to distinguish between σ and ρ . Next, we fix the measurement strategy of the discriminator and train the generator into trying to adjust ρ to fool the discriminator.

When ρ is fixed, the minimum error measurement to discriminate between σ and ρ is the measurement with operators P_+ and $1 - P_+$ that distinguish between the positive and negative part of $\sigma - \rho$ [9]. Of course, the discriminator doesn’t know the optimal measurement to begin with. However, she can guess a measurement and, given feedback for the probabilities of that measurement discriminating between true and generated data, adjust the measurement by a process of gradient descent. The discriminator makes a positive operator valued measurement (POVM) [10] D with outcomes T or F , $T + F = I$. The probability that the measurement yields the result data, given that the data were, indeed, selected from the true ensemble described by σ , is $p(T|\text{data}) = \text{tr}T\sigma$, and the probability that the measurement yields the result data, given that the data were selected from the generated ensemble, is $p(T|G) = \text{tr}T\rho$, where T, F are positive operators with $\|T\|_1, \|F\|_1 \leq 1$. The set of positive

operators with 1-norm less than or equal to one is convex. Accordingly, over many trials, the discriminator can simply follow the gradient of the function $p(T|\text{data})$ to find the minimum error measurement.

In classical adversarial learning, the discriminator is supplied with a deep learning network [11] such as a perceptron, whose weights she adjusts to try to find an optimal measurement. In the quantum case, we assume that the discriminator is supplied with a quantum information processor such as a quantum circuit that takes, as input, the quantum state from the data or the generator and performs the discriminating measurement. Just as in the classical case, we assume that the discriminator is able to adjust the weights of her network to follow the gradient of the $p(T|\sigma)$ for at least some distance, which may be all the way to the optimal minimum error measurement.

Once the discriminator has found a good measurement T , F to distinguish the true from fake data, it is the generator's turn. The generator tries to adjust the state ρ of the generated data to maximize $p(T|\rho) = \text{tr}T\rho$. The set of density matrices ρ is convex, and the generator can follow the gradient of $p(T|\rho)$ to find the state of the generated data that maximizes the probability of fooling the discriminator. Once again, we assume that the generator possesses a quantum circuit whose weights he can adjust to follow the gradient for at least some distance.

If the data Hilbert space is high-dimensional, and the discriminator and generator are allowed only a limited number of trials, then they will obtain only an approximate version of their respective gradients. Indeed, they obtain, at most, one bit of information about the gradient for each trial. All the players need to do, however, is to identify some direction in which their probability of success increases. The linear nature of the problem then guarantees that the discriminator moves strictly closer to the optimal measurement, while the generator moves strictly closer to generating the true data. How hard it is to approximate the gradient depends on how the true data were generated. If the data are selected at random from the set of all states in an N -dimensional space, then the discriminator needs time $O(1/N)$ to discriminate the true data from another random state.

If, by contrast, the data are generated by a physical system or quantum circuit with W unknown parameters (e.g., $W = \text{poly}(\log N)$, a polynomial in the number of qubits), then a discriminator or generator equipped with a quantum information processor need only search through the W -dimensional space of generating parameters. The rate of convergence of stochastic gradient descent of such searches on quantum parameter space is an open question: investigations on small quantum circuits suggest that they can converge polynomially in the dimension of the parameter space [12].

The adversarial game can be described in the language of Nash equilibria. The discriminator's strategy is given by the measurement operator T , and the generator's strategy is

given by the density matrix ρ . The set of possible positive measurement operators T made by the discriminator is convex and compact, as is the set of possible density matrices ρ generated by the generator. Applying the Kakutani fixed point theorem [13], we see that the discriminator-generator strategy space has at least one fixed point. In fact, there is only one fixed point. Suppose that the discriminator has found a measurement T such that $p(T|\sigma) > p(T|\rho)$, so that $\text{tr}T\sigma - \text{tr}T\rho > 0$. If $\rho \neq \sigma$, such a measurement always exists (e.g., the minimum error measurement described above). The generator can, then, always increase $p(T|\rho)$ by taking $\rho \rightarrow \rho + \alpha(\sigma - \rho)$, $\alpha > 0$. Accordingly, the unique Nash equilibrium occurs when $\rho = \sigma$ and $p(T|\sigma) = p(T|\rho) = 1/2$. Moreover, as shown above, at each move of the game, the discriminator or generator can move directly towards this equilibrium by following the gradient of $p(T|\sigma)$ or $p(T|\rho)$ through the convex strategy space.

The generator ends up producing the same statistics as the discriminator without performing explicit tomography on the states she receives. The result of the quantum adversarial game is the same as the result of the classical: the generator learns to generate the data and the discriminator does no better than chance. Since quantum systems are intrinsically probabilistic, however, the proof of the quantum case is different from—and indeed, simpler than—the classical case.

Data quantum, discriminator quantum or classical, generator classical.—Now, we consider the case in which the real data σ are being generated by a quantum system via a fixed measurement, yielding statistics $p_{\text{true}}(x)$ for measurement outcomes x . In this case, quantum supremacy [7] implies that the classical generator cannot efficiently match the statistics of the quantum data. More precisely, the generator is unable to match his statistics $p_g(x)$ with the true statistics of the data $p_{\text{true}}(x)$ unless he has exponentially scaling resources: p_g is bounded away from p_{true} in 1-norm. Consequently, there exists a measurement that the discriminator can make that distinguishes p_{true} from p_g with probability strictly bounded away from 1/2. The minimum error measurement is a projector onto the positive part of $p_{\text{true}} - p_g$, that is, a projector on the set X_+ such that $p_{\text{true}}(x) - p_g(x) \geq 0$. As long as the discriminator can find this measurement, she can win the game.

The key question here is whether the discriminator can actually find the minimum error measurement or the optimal probabilistic strategy. The discriminator's measurement now corresponds to a POVM with operators T , F that are diagonal in the measurement basis. Once again, the set of such operators is convex, so under the same assumptions as above on the efficacy of deep learning in exploring the space of such measurements, when the generator's probabilities p_g are fixed, the discriminator can adjust her measurement strategy to the optimal one, at least in principal.

In the case where the data is generated by a system that exhibits quantum supremacy, however, under plausible assumptions of computational complexity, a classical device can't reproduce the true probabilities for the data $p_{\text{true}}(x)$. In particular, there is no known nonexponential classical algorithm for determining the optimal measurement to demonstrate quantum supremacy. If the discriminator has access to a quantum information processor to adjust her measurement strategy, then we conjecture that she can find the optimal measurement to discriminate between the quantumly generated data and the classically generated data. If the discriminator only has access to classical information processing, then we conjecture that she can't determine the optimal measurement.

When the quantum system generating the data does not exhibit quantum supremacy, as is the case, for example, for Gaussian continuous-variable systems [14], then both discriminator and generator can, at least in principle, reproduce the statistics of the data using classical methods. They can search through possible Gaussian states and measurements using classical computation, and the adversarial quantum learning game will, in general, lead to an equilibrium where the generator successfully generates the statistics of the Gaussian quantum data.

Data classical, discriminator and generator quantum.—Now, suppose that the data is purely classical, for example, a set of images taken from the internet, or sequences of prices of stocks on the stock market, but the generator and discriminator have access to quantum information processing. Are there classical data sets for which the quantum adversarial game is more efficient than the classical one? Here, "more efficient" means either that the quantum game converges faster, or that it uses many fewer resources. When the data set is classical, no guarantee of quantum supremacy applies.

The ability of quantum information processors to represent N -dimensional vectors using $\log N$ qubits, and to perform linear algebra on those vectors in time $O(\text{poly}(\log N))$, implies that quantum information processors might, indeed, be able to provide a highly compressed version of generative adversarial learning tasks. Suppose that the underlying data consist of M normalized vectors \vec{v}_j in an N -dimensional real or complex space, so that the (normalized) covariance matrix of the data are $C = (1/M)\sum_j \vec{v}_j \vec{v}_j^\dagger$. A quantum information processor can represent those vectors by quantum states $|v_j\rangle$ over $\log N$ qubits, and the normalized covariance matrix of the data are equal to the density matrix $\rho = (1/M)\sum_j |v_j\rangle\langle v_j|$. Suppose that the actual observed data consist of the expectation values and higher moments of a relatively small number r of sparse or low-rank Hermitian matrices R_ℓ . The goal of both the classical and quantum generative adversarial games is to reproduce the statistics of the observed data.

Clearly, the classical generator can produce the observed data by performing gradient descent in the convex set of normalized covariance matrices, a task that takes time $O(N^2)$. If N is large, e.g., $N = 10^{12}$, then the time to perform this convex optimization is prohibitively large, $O(10^{24})$ steps. By contrast, a quantum generator can represent candidate covariance matrices using $O(\log N)$ qubits, and evaluate the statistics generated by such a candidate covariance matrix using $O(\text{poly}(\log N))$ quantum logic operations. The gradients the quantum device must follow to try to reproduce the moments $\text{tr} R_\ell^k \rho$ are simply $\partial \text{tr} R_\ell^k \rho / \partial \rho = R_\ell^k$, which are, themselves, sparse or low-rank Hermitian matrices.

The quantum system can follow these gradients efficiently. Assume, for the moment, that the R_ℓ^k are positive. If a positive matrix R is low rank, then methods of density matrix exponentiation [15] allow one to implement $\rho \rightarrow \rho + \alpha R$ by the modified swap operations of [15]. If they are sparse, then, we can use the methods of [16] to implement $R^{1/2}$ and to construct the density matrix $R/\text{tr} R$. An infinitesimal swap then yields $\rho \rightarrow \rho + \alpha R$. That is, a quantum generator with $O(\log N)$ qubits can follow the gradients of the moments of the observed operators in time $O(\text{poly}(\log N))$.

By contrast, a classical generator that tries to follow the gradients of the observables explicitly by gradient descent on the set of covariance operators takes $O(N^2)$ bits and time $O(N^2)$. Of course, it may be that a much smaller deep classical network such as a perceptron or Boltzmann machine may be able to perform such optimization implicitly. Whether a deep network of size $O(\text{poly}(\log N))$ can, in fact, reproduce the statistics of operators sampled from a very high dimensional space is an open question, which could be tested by direct numerical experiment. As in the classical case, the analysis of convergence for QGANs assumes that quantum networks do, indeed, have enough flexibility to track the necessary gradients. In a companion paper [8], the authors analyze the ability of such networks to track gradients and show, in the case of small networks, that they can do so effectively. The corresponding result for large quantum generative networks will have to be verified directly on quantum information processors.

Discussion and Conclusion.—Future work will entail running QGAN simulations on quantum software packages such as STRAWBERRY FIELDS [17]. For example, in the classically simulable case of Gaussian states [14], we can simulate both the fully quantum case, where the data, discriminator, and generator have access to arbitrary Gaussian processes and, also, in the quantum-classical case, where the data are generated by a Gaussian process and the discriminator and generator are trying to reproduce the statistics of Gaussian measurements. One could simulate a multimode Gaussian process with injected squeezed states, a unitary mode-mixing transformation, and homodyne measurements.

We have shown that in the quantum-quantum case, the unique Nash equilibrium occurs when the generator reproduces the statistics of the data correctly. In the quantum-classical case, this is still the unique Nash equilibrium, but quantum supremacy prevents a classical generative network from generating the true data efficiently. Furthermore, investigating and generalizing other known variants of generative adversarial networks to the quantum mechanical regime would also be fascinating. This would include such adversarial networks as convolutional, conditional, bidirectional, and semisupervised.

In conclusion, we have introduced a quantum mechanical generalization of a generative adversarial network, known as a QGAN. Such a quantum adversarial learning game consists of a generator and a discriminator where the generator is working to trick the discriminator into passing off fake data as real data. In the case of the quantum game converging, the generator generates the same statistics as the true data. Because of the inherent probabilistic nature of quantum mechanics, the proof of the quantum case is simpler than the classical case.

Finally, we introduced three versions of QGANs in this work based on whether the real data, fake data, discriminator, and generator are quantum mechanical or classical. In the case where the real data are purely classical and high dimensional, and the generator and discriminator are both quantum, we find that quantum adversarial networks potentially exhibit an exponential advantage over classical adversarial networks.

We thank Pierre-Luc Dallaire-Demers and Nathan Killoran for helpful discussions and suggestions.

[1] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, in *Proceedings of the 27th International Conference on Neural Information Processing Systems* (MIT Press, Cambridge, MA, 2014), Vol. 2, pp. 2672–2680.

[2] T. Salimans, I. Goodfellow, W. Zaremba, V. Cheung, A. Radford, and X. Chen, Improved techniques for training GANs, [arXiv:1606.03498](#).

[3] M. Mathieu, C. Couprie, and Y. LeCun, Deep multi-scale video prediction beyond mean square error, [arXiv:1511.05440](#).

[4] C. Ledig *et al.*, Photo-realistic single image super-resolution using a generative adversarial network, [arXiv:1607.07539](#).

[5] D. Pathak, P. Krahenbuhl, J. Donahue, T. Darrell, and A. A. Efros, Context encoders: feature learning by inpainting, [arXiv:1604.07379](#).

[6] J. Biamonte, P. Wittek, N. Pancotti, P. Rebentrost, N. Wiebe, and S. Lloyd, Quantum machine learning, *Nature (London)* **549**, 195 (2017).

[7] J. Preskill, Quantum computing in the NISQ era and beyond, [arXiv:1801.00862](#).

[8] P.-L. Dallaire-Demers and N. Killoran, Quantum generative adversarial networks, [arXiv:1804.08641](#).

[9] C. W. Helstrom, *Quantum Detection and Estimation Theory*, Mathematics in Science and Engineering Vol. 123 (Academic Press, New York, 1976).

[10] M. A. Nielsen and I. L. Chuang, *Quantum Computation and Quantum Information* (Cambridge University Press, Cambridge, England, 2000).

[11] Y. LeCun, Y. Bengio, and G. Hinton, Deep learning, *Nature (London)* **521**, 436 (2015).

[12] E. Farhi and H. Neven, Classification with quantum neural networks on near term processors, [arXiv:1802.06002](#).

[13] S. Kakutani, A generalization of Brouwer’s fixed point theorem, *Duke Math. J.* **8**, 457 (1941).

[14] C. Weedbrook, S. Pirandola, R. Garcia-Patron, N. J. Cerf, T. C. Ralph, J. H. Shapiro, and S. Lloyd, Gaussian quantum information, *Rev. Mod. Phys.* **84**, 621 (2012).

[15] S. Lloyd, M. Mohseni, and P. Rebentrost, Quantum principal component analysis, *Nat. Phys.* **10**, 631 (2014).

[16] A. W. Harrow, A. Hassidim, and S. Lloyd, Quantum Algorithm for Linear Systems of Equations, *Phys. Rev. Lett.* **103**, 150502 (2009).

[17] N. Killoran, J. Izaac, N. Quesada, V. Bergholm, M. Amy, and C. Weedbrook, STRAWBERRY FIELDS: A software platform for photonic quantum computing, [arXiv:1804.03159](#).