






Ideal Block - Color 4D Pavers											
PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU		
<b>Andover Collection™</b> Smooth <sup>1</sup> & StoneCleft <sup>1,4</sup>	5.5"	11"	7cm	2/set	3 sets / layer	3.8 sf/set	27 sets / cube	102.6	3200 lb SM 3100 lb SC		
	11"	11"	7cm	2/set							
	11"	16.5"	7cm	1/set							
<b>Andover GrandStone™</b> Smooth <sup>4</sup>	16.5"	22"	7cm	2.52 sf/pc	---	---	40	100.8	3275 lb		
<b>Andover 5511™</b> Smooth <sup>1</sup> & StoneCleft <sup>1,4</sup>	5.5"	11"	7cm	2.38	---	---	240	100.84	3175 lb SM 3075 lb SC		
<b>Portsmouth Cobble™</b> 2,4	5.5"	5.5"	7cm	1.09 sf/set (2.38 lf/set of four)	9 of each size per layer	9.81 sf/layer (21.38 lf/ layer)	9 layers	88.29	2500 lb		
	5.5"	6.65"	7cm								
	5.5"	7.64"	7cm								
	5.5"	8.8"	7cm								
<b>Newbury Brick™</b>	2.75"	8.25"	7cm	6.35	75 pieces per layer	---	600	94.53	2900lb		
<b>StraightLine™</b>	4.3"	17.2"	10cm	1.96	---	---	132	67.35	3250 lb		
<b>Windsor Slab™</b>	Lg. Rec.	16.5"	33"	7cm	.26 pcs/sf 3.78 sf/pc	---	---	27	102.06	3200 lb	
	Square	16.5"	16.5"	7cm	.53 pcs/sf 1.89 sf/pc	---	---	54	102.06	3175 lb	
	Sm. Rec.	8.25"	8.25"	7cm	1.06 pcs/sf .95 sf/pc	---	---	108	102.06	3225 lb	
Ideal Block - Traditional Pavers											
PAVER	W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU		
<b>Boston Colonial Pavers®</b>	4"	8"	6cm	4.5	81	18	486	108	2875 lb		
	4"	8"	8cm <sup>5</sup>	4.5	63	14	378	84	3100 lb		
<b>BrookStone™</b> 2,4	Varies	Varies	7cm	11 shapes & sizes	---	12 sf/layer	7 layers	84	1950 lb		
<b>Encora™</b> (Limited Production)	5.5"	9"	6cm	3.5	72	20.6	360	102.86	2850 lb		
<b>Town N' Country™</b> Square (Non-Tumbled)	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2725 lb		
<b>Yankee Cobble™</b>	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2950 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3150 lb	
	Grand Sq.	9.4"	9.4"	6cm	1.61	36	22.4	180	111.8	3225 lb	
<b>Circle Pak<sup>3,7</sup></b> (11" Diameter)	Sm. Rec.	3.1"	6.3"		---	1/layer	---	9			
	Med. Rec.	4.8"	6.3"		---	22/layer	---	198			
	Sm. Wedge	---	---	6cm	---	28/layer	---	252	97.21	2700 lb	
	Lg. Wedge	---	---		---	2/layer	---	18			
	Center Stone	---	---		---	1/layer	---	9			

Approximate weights: 6 cm - 27 lb/sf • 7cm - 32 lb/sf • 8cm - 37 lb/sf • 10cm - 45 lb/sf






### Ideal Block - Tumbled Pavers

PAVER		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
<b>MillStone™</b>	Square	6.3"	6.3"	6cm	3.62	54	14.9	378	104.42	2775 lb	
	Lg. Rec.	6.3"	9.4"	6cm	2.42	54	22.3	270	111.57	3050 lb	
<b>Georgetown Colonial™</b>		4"	8"	6cm	4.5	81	18	486	108	2875 lb	





### Ideal Block - Permeable Pavers

PAVER		W	L	H	PCS/SF	PCS/SECT	SF/SECT	PCS/CU	SF/CU	WT/CU	
<b>Aqua-Bric®</b>		4"	8"	6cm	4.5	81	18	486	108	2675 lb	
<b>Aqua-Bric® 8<sup>2.5</sup></b>		4.5"	9"	8cm	3.55	---	11.25 sf/layer	7 layers	78.75	2775 lb	
<b>Turfstone™</b>		24"	16"	8cm	2.6 sf/pc	14	36.4	56	145.6	3550 lb (65 lb/pc)	




### Ideal Block - Retaining & Garden Walls

WALLSTONE		H	W	D	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU	
<b>Ancestral™ WallStone</b> <small>(Alignment System)</small>	3" high set	3"	16/14"	10"	.83 sf/set 1.2 set/sf	85/set	30 sets/cu	25	2600 lb	
		3"	14/12"	10"						
		3"	12/10"	10"						
	6" high set	6"	16/14"	10"	1.66 sf/set .6 sets/sf	170/set	15 sets/cu	25	2550 lb	
		6"	14/12"	10"						
		6"	12/10"	10"						
<b>Fat Face™</b>	Standard Unit	8"	18"	11.25"	1	80	45	45	3625 lb	
	Corner Unit	8"	15"	6"	---	58	54	---	2825 lb	
<b>GravityStone®</b> <small>MTO (Check for Availability)</small>	Face Unit	8"	18"	6"	1	59	64	64	3800 lb	
	Trunk	8"	24"	4"	---	54.5	64	---	3500 lb	
	Anchor	8"	12"	5"	---	26.5	96	---	2550 lb	
<b>Olde Boston™ Wall</b>		4"	12"	8"	3.1	31	108	34.8	3400 lb	
<b>Roman Pisa®</b>	Stretcher	6"	8"	12"	3	43	80	26.7	3475 lb	
	Stretcher Cap	6"	8"	12"	1.5/lf (3/sf)	43	80	53.3 lf/26.7 sf	3475 lb	
	Half Unit	6"	4"	12"	6	22	120	20	2650 lb	
	Corner Unit (reversible)	6"	8"	12"	---	35	80	---	2800 lb	
	Jumbo Unit	6"	12"	8"	2	35	80	40	2850 lb	






### Ideal Block - Coping

COPING	H	W	D	LF/PC	WT/PC	PCS/CU	LF/CU	WT/CU	
<b>Ancestral™ Coping</b> Paired Set	3.63"	16/13"	13"	2.16 lf/pr	98/pr	36 pairs	77.8	3550 lb	
	3.63"	13/10"	13"						
<b>CastStone™ RockFace Coping<sup>6</sup></b> (14" available in middle or end/ corner pieces)	3"	48"	24"	4	299	6	24	1825 lb	
	3"	24"	14"	2	97	24	48	2350 lb	
<b>8" BullNose Coping</b> Single & Double Sided	2.75" (7cm)	8"	14"	.66 lf/pc 1.5 pcs/lf	24	120	79.2	2925 lb	
<b>Universal Coping Stone</b>	3.63"	16"	13"	1.33	60	63	83.8	3850 lb	




### Ideal Block - Steps with Style™

STEPS	STYLE	RISE	L	D	WT/PC	PCS/CU	WT/CU	
<b>Chelmsford™ Step</b>	---	7"	48"	15"	468	8	3775 lb	
<b>Rockport™ Step Collection</b>	Step A	7"	42"	18"	346	8	2800 lb	
	Step C	7"	48"	18"	508	8	4100 lb	
	Step D	7"	54"	24"	565	8	4550 lb	
	Step F	7"	60"	18"	596	8	4800 lb	
<b>Rockport™ Pathway Stone</b> (Sold as a set consisting of all 3 sizes)	RPS A	2.75"	35.75"	18.125"	100	5 sets (3 ea)	1825 lb	
	RPS B	2.75"	34"	21.875"	140			
	RPS C	2.75"	30.75"	22.25"	120			





### Ideal Block - Elements

ELEMENTS	H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU		
<b>CurbStone™ Edging</b>	8"	12"	4"	1/lf	25	90	90 lf	2300 lb		
<b>Carlisle™ Pillar Cap</b>	3"	24"	24"	---	157	12	---	1925 lb		
<b>ScapeStone™ Fire Pit</b>	FP	4"	12"	6"	11/course	22	110	10 courses	2475 lb	
	FP-XL	4"	12.375"	6.25"	14/course	24	126	10 courses	3075 lb	
<b>CastStone™ Round Fire Pit Coping<sup>6</sup></b>	FP	3"	7"	44.5" o.d.	3 pcs/set	65	12	4 sets/cu	810 lb	
	FP-XL	3"	7.5"	60" o.d.	4 pcs/set	83	8	2 sets/cu	700 lb	
<b>CastStone™ Square Fire Pit Coping<sup>6</sup></b>	3"	10"	38.5"	4 pcs/set	108	12	3 sets/cu	1325 lb		

### Ideal Block - Fire Pit Accessories

FIRE PIT ACCESSORIES	H	W	D	COVERAGE	WT/PC	PCS/CU	SF/CU	WT/CU	
<b>Round Ring-n-Grate</b>	8"	---	30" diameter	Grates 500 sq in.	67	---	---	---	
<b>Round Ring</b> (No grates)	FP	8"	---	30" diameter	---	34	---	---	
	FP-XL	8"	---	44" diameter	---	50	---	---	
<b>Square Insert</b> (No grates, Bolt assembly)	8"	28"	28"	---	35	---	---	---	

## Ideal Block - HearthScapes

FIREPLACE	H	W	D	FIRE BOX OPENING	PCS/UNIT	OUTSIDE SURFACE	OUTSIDE CORNER	WT	
<b>Belknap Series™</b>	77.75"	44"	29.50"	Rectangular	2 (Core Unit and 1 Chimney Extension)	64 sf	36 lf	3400lb	
<b>Fairfield Series™</b>	77.75"	44"	29.50"	Arched	2 (Core Unit and 1 Chimney Extension)	64 sf	36 lf	3350 lb	
<b>Universal Side Storage Box</b>	30"	30"	26"	---	1	6.25 sf	25 lf	425lb	
<b>Chimney Extension</b>	12"	22"	22"	Designed to receive 13" x 13" flue with no lintel required	1	7.5 sf	4 lf	225 lb	

Note: Fireplaces must be veneered and require a spark arrester with a solid top (not included). Fireplaces must be seasoned 3-4 times prior to veneering. See installation document on our website for more details.

## Ideal Block - Concrete Block & Brick

CONCRETE BLOCK & BRICK	D	H	W	PCS/SF	WT/PC	PCS/CU	SF/CU	WT/CU
4" x 8" x 16" Cored	3.625"	7.625"	15.625"	1.125	26	120	106.67	3075 lb
4" x 8" x 16" Solid	3.625"	7.625"	15.625"	1.125	35	120	106.67	4175 lb
6" x 8" x 16" Cored	5.625"	7.625"	15.625"	1.125	30	96	85.33	2875 lb
6" x 8" x 16" Solid	5.625"	7.625"	15.625"	1.125	53	72	64	3825 lb
8" x 8" x 16" Cored	7.625"	7.625"	15.625"	1.125	39	72	64	2800 lb
8" x 8" x 16" Half Cored	7.625"	7.625"	7.625"	2.25	23	120	53.33	2800 lb
8" x 8" x 16" Solid	7.625"	7.625"	15.625"	1.125	73	48	42.67	3500 lb
10" x 8" x 16" Cored	9.625"	7.625"	15.625"	1.125	50	60	53.40	3050 lb
12" x 8" x 16" Cored	11.625"	7.625"	15.625"	1.125	55	48	42.67	2625 lb
12" x 8" x 8" Half Cored	11.625"	7.625"	7.625"	2.25	33	88	39.11	2900 lb
1 5/8" x 8" x 16" Patio Block	7.625"	1.625"	15.625"	---	16	240	---	3900 lb
4" x 8" Ideal Natural Brick	3.625"	2.25"	7.625"	7 (laid vertically)	5	540	77.14	2700 lb
6" x 8" Barrel Block	8"	5.625"	11.625"	---	51	72	---	3700 lb

All concrete masonry units are produced in a "natural" concrete color.

# SEK SUREBOND

JOINT FILL	COVERAGE			WT/UNIT	QTY/PAL	WT/PAL
PolySweep Polymeric Sand	Up to 1/4"	1/4" - 1/2"	1/2" - 3/4"	50 lb bag	56	2850 lb
	50 - 75 sf	25 - 50 sf	15 - 25 sf			
X-Treme Wide Joint PolySweep Polymeric Sand	1/2" to 3/4"	Up to 2"	2" - 4"	50 lb bag	56	2850 lb
	15-25 sf	40-50 sf	25-35 sf			
PS-1500 RJS (Resin Joint Sand)	Up to 1/4"	1/4" - 1/2"	1/2" - 3/4"	55 lb bucket	36	2025 lb
	50 - 60 sf	30 - 50 sf	15 - 30 sf			
PermChip	Variable (average 40 sf)			50 lb bag	56	2850 lb
EDGE RESTRAINT	COVERAGE			WT/UNIT	QTY/PAL	WT/PAL
EdgeCrete	13 - 17 lf			50 lb bag	56	2850 lb
SnapEdge	8 lf			24 pc/bndl.	672 pc	1450 lb
10" Spikes	5 spikes per 8 lf piece			150 pc/bx	48 bx	2500 lb



**POLYSWEEP**  
JUST DAMN GOOD SAND™

**PS-1500 RJS**

JOINT FILL COLORS	Platinum	Tan	Black	Granite	Pebble	Driftwood	Slate	Stormy Gray	Saturn Tan	Eclipse Black
PolySweep Polymeric Sand	●	●	●							
X-Treme Wide Joint PolySweep Polymeric Sand	●	●	●							
PS-1500 RJS (Resin Joint Sand)				●	●	●	●			
PermChip								●	●	●

SEALERS & CLEANERS		QTY/CASE	QTY/PAL	WT/PAL	SEALER	STABILIZER	CLEANER	OTHER
SB-1300 Joint Stabilizing Sealer	Gal	4	144	1350 lb	✓	✓		
	5 Gall Pail	Call for Avail.	36	1670 lb	✓	✓		
SB-8700 Wet-Look Joint Stabilizing Sealer	Gal	-	144	1425 lb	✓	✓		
	5 Gal Pail	Call for Avail.	36	1825 lb	✓	✓		
SB-6400 Wet-Look Penetrating Sealer	Gal	4	144	1350 lb	✓			
SB-4000 Water Repellent & Salt Protection	Gal	4	144	1310 lb	✓			
	5 Gal Pail	Call for Avail.	36	1670 lb	✓			
SB-1000 PermStik PICP Chip Stabilizer	Gal	4	144	1350 lb	✓	✓		
Sure Clean	Gal	4	144	1305 lb			✓	
Efflo Off	Gal	4	144	1305 lb			✓	
Oil Extractor	Qt	12	432	833 lb			✓	
S.R.B. Stain & Rust Buster	Qt	12	432	833 lb			✓	
SureStrip	Gal	4	144	1305 lb				Stripper
Solvent RX	Gal	4	144	1095 lb				Repair

## SRW PRODUCTS

FABRIC	DIMENSIONS	SQ YARDS	QTY/CASE	QTY/PAL
Permeable 350 Fabric (Monofilament Woven)	6.25' x 100'	69.44	1	30
SB3 Spunbond Filter Fabric	3' x 50'	16.67	24	144
SB3 Spunbond Filter Fabric	6' x 100'	66.66	1	32
SS5 Stabilization (Woven Slit Film)	12.5' x 27'	37.5	8	48
SS5 Stabilization (Woven Slit Film)	6' x 100'	66.66	20	80
NW4.5 Non-Woven Drainage/Filtration Fabric	4' x 50'	22.22	9	54
NW4.5 Non-Woven Drainage/Filtration Fabric	6' x 100'	66.66	1	24
GRID	DIMENSIONS	SQ YARDS	QTY/CASE	QTY/PAL
Universal - Bi-Directional	4' x 50'	22.22	10	90
3 Series - Bi-Directional	6' x 150'	100	1	30
5 Series - Uni-Directional	6' x 150'	100	1	30
7 Series - Uni-Directional	6' x 150'	100	1	20
Ultra Drive 3D Grid	6.5' x 150'	108.33	1	12



Don't see an item you need? Contact Ideal or your Ideal sales representative today - we are a full line distributor!

## OTHER VALUED PARTNERS



# Ideal Block - Color Availability

PAVERS		GB	BHB	QB	VB	P	CB	OG	MINERAL BLUE	RR	
Andover Collection Smooth & StoneCleft	7cm						●	●			
Andover GrandStone Smooth	7cm						●	●			
Andover 5511 Smooth	7cm	●				●	●	●			
Andover 5511 StoneCleft	7cm	●						●			
Aqua-Bric	7cm		●	●	●						
Aqua-Bric 8	8cm		MTO	MTO	MTO						
Boston Colonial Pavers	6cm	●	●	●	●						
	8cm	MTO	MTO	MTO	MTO						
BrookStone	7cm	●		●	●						
Encora	6cm		●								
Georgetown Colonial	6cm		●	●	●						
MillStone	6cm			●	●						
Newbury Brick	7cm	●						●		●	
Portsmouth Cobble	7cm	●						●			
StraightLine	7cm	●				●		●			
Town N' Country Square (Non-Tumbled)	6cm	●									
Turfstone	8cm					●					
Yankee Cobble	Square	6cm	●	●	●	●					
	Large Rectangle	6cm	●	●	●	●					
	Grand Square	6cm			●	●					
	Circle Pak	6cm	●		●	●					
Windsor Slab	7cm							●			
WALLS & COPING		P	GB	VB	QB	SLATE GREY					
Ancestral WallStone			● 3" Only	●	●						
Fat Face				●	●						
GravityStone Face Unit				MTO	MTO						
Olde Boston Wall		●	● (Non-Tumbled)	●	●						
Roman Pisa				●	●						
Ancestral Coping			●	●	●						
Universal Coping Stone			●	●	●						
CastStone Rockface Coping			●							●	
8" BullNose Coping			●		●						
GARDEN PRODUCTS/OUTDOOR LIVING		VB	QB	GB	SLATE GREY						
Curbstone Edging		●	●								
ScapeStone Fire Pit Block (FP & FP - XL)		●	●								
Carlisle Pillar Caps				●						●	
CastStone Fire Pit Coping (FP, FP - XL & Square)					Square & ScapeStone FP	●				●	
STEPS & PATHWAY STONES		SLATE GREY				FIELDSTONE BLEND					
Chelmsford Step			●								
Rockport Step									●		
Rockport Pathway Stones									●		

GB = Graphite Black BHB = Beacon Hill Blend QB = Quarry Blend VB = Vineyard Blend P = Pewter CB = Chatham Blend OG = Oxford Grey RR = Russet Red

Regularly Produced ● Made to Order - Call for lead time & min quantity MTO Not Available  

Weight per cube is approximate and includes the pallet • 1: Andover Collection is sold by the set • 2: BrookStone, Portsmouth Cobble, and Aqua-Bric® 8 are sold by the layer • 3: Yankee Cobble Circle Paks are sold by the pallet • 4: Can be used in traditional or permeable applications • 5: Item is manufactured Made to Order Only. Please contact us or your local Ideal Dealer for information on availability and pricing • 6: CastStone Round and Square Fire Pit Coping and RockFace Wall Coping should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place. 7: See separate document for more details.

Andover Collection, Grandstone, 5511, Newbury Brick, Portsmouth Cobble, StraightLine and Windsor Slab are ONLY available with:



**Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.**

Waltham and Westford, MA • 781.894.3200 • info@idealblock.com • IdealBlock.com

