















Ideal Block - Color 4D Pavers

| PAVER | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU | | |
|---|----------|-------|-------|---|--------------------------------|--|-------------------|--------|--------------------------|---|--|
| Andover Collection™ Smooth ¹ & StoneCleft ^{1,4} | 5.5" | 11" | 7cm | 2/set | 3 sets / layer | 3.8 sf/set | 27 sets / cube | 102.6 | 3200 lb SM 3100 lb SC |  | |
| | 11" | 11" | 7cm | 2/set | | | | | | | |
| | 11" | 16.5" | 7cm | 1/set | | | | | | | |
| Andover GrandStone™ Smooth ⁴ | 16.5" | 22" | 7cm | 2.52 sf/pc | --- | --- | 40 | 100.8 | 3275 lb |  | |
| Andover 5511™ Smooth ¹ & StoneCleft ^{1,4} | 5.5" | 11" | 7cm | 2.38 | --- | --- | 240 | 100.84 | 3175 lb SM 3075 lb SC |  | |
| Portsmouth Cobble™ 2,4 | 5.5" | 5.5" | 7cm | 1.09 sf/set (2.38 lf/set of four) | 9 of each size per layer | 9.81 sf/layer (21.38 lf/ layer) | 9 layers | 88.29 | 2500 lb |  | |
| | 5.5" | 6.65" | 7cm | | | | | | | | |
| | 5.5" | 7.64" | 7cm | | | | | | | | |
| | 5.5" | 8.8" | 7cm | | | | | | | | |
| Newbury Brick™ | 2.75" | 8.25" | 7cm | 6.35 | 75 pieces per layer | --- | 600 | 94.53 | 2900lb |  | |
| StraightLine™ | 4.3" | 17.2" | 10cm | 1.96 | --- | --- | 132 | 67.35 | 3250 lb |  | |
| Windsor Slab™ | Lg. Rec. | 16.5" | 33" | 7cm | .26 pcs/sf 3.78 sf/pc | --- | --- | 27 | 102.06 | 3200 lb |  |
| | Square | 16.5" | 16.5" | 7cm | .53 pcs/sf 1.89 sf/pc | --- | --- | 54 | 102.06 | 3175 lb | |
| | Sm. Rec. | 8.25" | 8.25" | 7cm | 1.06 pcs/sf .95 sf/pc | --- | --- | 108 | 102.06 | 3225 lb | |




Ideal Block - Traditional Pavers

| PAVER | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU | | |
|---|--------------|--------|------------------|----------------------|----------|-------------|----------|--------|---------|---|---|
| Boston Colonial Pavers® | 4" | 8" | 6cm | 4.5 | 81 | 18 | 486 | 108 | 2875 lb |  | |
| | 4" | 8" | 8cm ⁵ | 4.5 | 63 | 14 | 378 | 84 | 3100 lb | | |
| BrookStone™ 2,4 | Varies | Varies | 7cm | 11 shapes & sizes | --- | 12 sf/layer | 7 layers | 84 | 1950 lb |  | |
| Encora™ (Limited Production) | 5.5" | 9" | 6cm | 3.5 | 72 | 20.6 | 360 | 102.86 | 2850 lb |  | |
| Town N' Country™ Square (Non-Tumbled) | 6.3" | 6.3" | 6cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2725 lb |  | |
| Yankee Cobble™ | Square | 6.3" | 6.3" | 6cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2950 lb |  |
| | Lg. Rec. | 6.3" | 9.4" | 6cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3150 lb | |
| | Grand Sq. | 9.4" | 9.4" | 6cm | 1.61 | 36 | 22.4 | 180 | 111.8 | 3225 lb | |
| Circle Pak™ ^{3,7} (11" Diameter) | Sm. Rec. | 3.1" | 6.3" | --- | --- | 1/layer | --- | 9 | --- | --- |  |
| | Med. Rec. | 4.8" | 6.3" | --- | --- | 22/layer | --- | 198 | --- | --- | |
| | Sm. Wedge | --- | --- | 6cm | --- | --- | 28/layer | --- | 252 | 97.21 | |
| | Lg. Wedge | --- | --- | --- | --- | --- | 2/layer | --- | 18 | --- | |
| | Center Stone | --- | --- | --- | --- | --- | 1/layer | --- | 9 | --- | |






Ideal Block - Tumbled Pavers

| PAVER | | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU | |
|-----------------------------|----------|------|------|-----|--------|----------|---------|--------|--------|---------|---|
| MillStone™ | Square | 6.3" | 6.3" | 6cm | 3.62 | 54 | 14.9 | 378 | 104.42 | 2775 lb |  |
| | Lg. Rec. | 6.3" | 9.4" | 6cm | 2.42 | 54 | 22.3 | 270 | 111.57 | 3050 lb | |
| Georgetown Colonial™ | | 4" | 8" | 6cm | 4.5 | 81 | 18 | 486 | 108 | 2875 lb |  |





Ideal Block - Permeable Pavers

| PAVER | | W | L | H | PCS/SF | PCS/SECT | SF/SECT | PCS/CU | SF/CU | WT/CU | |
|-----------------------------------|--|------|-----|-----|-----------|----------|----------------|----------|-------|--------------------|---|
| Aqua-Bric® | | 4" | 8" | 6cm | 4.5 | 81 | 18 | 486 | 108 | 2675 lb |  |
| Aqua-Bric® 8^{2.5} | | 4.5" | 9" | 8cm | 3.55 | --- | 11.25 sf/layer | 7 layers | 78.75 | 2775 lb |  |
| Turfstone™ | | 24" | 16" | 8cm | 2.6 sf/pc | 14 | 36.4 | 56 | 145.6 | 3550 lb (65 lb/pc) |  |




Ideal Block - Retaining & Garden Walls

| WALLSTONE | | H | W | D | PCS/SF | WT/PC | PCS/CU | SF/CU | WT/CU | |
|---|--------------------------|----|--------|--------|---------------------------|---------|------------|-----------------|---------|---|
| Ancestral™ WallStone <small>(Alignment System)</small> | 3" high set | 3" | 16/14" | 10" | .83 sf/set 1.2 set/sf | 85/set | 30 sets/cu | 25 | 2600 lb |  |
| | | 3" | 14/12" | 10" | | | | | | |
| | | 3" | 12/10" | 10" | | | | | | |
| | 6" high set | 6" | 16/14" | 10" | 1.66 sf/set .6 sets/sf | 170/set | 15 sets/cu | 25 | 2550 lb | |
| | | 6" | 14/12" | 10" | | | | | | |
| | | 6" | 12/10" | 10" | | | | | | |
| Fat Face™ | Standard Unit | 8" | 18" | 11.25" | 1 | 80 | 45 | 45 | 3625 lb |  |
| | Corner Unit | 8" | 15" | 6" | --- | 58 | 54 | --- | 2825 lb | |
| GravityStone® <small>MTO (Check for Availability)</small> | Face Unit | 8" | 18" | 6" | 1 | 59 | 64 | 64 | 3800 lb |  |
| | Trunk | 8" | 24" | 4" | --- | 54.5 | 64 | --- | 3500 lb | |
| | Anchor | 8" | 12" | 5" | --- | 26.5 | 96 | --- | 2550 lb | |
| Olde Boston™ Wall | | 4" | 12" | 8" | 3.1 | 31 | 108 | 34.8 | 3400 lb |  |
| Roman Pisa® | Stretcher | 6" | 8" | 12" | 3 | 43 | 80 | 26.7 | 3475 lb |  |
| | Stretcher Cap | 6" | 8" | 12" | 1.5/lf (3/sf) | 43 | 80 | 53.3 lf/26.7 sf | 3475 lb | |
| | Half Unit | 6" | 4" | 12" | 6 | 22 | 120 | 20 | 2650 lb | |
| | Corner Unit (reversible) | 6" | 8" | 12" | --- | 35 | 80 | --- | 2800 lb | |
| | Jumbo Unit | 6" | 12" | 8" | 2 | 35 | 80 | 40 | 2850 lb | |






Ideal Block - Coping

| COPING | H | W | D | LF/PC | WT/PC | PCS/CU | LF/CU | WT/CU | |
|--|----------------|--------|-----|-------------------------|-------|----------|-------|---------|---|
| Ancestral™ Coping Paired Set | 3.63" | 16/13" | 13" | 2.16 lf/pr | 98/pr | 36 pairs | 77.8 | 3550 lb |  |
| | 3.63" | 13/10" | 13" | | | | | | |
| CastStone™ RockFace Coping⁶ (14" available in middle or end/ corner pieces) | 3" | 48" | 24" | 4 | 299 | 6 | 24 | 1825 lb |  |
| | 3" | 24" | 14" | 2 | 97 | 24 | 48 | 2350 lb | |
| 8" BullNose Coping Single & Double Sided | 2.75" (7cm) | 8" | 14" | .66 lf/pc 1.5 pcs/lf | 24 | 120 | 79.2 | 2925 lb |  |
| Universal Coping Stone | 3.63" | 16" | 13" | 1.33 | 60 | 63 | 83.8 | 3850 lb |  |




Ideal Block - Steps with Style™

| STEPS | STYLE | RISE | L | D | WT/PC | PCS/CU | WT/CU | |
|---|--------|-------|--------|---------|-------|------------------|---------|---|
| Chelmsford™ Step | --- | 7" | 48" | 15" | 468 | 8 | 3775 lb |  |
| Rockport™ Step Collection | Step A | 7" | 42" | 18" | 346 | 8 | 2800 lb |  |
| | Step C | 7" | 48" | 18" | 508 | 8 | 4100 lb | |
| | Step D | 7" | 54" | 24" | 565 | 8 | 4550 lb | |
| | Step F | 7" | 60" | 18" | 596 | 8 | 4800 lb | |
| Rockport™ Pathway Stone (Sold as a set consisting of all 3 sizes) | RPS A | 2.75" | 35.75" | 18.125" | 100 | 5 sets (3 ea) | 1825 lb |  |
| | RPS B | 2.75" | 34" | 21.875" | 140 | | | |
| | RPS C | 2.75" | 30.75" | 22.25" | 120 | | | |





Ideal Block - Elements

| ELEMENTS | H | W | D | COVERAGE | WT/PC | PCS/CU | SF/CU | WT/CU | | |
|--|-------|-----|---------|------------|-----------|--------|-----------|------------|---|---|
| CurbStone™ Edging | 8" | 12" | 4" | 1/lf | 25 | 90 | 90 lf | 2300 lb |  | |
| Carlisle™ Pillar Cap | 3" | 24" | 24" | --- | 157 | 12 | --- | 1925 lb |  | |
| ScapeStone™ Fire Pit | FP | 4" | 12" | 6" | 11/course | 22 | 110 | 10 courses | 2475 lb |  |
| | FP-XL | 4" | 12.375" | 6.25" | 14/course | 24 | 126 | 10 courses | 3075 lb | |
| CastStone™ Round Fire Pit Coping⁶ | FP | 3" | 7" | 44.5" o.d. | 3 pcs/set | 65 | 12 | 4 sets/cu | 810 lb |  |
| | FP-XL | 3" | 7.5" | 60" o.d. | 4 pcs/set | 83 | 8 | 2 sets/cu | 700 lb | |
| CastStone™ Square Fire Pit Coping⁶ | 3" | 10" | 38.5" | 4 pcs/set | 108 | 12 | 3 sets/cu | 1325 lb |  | |

Ideal Block - Fire Pit Accessories

| FIRE PIT ACCESSORIES | H | W | D | COVERAGE | WT/PC | PCS/CU | SF/CU | WT/CU | |
|--|-------|-----|--------------|-------------------|-------|--------|-------|-------|---|
| Round Ring-n-Grate | 8" | --- | 30" diameter | Grates 500 sq in. | 67 | --- | --- | --- |  |
| Round Ring (No grates) | FP | 8" | --- | 30" diameter | --- | 34 | --- | --- |  |
| | FP-XL | 8" | --- | 44" diameter | --- | 50 | --- | --- | |
| Square Insert (No grates, Bolt assembly) | 8" | 28" | 28" | --- | 35 | --- | --- | --- |  |

Ideal Block - HearthScapes

| FIREPLACE | H | W | D | FIRE BOX OPENING | PCS/UNIT | OUTSIDE SURFACE | OUTSIDE CORNER | WT | |
|-----------------------------------|--------|-----|--------|--|--|-----------------|----------------|---------|---|
| Belknap Series™ | 77.75" | 44" | 29.50" | Rectangular | 2 (Core Unit and 1 Chimney Extension) | 64 sf | 36 lf | 3400lb |  |
| Fairfield Series™ | 77.75" | 44" | 29.50" | Arched | 2 (Core Unit and 1 Chimney Extension) | 64 sf | 36 lf | 3350 lb |  |
| Universal Side Storage Box | 30" | 30" | 26" | --- | 1 | 6.25 sf | 25 lf | 425lb |  |
| Chimney Extension | 12" | 22" | 22" | Designed to receive 13" x 13" flue with no lintel required | 1 | 7.5 sf | 4 lf | 225 lb |  |

Note: Fireplaces must be veneered and require a spark arrester with a solid top (not included). Fireplaces must be seasoned 3-4 times prior to veneering. See installation document on our website for more details.

Ideal Block - Concrete Block & Brick

| CONCRETE BLOCK & BRICK | D | H | W | PCS/SF | WT/PC | PCS/CU | SF/CU | WT/CU |
|-------------------------------|---------|--------|---------|---------------------|-------|--------|--------|---------|
| 4" x 8" x 16" Cored | 3.625" | 7.625" | 15.625" | 1.125 | 26 | 120 | 106.67 | 3075 lb |
| 4" x 8" x 16" Solid | 3.625" | 7.625" | 15.625" | 1.125 | 35 | 120 | 106.67 | 4175 lb |
| 6" x 8" x 16" Cored | 5.625" | 7.625" | 15.625" | 1.125 | 30 | 96 | 85.33 | 2875 lb |
| 6" x 8" x 16" Solid | 5.625" | 7.625" | 15.625" | 1.125 | 53 | 72 | 64 | 3825 lb |
| 8" x 8" x 16" Cored | 7.625" | 7.625" | 15.625" | 1.125 | 39 | 72 | 64 | 2800 lb |
| 8" x 8" x 16" Half Cored | 7.625" | 7.625" | 7.625" | 2.25 | 23 | 120 | 53.33 | 2800 lb |
| 8" x 8" x 16" Solid | 7.625" | 7.625" | 15.625" | 1.125 | 73 | 48 | 42.67 | 3500 lb |
| 10" x 8" x 16" Cored | 9.625" | 7.625" | 15.625" | 1.125 | 50 | 60 | 53.40 | 3050 lb |
| 12" x 8" x 16" Cored | 11.625" | 7.625" | 15.625" | 1.125 | 55 | 48 | 42.67 | 2625 lb |
| 12" x 8" x 8" Half Cored | 11.625" | 7.625" | 7.625" | 2.25 | 33 | 88 | 39.11 | 2900 lb |
| 1 5/8" x 8" x 16" Patio Block | 7.625" | 1.625" | 15.625" | --- | 16 | 240 | --- | 3900 lb |
| 4" x 8" Ideal Natural Brick | 3.625" | 2.25" | 7.625" | 7 (laid vertically) | 5 | 540 | 77.14 | 2700 lb |
| 6" x 8" Barrel Block | 8" | 5.625" | 11.625" | --- | 51 | 72 | --- | 3700 lb |

All concrete masonry units are produced in a "natural" concrete color.

SEK SUREBOND

| JOINT FILL | COVERAGE | | | WT/UNIT | QTY/PAL | WT/PAL |
|---|--------------------------|-------------|-------------|--------------|---------|---------|
| PolySweep Polymeric Sand | Up to 1/4" | 1/4" - 1/2" | 1/2" - 3/4" | 50 lb bag | 56 | 2850 lb |
| | 50 - 75 sf | 25 - 50 sf | 15 - 25 sf | | | |
| X-Treme Wide Joint PolySweep Polymeric Sand | 1/2" to 3/4" | Up to 2" | 2" - 4" | 50 lb bag | 56 | 2850 lb |
| | 15-25 sf | 40-50 sf | 25-35 sf | | | |
| PS-1500 RJS (Resin Joint Sand) | Up to 1/4" | 1/4" - 1/2" | 1/2" - 3/4" | 55 lb bucket | 36 | 2025 lb |
| | 50 - 60 sf | 30 - 50 sf | 15 - 30 sf | | | |
| PermChip | Variable (average 40 sf) | | | 50 lb bag | 56 | 2850 lb |
| EDGE RESTRAINT | COVERAGE | | | WT/UNIT | QTY/PAL | WT/PAL |
| EdgeCrete | 13 - 17 lf | | | 50 lb bag | 56 | 2850 lb |
| SnapEdge | 8 lf | | | 24 pc/bndl. | 672 pc | 1450 lb |
| 10" Spikes | 5 spikes per 8 lf piece | | | 150 pc/bx | 48 bx | 2500 lb |



POLYSWEEP
JUST DAMN GOOD SAND™

PS-1500 RJS

| JOINT FILL COLORS | Platinum | Tan | Black | Granite | Pebble | Driftwood | Slate | Stormy Gray | Saturn Tan | Eclipse Black |
|---|----------|-----|-------|---------|--------|-----------|-------|-------------|------------|---------------|
| PolySweep Polymeric Sand | ● | ● | ● | | | | | | | |
| X-Treme Wide Joint PolySweep Polymeric Sand | ● | ● | ● | | | | | | | |
| PS-1500 RJS (Resin Joint Sand) | | | | ● | ● | ● | ● | | | |
| PermChip | | | | | | | | ● | ● | ● |

| SEALERS & CLEANERS | QTY/CASE | QTY/PAL | WT/PAL | SEALER | STABILIZER | CLEANER | OTHER | |
|---|-------------|-----------------|--------|---------|------------|---------|-------|----------|
| SB-1300 Joint Stabilizing Sealer | Gal | 4 | 144 | 1350 lb | ✓ | ✓ | | |
| | 5 Gall Pail | Call for Avail. | 36 | 1670 lb | ✓ | ✓ | | |
| SB-8700 Wet-Look Joint Stabilizing Sealer | Gal | - | 144 | 1425 lb | ✓ | ✓ | | |
| | 5 Gal Pail | Call for Avail. | 36 | 1825 lb | ✓ | ✓ | | |
| SB-6400 Wet-Look Penetrating Sealer | Gal | 4 | 144 | 1350 lb | ✓ | | | |
| SB-4000 Water Repellent & Salt Protection | Gal | 4 | 144 | 1310 lb | ✓ | | | |
| | 5 Gal Pail | Call for Avail. | 36 | 1670 lb | ✓ | | | |
| SB-1000 PermStik PICP Chip Stabilizer | Gal | 4 | 144 | 1350 lb | ✓ | ✓ | | |
| Sure Clean | Gal | 4 | 144 | 1305 lb | | | ✓ | |
| Efflo Off | Gal | 4 | 144 | 1305 lb | | | ✓ | |
| Oil Extractor | Qt | 12 | 432 | 833 lb | | | ✓ | |
| S.R.B. Stain & Rust Buster | Qt | 12 | 432 | 833 lb | | | ✓ | |
| SureStrip | Gal | 4 | 144 | 1305 lb | | | | Stripper |
| Solvent RX | Gal | 4 | 144 | 1095 lb | | | | Repair |

SRW PRODUCTS

| FABRIC | DIMENSIONS | SQ YARDS | QTY/CASE | QTY/PAL |
|--|--------------|----------|----------|---------|
| Permeable 350 Fabric (Monofilament Woven) | 6.25' x 100' | 69.44 | 1 | 30 |
| SB3 Spunbond Filter Fabric | 3' x 50' | 16.67 | 24 | 144 |
| SB3 Spunbond Filter Fabric | 6' x 100' | 66.66 | 1 | 32 |
| SS5 Stabilization (Woven Slit Film) | 12.5' x 27' | 37.5 | 8 | 48 |
| SS5 Stabilization (Woven Slit Film) | 6' x 100' | 66.66 | 20 | 80 |
| NW4.5 Non-Woven Drainage/Filtration Fabric | 4' x 50' | 22.22 | 9 | 54 |
| NW4.5 Non-Woven Drainage/Filtration Fabric | 6' x 100' | 66.66 | 1 | 24 |
| GRID | DIMENSIONS | SQ YARDS | QTY/CASE | QTY/PAL |
| Universal - Bi-Directional | 4' x 50' | 22.22 | 10 | 90 |
| 3 Series - Bi-Directional | 6' x 150' | 100 | 1 | 30 |
| 5 Series - Uni-Directional | 6' x 150' | 100 | 1 | 30 |
| 7 Series - Uni-Directional | 6' x 150' | 100 | 1 | 20 |
| Ultra Drive 3D Grid | 6.5' x 150' | 108.33 | 1 | 12 |



solid solutions to better hardscapes

Don't see an item you need? Contact Ideal or your Ideal sales representative today - we are a full line distributor!

OTHER VALUED PARTNERS



Ideal Block - Color Availability

| PAVERS | | GB | BHB | QB | VB | P | CB | OG | MINERAL BLUE | RR |
|--|-----------------|-----|-----|-----|-----|---|----|----|--------------|----|
| Andover Collection Smooth & StoneCleft | 7cm | | | | | | ● | ● | | |
| Andover GrandStone Smooth | 7cm | | | | | | ● | ● | | |
| Andover 5511 Smooth | 7cm | ● | | | | ● | ● | ● | | |
| Andover 5511 StoneCleft | 7cm | ● | | | | | | ● | | |
| Aqua-Bric | 7cm | | ● | ● | ● | | | | | |
| Aqua-Bric 8 | 8cm | | MTO | MTO | MTO | | | | | |
| Boston Colonial Pavers | 6cm | ● | ● | ● | ● | | | | | |
| | 8cm | MTO | MTO | MTO | MTO | | | | | |
| BrookStone | 7cm | ● | | ● | ● | | | | | |
| Encora | 6cm | | ● | | | | | | | |
| Georgetown Colonial | 6cm | | ● | ● | ● | | | | | |
| MillStone | 6cm | | | ● | ● | | | | | |
| Newbury Brick | 7cm | ● | | | | | | ● | | ● |
| Portsmouth Cobble | 7cm | ● | | | | | | ● | | |
| StraightLine | 7cm | ● | | | | ● | | ● | | |
| Town N' Country Square (Non-Tumbled) | 6cm | ● | | | | | | | | |
| Turfstone | 8cm | | | | | ● | | | | |
| Yankee Cobble | Square | 6cm | ● | ● | ● | ● | | | | |
| | Large Rectangle | 6cm | ● | ● | ● | ● | | | | |
| | Grand Square | 6cm | | | ● | ● | | | | |
| | Circle Pak | 6cm | ● | | ● | ● | | | | |
| Windsor Slab | 7cm | | | | | | | ● | | |

| WALLS & COPING | | P | GB | VB | QB | SLATE GREY |
|---------------------------|--|---|-----------------|-----|-----|------------|
| Ancestral WallStone | | | ● 3" Only | ● | ● | |
| Fat Face | | | | ● | ● | |
| GravityStone Face Unit | | | | MTO | MTO | |
| Olde Boston Wall | | ● | ● (Non-Tumbled) | ● | ● | |
| Roman Pisa | | | | ● | ● | |
| Ancestral Coping | | | ● | ● | ● | |
| Universal Coping Stone | | | ● | ● | ● | |
| CastStone Rockface Coping | | | ● | | | ● |
| 8" BullNose Coping | | | ● | | ● | |

| GARDEN PRODUCTS/OUTDOOR LIVING | | VB | QB | GB | SLATE GREY |
|--|--|----|----|--------------------------|------------|
| Curbstone Edging | | ● | ● | | |
| ScapeStone Fire Pit Block (FP & FP - XL) | | ● | ● | | |
| Carlisle Pillar Caps | | | | ● | ● |
| CastStone Fire Pit Coping (FP, FP - XL & Square) | | | | Square & ScapeStone FP ● | ● |

| STEPS & PATHWAY STONES | | SLATE GREY | FIELDSTONE BLEND |
|-------------------------|--|------------|------------------|
| Chelmsford Step | | ● | |
| Rockport Step | | | ● |
| Rockport Pathway Stones | | | ● |

GB = Graphite Black **BHB** = Beacon Hill Blend **QB** = Quarry Blend **VB** = Vineyard Blend **P** = Pewter **CB** = Chatham Blend **OG** = Oxford Grey **RR** = Russet Red

Regularly Produced ● Made to Order - Call for lead time & min quantity MTO Not Available

Weight per cube is approximate and includes the pallet • 1: Andover Collection is sold by the set • 2: BrookStone, Portsmouth Cobble, and Aqua-Bric® 8 are sold by the layer • 3: Yankee Cobble Circle Paks are sold by the pallet • 4: Can be used in traditional or permeable applications • 5: Item is manufactured Made to Order Only. Please contact us or your local Ideal Dealer for information on availability and pricing • 6: CastStone Round and Square Fire Pit Coping and RockFace Wall Coping should be handled with care during transport and assembly. Adequate manpower is required to lift and set in place. 7: See separate document for more details.

Andover Collection, Grandstone, 5511, Newbury Brick, Portsmouth Cobble, StraightLine and Windsor Slab are ONLY available with:



Important: Please contact your local Ideal Dealer or our Order Center for product lead time and availability.

Waltham and Westford, MA • 781.894.3200 • info@idealblock.com • IdealBlock.com

