

Zoom Video Communications Accessibility Conformance Report

International Edition

VPAT® Version 2.3

Name of Product/Version: Zoom Virtual Agent

Product Description: Zoom Virtual Agent is a conversational artificial intelligence (AI) and chatbot solution that works around-the-clock on multiple customer support channels to deliver fast and personalized customer experiences, reduce call volumes to human agents, and drive significant operational efficiencies.

Date: July 1, 2023

Contact information: access@zoom.us

Notes:

Evaluation Methods Used: The following testing was done on Chrome v96.0 with WAVE Extension for WCAG 2.1 compliance and WebAIM for section 508 compliance, Firefox v94.0 with FireEyes for WAI-ARIA and Microsoft Edge on Windows 10 with NV Access's NVDA screen reader v2021, JAWS 2021, Microsoft's Accessibility Display options (Filter keys and Display/Contrast settings) and standard Keyboard, on Safari on macOS Big Sur with Apples' Accessibility Display options (invert colors, use grayscale, color settings, contrast settings and transparency settings), Zoom options, VoiceOver options and standard Keyboard.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at http://www.w3.org/TR/2008/REC-WCAG20-20081211/	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1 at https://www.w3.org/TR/WCAG21/	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards as published by the U.S. Access Board in the Federal Register on January 18, 2017 Corrections to the ICT Final Rule as published by the US Access Board in the Federal Register on January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V2.1.2 (2018-08) at https://www.etsi.org/deliver/etsi_en//301500_301599/301549/02.01.02_60/en_301549v020102p.pdf	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Supports with Exceptions:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.1.1 (Web) ● 10.1.1.1 (Non-web document) ● 11.1.1.1.1 (Open Functionality Software) ● 11.1.1.1.2 (Closed Functionality Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent provides text-alternatives to most non-text content. Programmatic labeling techniques such as aria-labels and alt-text, are used to allow assistive technology users to decipher the nature and purpose of non-text content.</p>

<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.1 (Web) ● 10.1.2.1 (Non-web document) ● 11.1.2.1.1 (Open Functionality Software) ● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Not applicable</p>	<p>Zoom Virtual Agent does not have audio-only or video-only prerecorded content.</p>
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.2 (Web) ● 10.1.2.2 (Non-web document) ● 11.1.2.2 (Open Functionality Software) ● 11.1.2.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Not applicable</p>	<p>Zoom Virtual Agent does not have audio-only or video-only content.</p>
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.3 (Web) ● 10.1.2.3 (Non-web document) ● 11.1.2.3.1 (Open Functionality Software) 	<p>Not applicable</p>	<p>Zoom Virtual Agent does not have audio-only or video-only content.</p>

<ul style="list-style-type: none"> ● 11.1.2.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.1 (Web) ● 10.1.3.1 (Non-web document) ● 11.1.3.1.1 (Open Functionality Software) ● 11.1.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent programmatically present the visual structure, context, and relationships between elements to assistive technologies.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.2 (Web) ● 10.1.3.2 (Non-web document) ● 11.1.3.2.1 (Open Functionality Software) ● 11.1.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent employs a tab order that is logical and follows the visual order of elements. Ordering in the Document Object Model matches the visual order.

<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.3 (Web) ● 10.1.3.3 (Non-web document) ● 11.1.3.3 (Open Functionality Software) ● 11.1.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent does not rely solely on sensory characteristics such as shape, size, visual location, orientation, or sound to convey information about content and elements.</p>
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.1 (Web) ● 10.1.4.1 (Non-web document) ● 11.1.4.1 (Open Functionality Software) ● 11.1.4.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent does not convey information without solely using color differences.</p>
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.2 (Web) ● 10.1.4.2 (Non-web document) ● 11.1.4.2 (Open Functionality Software) ● 11.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent does not have automatically played audio.</p>

<ul style="list-style-type: none"> ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.1 (Web) ● 10.2.1.1 (Non-web document) ● 11.2.1.1.1 (Open Functionality Software) ● 11.2.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports with Exception	Zoom Virtual Agent provides keyboard support to many elements. Exceptions include: <ul style="list-style-type: none"> ● The chatbot interface has a few keyboard accessibility issues with emoji reactions
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.2 (Web) ● 10.2.1.2 (Non-web document) ● 11.2.1.2 (Open Functionality Software) ● 11.2.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent allows for keyboard navigation throughout the application without keyboard trap.
<p>2.1.4 Character Key Shortcuts (Level A 2.1 only)</p> <p>Also applies to:</p>	Not applicable	Zoom Virtual Agent does not support keyboard shortcuts

<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.1.4 (Web) ● 10.2.1.4 (Non-web document) ● 11.2.1.4.1 (Open Functionality Software) ● 11.2.1.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.1 (Web) ● 10.2.2.1 (Non-web document) ● 11.2.2.1 (Open Functionality Software) ● 11.2.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent does not have time-limited content.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.2.2 (Web) ● 10.2.2.2 (Non-web document) ● 11.2.2.2 (Open Functionality Software) ● 11.2.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent does not have automatically playing content that cannot be paused.

<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.3.1 (Web) ● 10.2.3.1 (Non-web document) ● 11.2.3.1 (Open Functionality Software) ● 11.2.3.1(Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent does not have flashing content.</p>
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.1 (Web) ● 10.2.4.1 (Non-web document) – Does not apply ● 11.2.4.1 (Open Functionality Software) – Does not apply ● 11.2.4.1 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Zoom Virtual Agent supports “Skip to main content” links.</p>
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.2 (Web) ● 10.2.4.2 (Non-web document) 	<p>Supports</p>	<p>Zoom Virtual Agent pages are titled to convey the meaning of the page</p>

<ul style="list-style-type: none"> ● 11.2.4.2 (Open Functionality Software) - Does not apply ● 11.2.4.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.3 (Web) ● 10.2.4.3 (Non-web document) ● 11.2.4.3 (Open Functionality Software) ● 11.2.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports with Exceptions</p>	<p>Zoom Virtual Agent pages provide a focus order that is consistent with the visual order of the application. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.</p>
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.4 (Web) ● 10.2.4.4 (Non-web document) ● 11.2.4.4 (Open Functionality Software) ● 11.2.4.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) 	<p>Supports</p>	<p>Zoom Virtual Agent provides many links with clear text to allow the user to understand the purpose of each link. Aria-label attributes are used to describe when necessary.</p>

<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Virtual Agent does not require any multi-point gestures in order to operate content.
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Virtual Agent does not require any multi-point gestures in order to operate content.
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3 (Open Functionality Software) 11.2.5.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Virtual Agent uses programmatic labels that match the visual label of elements.
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Zoom Virtual Agent does not contain any functionality that is triggered by gestures or by moving a device.

<ul style="list-style-type: none"> ● 9.2.5.4 (Web) ● 10.2.5.4 (Non-web document) ● 11.2.5.4 (Open Functionality Software) ● 11.2.5.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.1 (Web) ● 10.3.1.1 (Non-web document) ● 11.3.1.1.1 (Open Functionality Software) ● 11.3.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent supports the “lang” HTML tag to help assistive technologies identify the language of the page.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.1 (Web) ● 10.3.2.1 (Non-web document) ● 11.3.2.1 (Open Functionality Software) ● 11.3.2.1 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent does not initiate changes of context upon the focusing of elements. This is ensured by activating changes of context on “activate” and not on “focus”.

<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.2 (Web) ● 10.3.2.2 (Non-web document) ● 11.3.2.2 (Open Functionality Software) ● 11.3.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent does not initiate changes of context upon user input. This is ensured by providing submit buttons.</p>
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.1 (Web) ● 10.3.3.1 (Non-web document) ● 11.3.3.1.1 (Open Functionality Software) ● 11.3.3.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent use form fields with automatic error detection and error messages. Client-side validation is used to add error text to the DOM.</p>
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.2 (Web) ● 10.3.3.2 (Non-web document) ● 11.3.3.2 (Open Functionality Software) ● 11.3.3.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent uses visible form labels that are associated with form controls. Required fields are determined programmatically and identified with appropriate labels or legends.</p>

<ul style="list-style-type: none">● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none">● 501 (Web)(Software)● 504.2 (Authoring Tool)● 602.3 (Support Docs)		
---	--	--

<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.1 (Web) ● 10.4.1.1 (Non-web document) ● 11.4.1.1.1 (Open Functionality Software) ● 11.4.1.1.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent uses HTML according to spec. Web pages are developed to ensure that ID attributes are unique, and that elements do not contain duplicate attributes.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.2 (Web) ● 10.4.1.2 (Non-web document) ● 11.4.1.2.1 (Open Functionality Software) ● 11.4.1.2.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	<p>Supports</p>	<p>Elements in Zoom Virtual Agent provide the necessary role, state, and value information to assistive technologies.</p>

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.4 (Web) ● 10.1.2.4 (Non-web document) ● 11.1.2.4 (Open Functionality Software) ● 11.1.2.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Not applicable	Zoom Virtual Agent does not have live video.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.2.5 (Web) ● 10.1.2.5 (Non-web document) ● 11.1.2.5 (Open Functionality Software) ● 11.1.2.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Not applicable	Zoom Virtual Agent does not contain live or prerecorded videos.
<p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Zoom Virtual Agent does not restrict its view to a single display orientation

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 9.1.3.4 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.4 (Open Functionality Software) ● 11.1.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.3.5 (Web) ● 10.1.3.4 (Non-web document) ● 11.1.3.5 (Open Functionality Software) ● 11.1.3.5 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Zoom Virtual Agent page make use of the autocomplete attribute wherever it is applicable
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.3 (Web) ● 10.1.4.3 (Non-web document) ● 11.1.4.3 (Open Functionality Software) ● 11.1.4.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent follows the minimal color contrast ratio for the text over the background.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.4 (Web) ● 10.1.4.4 (Non-web document) ● 11.1.4.4.1 (Open Functionality Software) ● 11.1.4.4.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent web pages use frameworks that support the resizing of text.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.5 (Web) ● 10.1.4.5 (Non-web document) ● 11.1.4.5.1 (Open Functionality Software) ● 11.1.4.5.2 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent uses text rather than images of text to present information.
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.10 (Web) ● 10.1.4.10 (Non-web document) ● 11.1.4.10.1 (Open Functionality Software) ● 11.1.4.10.2 (Closed Software) 	Supports	Zoom Virtual Agent does not require scrolling in two dimensions to present content without loss of information.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.11 (Web) ● 10.1.4.11 (Non-web document) ● 11.1.4.11 (Open Functionality Software) ● 11.1.4.11 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	The product UI follows the 3:1 minimal contrast ratio for the visual presentation UI components against adjacent colors.
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.12 (Web) ● 10.1.4.12 (Non-web document) ● 11.1.4.12 (Open Functionality Software) ● 11.1.4.12 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Zoom Virtual Agent webpages support spacing changes without the loss of content.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.1.4.13 (Web) ● 10.1.4.13 (Non-web document) ● 11.1.4.13 (Open Functionality Software) ● 11.1.4.13 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) 	Supports	Zoom Virtual Agent utilizes content on hover or focus which are hoverable, and persistent.

Criteria	Conformance Level	Remarks and Explanations
<p>Revised Section 508 – Does not apply</p> <p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.5 (Web) ● 10.2.4.5 (Non-web document) – Does not apply ● 11.2.4.5 (Open Functionality Software) – Does not apply ● 11.2.4.5 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Zoom Virtual Agent admin pages provide multiple ways of navigation
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.6 (Web) ● 10.2.4.6 (Non-web document) ● 11.2.4.6 (Open Functionality Software) ● 11.2.4.6 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent provides descriptive labels and headings all throughout to help users understand the content structure of pages.
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.2.4.7 (Web) ● 10.2.4.7 (Non-web document) 	Supports with Exceptions	Zoom Virtual Agent provides a visible focus indicator when elements receive keyboard focus. Please see WCAG 2.1.1 Keyboard for more information about keyboard accessibility support.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> ● 11.2.4.7 (Open Functionality Software) ● 11.2.4.7 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.1.2 (Web) ● 10.3.1.2 (Non-web document) ● 11.3.1.2 (Open Functionality Software) – Does not apply ● 11.3.1.2 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent support the HTML language attribute.

<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.3 (Web) ● 10.3.2.3 (Non-web document) – Does not apply ● 11.3.2.3 (Open Functionality Software) – Does not apply ● 11.3.2.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Zoom Virtual Agent pages have navigation bars that provide a list of links to reach other pages.</p>
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.2.4 (Web) ● 10.3.2.4 (Non-web document) – Does not apply ● 11.3.2.4 (Open Functionality Software) – Does not apply ● 11.3.2.4 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) – Does not apply to non-web software ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Zoom Virtual Agent is designed with product component and visual style uniformity in mind.</p>
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.3 (Web) ● 10.3.3.3 (Non-web document) ● 11.3.3.3 (Open Functionality Software) ● 11.3.3.3 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) 	<p>Supports</p>	<p>Zoom Virtual Agent uses form fields with automatic error detection and error descriptions.</p>

<ul style="list-style-type: none"> ● 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 		
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.3.3.4 (Web) ● 10.3.3.4 (Non-web document) ● 11.3.3.4 (Open Functionality Software) ● 11.3.3.4 (Closed Software) ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> ● 501 (Web)(Software) ● 504.2 (Authoring Tool) ● 602.3 (Support Docs) 	Supports	Zoom Virtual Agent identifies input errors for financial transactions.
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> ● 9.4.1.3 (Web) ● 10.4.1.3 (Non-web document) – Does not apply ● 11.4.1.3 (Open Functionality Software) – Does not apply ● 11.4.1.3 (Closed Software) – Does not apply ● 11.8.2 (Authoring Tool) ● 12.1.2 (Product Docs) ● 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports with Exceptions	<p>Zoom Virtual Agent utilizes some alerts with the “role=alert” attributes to make the status message programmatically available to assistive technologies.</p> <p>Exceptions Include:</p> <ul style="list-style-type: none"> ● When receiving messages in the chatbot, messages are not dynamically alerted to screen readers. Screen readers must navigate the message list to perceive the message. Zoom is committed to fixing this in a near release.