



US00D449582B1

(12) **United States Design Patent**
Nakashima et al.

(10) **Patent No.:** **US D449,582 S**

(45) **Date of Patent:** **** Oct. 23, 2001**

(54) **ELECTRIC CONNECTOR WITH A CABLE**

D. 430,540 * 9/2000 Nishio et al. D13/147
5,639,262 * 6/1997 Lim 439/607

(75) Inventors: **Terumi Nakashima**, Takatsuki;
Takashi Suyama, Amagasaki;
Kiyohiko Chiran, Takarazuka, all of
(JP)

* cited by examiner

Primary Examiner—Joel Sincavage
(74) *Attorney, Agent, or Firm*—Antonelli, Terry, Stout &
Kraus, LLP

(73) Assignee: **J.S.T. Mfg. Co., Ltd.**, Osaka (JP)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for an electric connector with a
cable, as shown and described.

(21) Appl. No.: **29/129,696**

DESCRIPTION

(22) Filed: **Sep. 21, 2000**

(30) **Foreign Application Priority Data**

Mar. 24, 2000 (JP) 12-007164

(51) **LOC (7) Cl.** **13-02**

(52) **U.S. Cl.** **D13/153**

(58) **Field of Search** D13/153, 133,
D13/146, 147; 439/502, 582, 694, 844,
854, 855, 607-610

FIG. 1 is a top plan view;
FIG. 2 is a front elevation;
FIG. 3 is a bottom plan view;
FIG. 4 is a rear elevation;
FIG. 5 is a left side elevation;
FIG. 6 is a right side elevation; and,
FIG. 7 is a scheme of the connector in use with audio-and-
video apparatuses.

The broken lines showing an additional connector with a
cable and other stationary connectors are included for the
purpose of illustrating environmental structure only and
form no part of the claimed design.

In the drawings, each figure thereof being of the connector
in which the cable is shown broken away to indicate
indeterminate length.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D. 356,997 * 4/1995 Lehmann D13/146
- D. 360,400 * 7/1995 Pitcher D13/133
- D. 378,209 * 2/1997 Morikawa et al. D13/147
- D. 427,150 * 6/2000 Kuo D13/147

1 Claim, 2 Drawing Sheets





FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

