



US00D422611S

United States Patent [19] Katayama et al.

[11] Patent Number: **Des. 422,611**
[45] Date of Patent: **** Apr. 11, 2000**

[54] **ELECTRONIC STILL CAMERA**
[75] Inventors: **Noriko Katayama; Makoto Isozaki,**
both of Tokyo, Japan
[73] Assignee: **Fuji Photo Film Co., Ltd.,**
Minami-Ashigara, Japan
[**] Term: **14 Years**

D. 410,665 6/1999 Shinano D16/202
5,757,388 5/1998 Stephenson 358/909.1

Primary Examiner—Adir Aronovich
Attorney, Agent, or Firm—McGinn & Gibb, P.C.

[21] Appl. No.: **29/109,334**
[22] Filed: **Aug. 16, 1999**
[30] **Foreign Application Priority Data**

[57] **CLAIM**
The ornamental design for an electronic still camera, as shown and described.

Feb. 19, 1999 [JP] Japan 11-3911
[51] **LOC (6) Cl.** **16-01**
[52] **U.S. Cl.** **D16/202; D16/218**
[58] **Field of Search** **D16/200-206,**
D16/208, 209, 217, 218; 348/373-376;
358/909.1, 906; 396/535-541

DESCRIPTION

FIG. 1 is a front perspective view of an electronic still camera of the design according to the present invention; FIG. 2 is a front view of the electronic still camera of FIG. 1 according to the present invention; FIG. 3 is a rear view of the electronic still camera of FIG. 1 according to the present invention; FIG. 4 is a top plan view of the electronic still camera of FIG. 1 according to the present invention; FIG. 5 is a bottom plan view of the electronic still camera of FIG. 1 according to the present invention; FIG. 6 is a side view of the electronic still camera from the right of FIG. 2 according to the present invention; and, FIG. 7 is a side view of the electronic still camera from the left of FIG. 2 according to the present invention.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 392,659 3/1998 Takano D16/202
D. 407,098 3/1999 Goto et al. D16/218
D. 409,640 5/1999 Funato D16/218

1 Claim, 3 Drawing Sheets





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6

