



US00D442452S

(12) **United States Design Patent**
Stirm et al.

(10) **Patent No.:** **US D442,452 S**

(45) **Date of Patent:** **** May 22, 2001**

(54) **ROTARY HAMMER**

(75) Inventors: **Michael Stirm**, Oberusel; **Alfred Fordon**, Camberg, both of (DE)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/118,610**

(22) Filed: **Feb. 11, 2000**

(30) **Foreign Application Priority Data**

Aug. 13, 1999 (GB) 2085824
Aug. 13, 1999 (GB) 2085825

(51) **LOC (7) Cl.** **08-01**

(52) **U.S. Cl.** **D8/67; D8/69**

(58) **Field of Search** **D8/61-70; 81/57.11, 81/54, 57.42; 173/170, 47, 48, 2, 201, 104, 109, 13, 217; 175/296; 279/62, 19.3**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 301,967	*	7/1989	Sakamoto et al.	D8/67
D. 307,234	*	4/1990	Fushiya et al.	D8/69
D. 310,936	*	10/1990	Saito et al.	D8/67
D. 316,020	*	4/1991	Fushiya et al.	D8/61
D. 320,918	*	10/1991	Mochida	D8/68
D. 333,076	*	2/1993	Fushiya et al.	D8/61
D. 341,533	*	11/1993	Karafuji et al.	D8/69
D. 349,029	*	7/1994	Matsunaga et al.	D8/69
D. 361,252	*	8/1995	Neergaard et al.	D8/69
D. 380,132	*	6/1997	Matsunaga et al.	D8/69
D. 395,586	*	6/1998	Arakawa et al.	D8/69
3,837,409	*	9/1974	Consoli et al.	173/48
3,876,014	*	4/1975	Moores, Jr.	173/47
3,929,195	*	12/1975	Stiltz et al.	173/109
3,943,782	*	3/1976	Gloviak	74/50

4,567,951	*	2/1986	Fehrle et al.	173/201
4,998,588	*	3/1991	Manschitz	173/47
5,111,889	*	5/1992	Neumaier	173/48
5,996,707	*	12/1999	Thome et al.	173/2

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Michael P. Leary; Bruce S. Shapiro

(57) **CLAIM**

The ornamental design for a rotary hammer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a rotary hammer with battery pack attached showing a first embodiment of our new design.

FIG. 2 is a left side elevational view of the first embodiment.

FIG. 3 is a right side elevational view of the first embodiment.

FIG. 4 is a front elevational view of the first embodiment.

FIG. 5 is a rear elevational view of the first embodiment.

FIG. 6 is a top plan view of the first embodiment.

FIG. 7 is a bottom plan view of the first embodiment.

FIG. 8 is a front perspective view of a rotary hammer without the battery pack attached showing a second embodiment of our new design.

FIG. 9 is a left side elevational view of the second embodiment.

FIG. 10 is a right side elevational view of the second embodiment.

FIG. 11 is a front elevational view of the second embodiment.

FIG. 12 is a rear elevational view of the second embodiment.

FIG. 13 is a top plan view of the second embodiment; and,

FIG. 14 is a bottom plan view of the second embodiment.

1 Claim, 14 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14