

US 20100081498A1

(19) United States (12) Patent Application Publication (10) Pub. No.: US 2010/0081498 A1 MOODY

Apr. 1, 2010 (43) **Pub. Date:**

(54) CASINO GAME WITH NEXT ROUND **MULTIPLIERS**

(76) Inventor: ERNEST W. MOODY, LAS VEGAS, NV (US)

> Correspondence Address: JOHN EDWARD ROETHEL 769 Basque Way #200 Carson City, NV 89706 (US)

- (21) Appl. No.: 12/616,145
- (22) Filed: Nov. 11, 2009

Related U.S. Application Data

Continuation-in-part of application No. 11/958,570, (63) filed on Dec. 18, 2007.


(60) Provisional application No. 60/875,812, filed on Dec. 18, 2006, provisional application No. 60/986,627, filed on Nov. 9, 2007.

Publication Classification

(51) Int. Cl. A63F 9/24 (2006.01)(52) U.S. Cl. 463/25

(57)ABSTRACT

A player plays a first round of a casino game. If the player achieves a winning outcome on the first round of play, the payouts for the next round of play of the casino game will be increased. The amount of the increase is based on the category of the winning outcome on the first round of play. Each subsequent round of play continues to have increased payouts if the player continues to achieve winning outcomes. When the player has a losing outcome, the payouts revert to the base level. An extra wager may be required from the player to activate this feature during the play of the casino game.






FIG-1




FIG-2




FIG-3




FIG-4

CASINO GAME WITH NEXT ROUND MULTIPLIERS

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application is a Continuation-in-Part of U.S. application Ser. No. 11/958,570, filed Dec. 18, 2007. This application also is based on and claims the benefit of U.S. provisional patent application Ser. No. 60/875,812, filed Dec. 18, 2006, the disclosure of which is incorporated herein in its entirety and U.S. provisional patent application Ser. No. 60/986,627, filed Nov. 9, 2007, the disclosure of which is incorporated herein in its entirety.

BACKGROUND OF THE INVENTION

[0002] This invention relates primarily to casino games, and more particularly to casino games such as video poker, keno and slot machines. The present invention provides the player with multipliers on the next round of play depending on the outcome of the previous round of play.

[0003] Conventional video draw poker is a single player game in which the player does not play against a dealer or other players, but rather merely tries to achieve the highest possible ranking poker hand.

[0004] After an initial deal of five cards, the player is allowed to discard and replace unwanted cards with replacement cards. Electronic video poker games use poker hand rankings to determine winning combinations and a payout schedule is used to determine the amount awarded to the player for achieving a winning combination.

[0005] The conventional winning poker hand rankings that are used in video poker in order from highest to lowest are: Royal Flush, Straight Flush, Four of a Kind, Full House, Flush, Straight, Three of a Kind, Two Pair and a Pair of Jacks or better. Any hand having less than a Pair of Jacks or better is a losing hand. These winning poker hand rankings are used in the Jacks or Better draw poker format as well as many of the other draw poker formats.

[0006] Video poker as a draw poker game using the Jacks or Better draw poker format has been played in gaming casinos for many years. Variations of video draw poker have evolved and include video draw poker using Jokers as wild cards and video draw poker using Deuces (or even Sevens) as wild cards. Another known variation of video draw poker is the Tens or Better format in which the lowest winning hand combination is a Pair of Tens. Most of the more recent modifications to video involve the use of different draw poker formats such as Bonus Poker, Double Bonus Poker, Double-Double Bonus Poker and even Triple Bonus Poker. Different draw poker formats involve changes to the pay table and often involve using different poker hand rankings as winning hand combinations.

[0007] Multiple hand video poker games allow the player to play more than one hand of video poker at a time. U.S. Pat. No. 5,823,873 to Moody, the disclosure of which is incorporated herein by reference, discloses a multiple hand poker game in which the player plays two or more hands of video poker at a time. An initial starting hand is dealt, the player discards unwanted cards and replacement cards are dealt for the discarded cards. The poker hand ranking of the final cards is determined and the player receives a payout for any winning card combination achieved. Each hand of the multiple hand poker game is treated as a separate pay line for payout purposes. However, each pay line uses the same pay table for the purpose of determining the amount received by the player for winning hands.

[0008] U.S. Pat. No. 6,638,163 (Moody) discloses a stud poker game with consecutive rounds of play. In either a single hand format or a multiple hand format, the play makes a wager to start the game. As long as the player continues to achieve winning outcomes, the play continues to receive additional rounds of stud poker without having to make any additional wagers. No pay table multipliers are disclosed in this method of play.

[0009] U.S. Pat. No. 6,149,521 (Sanduski) discloses randomly applying a multiplier to a pay line based on the value of a multiplier card. Sanduski discloses using only a single multiplier value for a single hand of video poker. For example, when a player achieves a Four-of-a-Kind, the payout for this winning combination is multiplied by the value of the kicker card in the poker hand. There is no carryover effect of any multiplier in the Sanduski game to the next round of play of the game.

[0010] U.S. Pat. No. 7,247,092 (Jarvis et al.), the disclosure of which is incorporated herein by reference, discloses the use of one or more multiplier cards added to a conventional deck of playing cards. Whenever a multiplier card appears during the play of a video poker game, the payout for any winning combination that is achieved is multiplied by the value of the multiplier card. This Jarvis feature has been commercialized in a game known as SUPER TIME PAY which is marketed by IGT of Reno, Nev. There is no carryover effect of any multiplier in the Jarvis game to the next round of play of the game. [0011] The Jarvis multiplier card feature has been applied to multiple hand video poker. For example, in TRIPLE PLAY SUPER TIMES PAY all pay lines are eligible for the same multiplier value should a multiplier card appear in the initial deal of the starting hand. There is no carryover effect of any multiplier in the TRIPLE PLAY SUPER TIMES PAY game to the next round of play of the game.

[0012] U.S. Pat. No. 6,612,927 (Slomiany et al.) discloses a multiple hand poker game using multipliers. The player wagers to play four hands of video poker. The first hand is played at a 1× pay table. If the player has a winning outcome on the first hand, the player plays the second hand at a 2× multiplier. If the player has a winning outcome on the second hand, the player plays the third hand at a 4× multiplier. If the player has a winning outcome on the second hand, the player plays the third hand at a 4× multiplier. If the player has a winning outcome on the third hand, the player has a winning outcome on the third hand, the player has a winning outcome on the third hand, the player plays the fourth hand at an 8× multiplier. The multipliers from hand to hand always remain in the same progression of 1×, 2×, 4× and 8×.

[0013] U.S. Pat. No. 6,569,013 (Taylor) discloses a poker game which uses varying pay tables. As the player achieves a winning outcome on each consecutive round of play, the pay table changes for the next round of play. When the player achieves a losing outcome on a round of play, the pay table resets to the base pay table for the next round of play.

[0014] Slot machines also have one or more pay lines and for each pay line that has been activated by making a wager thereon, a player receives a payout whenever a winning symbol combination that appears on an active pay line.

[0015] U.S. Pat. No. 6,120,378 to Moody, the disclosure of which is incorporated herein by reference, discloses a multiple reel slot machine with multiple pay lines. The player makes a wager for each pay line that the player wishes to have activated for a particular round of play. The method of the present invention may be practiced using the slot machine

disclosed in this '378 patent as well as other slot machines which have multiple pay lines.

[0016] The present invention provides a method for applying multipliers on the next round of play of a casino game based on the outcome of the previous round of play thereby adding a new and exciting wagering and winning feature for the player. The method of the present invention can be applied to draw poker games and to slot machines. Stud poker games and keno games may also be modified to use the method of the present invention.

SUMMARY OF THE INVENTION

[0017] A player plays a first round of a casino game. If the player achieves a winning outcome on the first round of play, the payouts for the next round of play of the same casino game will be increased. The amount of the increase is based on the category of the winning outcome on the first round of play. Each subsequent round of play continues to have increased payouts if the player continues to achieve winning outcomes. When the player has a losing outcome, the payouts revert to the base level. An extra wager may be required from the player to activate this feature during the play of the casino game.

BRIEF DESCRIPTION OF THE DRAWINGS

[0018] FIG. **1** shows a video poker machine configured to practice the present invention showing a representative initial deal of the cards of a multiple hand poker game for the first round of play.

[0019] FIG. **2** shows a video poker machine configured to practice the present invention showing a representative display of the final hands of a multiple hand poker game for the first round of play.

[0020] FIG. **3** shows a video poker machine configured to practice the present invention showing the multiplier feature as applied for the second round of play.

[0021] FIG. **4** shows a video poker machine configured to practice the present invention showing the multiplier feature as applied for the third round of play.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0022] The present invention relates to casino games such as video poker draw and stud games, keno games and slot machines.

[0023] FIG. **1** shows generally at **10** a typical electronic video poker machine that is configured to provide to the player the method of the present invention. A portion of the poker machine **10** includes a conventional video screen display **20** upon which the play of the poker game is shown.

[0024] The poker machine **10** also includes a conventional currency/ticket acceptor **52** by which the player can insert currency or tickets to add credits to a credit meter **22**. It is also possible to provide a conventional coin head (not shown) to allow the player to add credits or make wagers by using coins or gaming tokens.

[0025] As is also conventional in electronic video poker machines, the credit meter **22** is provided to show the amount of credits that the player has accrued on the gaming machine **10**—either by inserting coins, tokens, currency or tickets or from winning plays achieved by the player. Whenever the player makes a wager, the amount of the wager is decremented from the credit meter **22**. Whenever the player

achieves a winning play during the play of the game, the amount of the winning play is incremented on the credit meter **22**.

[0026] A conventional payout hopper may also be located on the interior of the gaming machine and is used to dispense coins or tokens to the player into a payout tray (not shown) when the player wishes to collect any winning amounts the player has accrued. Other suitable and conventional payout mechanisms can be used, such as a ticket printer or other cashless payout devices.

[0027] A button panel **40** is also provided on the poker machine **10** and the buttons mounted on the button panel **40** are used by the player to control the operation of the poker machine **10**. Any suitable configuration of the buttons on the button panel can be used and, alternatively, conventional touch screen technology can be used for any or all of the buttons mounted on the button panel.

[0028] A typical button arrangement is shown on the button panel **40** in FIG. **1**. A "BET ONE" button **42** is provided to allow the player to wager one credit at a time. A "BET MAX" button **44** is provided to allow the player to wager the maximum amount of credits permitted by the configuration of the gaming machine **10**. Any number of credits can be set as the maximum amount that it is possible to wager on each hand and, typically, five credits will be the maximum number of credits for any particular hand. Alternatively or additionally, a "BET ONE" location **26** and a "BET MAX" location **28** can be provided on the video screen **20** to allow the player to wager by using conventional touch screen technology.

[0029] The button panel 40 also includes a "CASH OUT" button 41 by which the player can effect the cashing out of any credits accrued on the credit meter 22. A touch screen "CASH OUT" location 21 may also be provided.

[0030] A conventional "DEAL/DRAW" button 46 is also provided on the button panel 40 which is used by the player to activate the initial deal of the cards at the deal stage of the method of play or the dealing of replacement cards at the draw stage of the method of play as is appropriate. Similarly, a DEAL/DRAW location 27 can be provided on the video screen 20 to allow the player to effect either the deal step or the draw step by using conventional touch screen technology. [0031] The button panel 40 is also provided with five "CARD" buttons 48A, 48B, 48C, 48D and 48E associated with each horizontal card location on the video screen display: card button 48A is associated with the left most card location, card button 48B is associated with the second from the left card location, card button 48C is associated with the middle card location, card button 48D is associated with the second from the right card location and card button 48E is associated with the right most card location. Each card button is preferably aligned below the card locations so that the player can easily associate the appropriate card button with the appropriate card location. These card locations 48 are used by the player to select which cards to hold during the draw step of the poker game. Alternatively, the card locations on the video screen display 20 can be touch screen activated to allow the play to select which cards to hold by merely touching the card location on the video screen display 20.

[0032] A "BET ONE HAND" touch screen location **23** is provided on the video screen display **20** to allow the player to choose to play one hand of video poker. Each time the player presses the "BET ONE HAND" touch screen location **23** another hand of video poker is activated for that round of play. A "BET ALL HANDS" touch screen location **24** is also activate all available hands of the multiple hand poker game with a single press. Associated buttons (not shown) may be provided on the button panel **40** to allow the player to bet one hand or to bet all hands.

[0033] The button panel 40 also includes a "BET MULTI-PLIER" button 45 and an associated "BET MULTIPLIER" touch screen location 25 can be provided on the video screen display 20. This allows the player to activate the multiplier feature of the present invention during the play of the video poker game, if the use of the multiplier feature is optional during the play.

[0034] The video screen display 20 also has a "BET" location 32 that shows the amount of credits that have been wagered on a particular round of play and a "WIN" location 34 that shows the amount of credits won by the player on a particular round of play.

[0035] Each electronic video poker game is designed to be played by having one or more poker hands displayed on a video screen to a player. These are "player's hand only" poker games in which the player does not play against a dealer's hand or against other players, but merely attempts to achieve a winning poker hand combination using the player's final cards of the hand. Awards are made for winning final hand combinations based on the amount wagered by the player and the payouts that are displayed in a pay table.

[0036] An initial deal of cards comprises the player's initial hand. By manipulating the buttons on the gaming device or by using conventional touch screen technology, the player selects which cards he wishes to hold in his hand and thus which cards he wishes to discard. Replacement cards are then displayed for the discarded cards and the outcome of the play of the hand is determined. The resulting poker hand ranking of the final hand is then compared to a pay table to determine whether the player has a winning hand combination.

[0037] The method of the present invention will now be described. An initial hand is displayed to the player. The player is then allowed to discard any unwanted cards from the initial hand. Replacement cards for the discarded cards are displayed which results in a final hand. If the final hand has a winning card combination, the awards that can be won by the player on the next round of play are modified by an amount associated with the poker hand category of the winning card combination that was achieved in the final hand in the first round of play.

[0038] After the player has inserted an appropriate amount of coins, tokens, currency or tickets to add a sufficient amount of credits on the credit display meter **22**, the player makes his initial wager. The player may press the "BET ONE" button **42** one or more times to bet in single increments or the player may merely press the "BET MAX" button **44** and the maximum number of credits are applied, for example, five credits are wagered on each of the three hands to be played and an additional five credits are wagered on each of the three hands to be player can also use the touch screen locations to make his wager as described above.

[0039] As shown in FIG. **1**, a player has made a thirty credit wager shown in the "BET" location **32**. This activates three hands to be played HAND ONE **71**, HAND TWO **72** and HAND THREE **73**: five credits are allocated as the amount wagered on each hand and the additional five credits are required for the multiplier feature on each hand. In the preferred embodiment of the present invention, a player must

make an extra wager to be eligible for the multiplier feature. The amount of the extra wager relates to the frequency and amount of the multipliers applied to the various pay lines. In a preferred embodiment of the present invention, the amount of the extra wager is equal to the amount of the wager made on a hand, although higher or lower amounts for the extra wager may be used. Alternatively, no extra wager could be required for the multiplier feature, but the pay table would have to be adjusted for the increased payouts that would come from the multiplier feature.

[0040] In the present invention, the multiplier feature does not apply to the present round of play, but applies to the next round of play. The player is making this wager on the present round of play to earn the possibility of receiving multipliers on the next round of play. At any point during the play of the game, if the player does not make the extra wager for a particular round of play, then the next round of play will occur at the base pay table having only a 1× multiplier.

[0041] Because FIG. 1 shows the initial first round of play, there is only a $1 \times$ multiplier on each hand. As shown in FIG. 1, a $1 \times$ multiplier 61 applies for HAND 71, a $1 \times$ multiplier 62 applies for HAND 72 and a $1 \times$ multiplier 63 applies for HAND 73. The payouts for any winning card combinations that are achieved on each of these pay lines are paid according to the associated pay table with only a $1 \times$ multiplier applied to those payouts. As discussed below, any multipliers that are earned during this first round of play are applied to the pay table for the next round of play.

[0042] The poker game shown in FIG. **1** as an example is a three hand poker game played in accordance with the method disclosed in U.S. Pat. No. 5,873,823.

[0043] The player has been dealt a first HAND 71 of the Ace of Spades, Five of Hearts, Eight of Clubs, Ace of Hearts and Three of Diamonds. The player has selected to hold the Ace of Spades and the Ace of Hearts and these two cards are duplicated into second HAND 72 and third HAND 73.

[0044] As shown in FIG. 2, replacement cards for the discarded cards of first HAND 71 are displayed and the final first HAND 71 has a poker hand combination of a Full House. Additional cards are displayed into second HAND 72 and the final second HAND 72 has a poker hand combination of a Pair of Aces. Additional cards are displayed into third HAND 73 and the final third HAND 73 has a poker hand combination of Four Aces.

[0045] A pay table is displayed to the player showing the amounts that the player can win based on the poker hand ranking achieved by the player and the amount wagered by the player.

[0046] In the example shown in FIGS. **1** and **2**, a Jacks or Better draw poker game format is used. A suitable pay table for this format would be:

TABLE 1

DRAW POKER							
		NUMBER OF COINS BET					
POKER HAND	1	2	3	4	5		
ROYAL FLUSH	250	500	750	1000	4000		
STRAIGHT FLUSH	50	100	150	200	250		
FOUR-OF-A-KIND	25	50	75	100	125		
FULL HOUSE	9	18	27	36	45		
FLUSH	6	12	18	24	30		
STRAIGHT	4	8	12	16	20		

TABLE 1-continued								
DRAW POKER								
	NUMBER OF COINS BET							
POKER HAND	1	2	3	4	5			
THREE-OF-A-KIND TWO PAIR JACKS OR BETTER	3 2 1	6 4 2	9 6 3	12 8 4	15 10 5			

[0047] Using the pay table shown in Table 1, final HAND 71 is a winning combination of a Full House and the player would receive forty-five credits as a payout based on the $1\times$ multiplier 61. Final HAND 72 is a winning combination of Jacks or Better and the player would receive five credits as a payout based on the $1\times$ multiplier 62. Final HAND 73 is a winning combination of Four-of-a-Kind and the player would receive one hundred twenty-five credits as a payout based on the $1\times$ multiplier 63.

[0048] The multipliers to be applied to each hand in round two of the game are also determined based on the outcome of each hand in the first round. The multipliers are based on the various poker hand categories that are designated as winning hand combinations for the poker format being used. A multiplier table is used and could be displayed to the player on the video screen display **20**, on a second screen display or printed on the glass of the gaming machine. Any suitable multiplier table could be used. An exemplary multiplier table is shown in Table 2.

TABLE 2

ROYAL FLUSH	10×	
STRAIGHT FLUSH	10×	
FOUR-OF-A-KIND	10×	
FULL HOUSE	6×	
FLUSH	6×	
STRAIGHT	5×	
THREE-OF-A-KIND	4×	
TWO PAIR	4×	
JACKS OR BETTER	2×	

[0049] Using the multiplier table shown in Table 2, the winning outcome for a poker hand category of a Full House in HAND ONE 71 results in a 6× multiplier shown at 161 in FIG. 3 and applied to HAND ONE 171 in the next round of play. Likewise, the winning outcome for a poker hand category of Jacks or Better in HAND TWO 72 results in a 2× multiplier shown at 162 in FIG. 3 and applied to HAND TWO 172 in the next round of play. The winning outcome for a poker hand category of Four-of-a-Kind in HAND THREE 73 results in a 10× multiplier shown at 163 in FIG. 3 and applied to HAND THREE 173 in the next round of play.

[0050] When the next round of play is conducted, the player would again make a wager of thirty credits and a round of video poker would be played. By making this thirty credit wager, the player is activating the multiplier feature for the next round of play. As the example in FIG. **3** shows, the player achieved a losing outcome in HAND ONE **171** so the multiplier feature reverts to $1 \times$ as shown in FIG. **4** at **261** for HAND ONE **271**. The player achieved a winning outcome for a poker hand category of a Straight in HAND TWO **162** so the multiplier feature shows a $5 \times$ multiplier as shown in FIG. **4** at **262** for HAND TWO **272**. Also, the player achieved a losing

outcome in HAND THREE 173 so the multiplier feature reverts to $1 \times$ as shown in FIG. 4 at 263 for HAND THREE 273.

[0051] This progression of multipliers continues from round to round as long as the player continues to make the wager for the multiplier feature in the embodiment of the present invention which requires that the player make a wager to activate the multiplier feature.

[0052] Whenever the player achieves a losing hand combination on any hand of play, then the next hand of play would be played at the normal $1 \times$ payout.

[0053] While the examples shown in FIGS. **1** through **4** use a regular Jacks or Better draw poker format pay table, other pay tables have been developed for the other variations of draw poker, such as Deuces Wild Poker, Bonus Poker, Double Bonus Poker, Double Double Bonus Poker, Triple Bonus Poker, Joker's Wild Poker or any of the myriad of video poker formats that have been developed. Each of these video poker formats uses various arrangements of poker hand rankings as winning combinations and they use various payout amounts for the poker hand rankings. The amounts paid for the various winning hand combinations in each of the video poker formats are calculated to provide a certain theoretical game return based on the mathematical probability of achieving the winning hand combinations and the theoretical hold percentage that the casino wishes to offer to the players.

[0054] The method of the present invention can be applied to any of the various video poker formats that are available or can be created for use.

[0055] The multipliers for a poker hand category can also be varied as desired and can be applied to some or all of the poker hand categories that are winning hand combinations for the poker format being used.

[0056] While the example given above has been described in connection with a three hand video poker game, the present invention can also be applied to a single hand video poker game, or to any number of multiple hand video poker games.

[0057] The present invention can also be applied to stud poker games, keno games and slot machine games or any other casino game that uses a pay table.

[0058] The present invention has been described above in connection with a multiple hand draw poker game with the example using a three hand poker game. However, the multiplier feature of the present invention can also be used in single hand or single reel games or in any game that has two or more hands or reels.

[0059] In an embodiment, a method of playing a slot machine game in which a player can achieve modified awards on a next round of play comprises on a first round of play, providing a pay table with at least a first award for at least one winning symbol combination category. In an embodiment, there would be two or more winning symbol categories each having an award associated therewith.

[0060] The gaming machine then randomly selects and displays at least a first pay line of at least two symbols. In an embodiment, there would be two or more pay lines that the player could choose to wager on and each pay line would have more than two symbols. In an embodiment, there would be multiple reels with each reel having multiple symbols. the pay lines would include all or part of each reel.

[0061] The gaming machine determining the symbol ranking of the two symbols of the at least first pay line, and in an embodiment, the gaming machine would determine the symbol ranking of each pay line wagered on by the player.

[0062] If the at least first pay line is a winning combination, the gaming machine provides a modifier for at least the first award on the next round of play by an amount associated with the symbol combination category of the winning combination.

[0063] The method also includes a player making a first wager on the at least first pay line, and paying the player a preestablished award based on the first wager if the winning symbols of the first pay line comprise a predetermined symbol combination category of the pay table.

[0064] In an embodiment, the method includes the award being modified by using a multiplier.

[0065] In an embodiment, the method includes the player making an additional wager to be eligible for the modifier, such as the multiplier.

[0066] Each subsequent round of play continues to have increased awards if the player continues to achieve winning outcomes. When the player has a losing outcome, the awards revert to the base level of the pay table.

[0067] While the invention has been illustrated with respect to several specific embodiments thereof, these embodiments should be considered as illustrative rather than limiting. Various modifications and additions may be made and will be apparent to those skilled in the art.

What is claimed is:

1. A method of playing a slot machine game in which a player can achieve modified awards on a next round of play comprising:

- a) on a first round of play, providing a pay table with at least a first award for at least one winning symbol combination category;
- b) randomly selecting and displaying at least a first pay line of at least two symbols;
- c) determining the symbol ranking of the two symbols of the at least first pay line; and
- d) if the at least first pay line is a winning combination, providing a modifier for at least the first award on the next round of play by an amount associated with the symbol combination category of the winning combination.
- **2**. The method of claim **1** including:
- a) a player making a first wager on the at least first pay line,
- b) paying the player a preestablished award based on the first wager if the winning symbols of the first pay line comprise a predetermined symbol combination category of the pay table.
- **3**. The method of claim **1** in which the award is modified by using a multiplier.
- **4**. The method of claim **3** in which the player makes an additional wager to be eligible for the multiplier.

5. The method of claim **1** in which the player makes an additional wager to be eligible for the modifier.

* * * * *