



US00D462321S

(12) **United States Design Patent** (10) **Patent No.:** **US D462,321 S**  
**Ullmann** (45) **Date of Patent:** **\*\* Sep. 3, 2002**

(54) **CHARGER UNIT** D453,920 S \* 2/2002 Greene ..... D13/108

(75) Inventor: **Roland Ullmann**, Offenbach (DE)

(73) Assignee: **Braun GmbH** (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/148,298**

(22) Filed: **Sep. 17, 2001**

(30) **Foreign Application Priority Data**

Mar. 26, 2001 (DE) ..... 401 02 956

(51) **LOC (7) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108**

(58) **Field of Search** ..... D13/107, 108;  
320/107-115

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D210,732 S	*	4/1968	Anderson	.....	D13/108
D211,185 S	*	5/1968	Cox	.....	D13/108
D216,547 S	*	2/1970	Mango	.....	D13/108
D297,828 S	*	9/1988	Bromley et al.	.....	D13/108
D334,170 S	*	3/1993	Rams et al.	.....	D13/108
D368,892 S	*	4/1996	Tanaka	.....	D13/108

**FOREIGN PATENT DOCUMENTS**

WO 053892 \* 11/2000

\* cited by examiner

*Primary Examiner*—Joel Sincavage

(74) *Attorney, Agent, or Firm*—Fish & Richardson, P.C.

(57) **CLAIM**

The ornamental design for a charger unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a charger unit from above, showing my design;

FIG. 2 is a front view of the appliance of FIG. 1;

FIG. 3 is a right-side view of the appliance of FIG. 2;

FIG. 4 is a left side view of the appliance of FIG. 2;

FIG. 5 is a rear view of the appliance of FIG. 2;

FIG. 6 is a top plan view of the appliance of FIG. 2; and,

FIG. 7 is a bottom plan view of the appliance of FIG. 2.

The broken lines showing the cord are included for the purpose of illustrating environmental structure only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

