



US00D874470S

(12) **United States Design Patent** (10) **Patent No.:** **US D874,470 S**
Bolotin et al. (45) **Date of Patent:** **** Feb. 4, 2020**

(54) **ELECTRONIC DEVICE**
(71) Applicant: **ClevX, LLC**, Kirkland, WA (US)
(72) Inventors: **Lev M. Bolotin**, Kirkland, WA (US);
Robert Hubler, San Jose, CA (US)
(73) Assignee: **ClevX, LLC**, Kirkland, WA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/656,335**
(22) Filed: **Jul. 11, 2018**

D670,712 S * 11/2012 Bolotin D14/480.5
D671,123 S * 11/2012 Ni D14/480.1
D711,891 S * 8/2014 Emami D14/480.5
D774,514 S * 12/2016 Turksu D14/480.5
(Continued)

OTHER PUBLICATIONS

“U.S. Appl. No. 29/648,875, Restriction Requirement dated Jun. 6, 2019”, 5 pgs.

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/648,875, filed on May 24, 2018.
(51) **LOC (12) Cl.** **14-03**
(52) **U.S. Cl.**
USPC **D14/480.5**
(58) **Field of Classification Search**
USPC D14/480.1–480.7, 435.1, 411, 433, 436,
D14/484.1, 137, 155, 203.1–203.8, 240,
D14/242; D13/133, 154; D21/325, 329
CPC H05K 5/0278; G06K 19/07732
See application file for complete search history.

(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION


FIG. 1 is a front view of an electronic device (e.g., a secure electronic data storage device or other electronic storage device), showing our new design.
FIG. 2 is a rear view thereof.
FIG. 3 is a left view thereof.
FIG. 4 is a right view thereof.
FIG. 5 is a top view thereof.
FIG. 6 is a bottom view thereof.
FIG. 7 is a top-front-right perspective view thereof.
FIG. 8 is a bottom-front-left perspective view thereof.
FIG. 9 is a bottom-rear-left perspective view thereof; and, FIG. 10 is a top-rear-right perspective view thereof.
The broken line showing of a connector on the top side of the electronic device is for the purpose of illustrating environmental structure, and the broken lines forms no part of the claimed design.
The shade lines show surface contour and not surface ornamentation.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D520,996 S * 5/2006 Deng D14/480.5
D524,817 S 7/2006 Conley et al.
D556,752 S * 12/2007 Otsuka D14/480.5
D579,934 S 11/2008 Okamoto et al.
D583,816 S * 12/2008 Guccione D14/480.5
D587,719 S 3/2009 Tate et al.
D607,886 S 1/2010 Bolotin et al.
D610,134 S * 2/2010 Gotzen D14/188
D624,553 S * 9/2010 Mamone D14/480.5
D624,920 S 10/2010 Sheppard et al.
D642,585 S * 8/2011 Lan D14/480.5
D670,297 S * 11/2012 Huang D14/480.5

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D800,138	S	10/2017	Brown et al.	
D800,139	S	10/2017	Brown et al.	
D827,649	S *	9/2018	Shim	D14/435.1
D834,580	S	11/2018	Wang	
D845,964	S	4/2019	Kim et al.	
2006/0038023	A1 *	2/2006	Brewer	G06K 19/005 235/492

OTHER PUBLICATIONS

"U.S. Appl. No. 29/648,875, Response dated Jul. 31, 2019 to Restriction Requirement dated Jun. 6, 2019", 5 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10