




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04L 29/06, G07F 7/08, 7/10	A1	(11) International Publication Number: WO 00/45564 (43) International Publication Date: 3 August 2000 (03.08.00)
(21) International Application Number: PCT/US00/02013 (22) International Filing Date: 28 January 2000 (28.01.00) (30) Priority Data: 60/118,379 29 January 1999 (29.01.99) US Not furnished 27 January 2000 (27.01.00) US (71)(72) Applicant and Inventor: CLAXTON, Allen [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): FRANKEL, Yair [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). MONTGOMERY, Charles, T. [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). STUBBLEBINE, Stuart [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). YUNG, Marcel, Mordechay [IL/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). ANKNEY, Richard [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). SALZ, Richard [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). TITCHENER, Thomas [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). LIEBERWIRTH, Peter [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). KONSTANTARAS,		Andrew [US/US]; Suite 22, 55 Broad Street, New York, NY 10004 (US). (74) Agents: LAZAR, Dale, S. et al.; Pillsbury Madison & Sutro, LLP, 1100 New York Avenue, N.W., Washington, DC 20005 (US). (81) Designated States: AU, CA, JP, US, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: RELIANCE MANAGER FOR ELECTRONIC TRANSACTION SYSTEM

**(57) Abstract**

An electronic transaction system includes an authority issuing electronic signals representing subscriber assurance of an attribute of a subscriber to the system; and a reliance server obtaining electronic signals representing information regarding the subscriber assurance issued by the issuing authority, the reliance server issuing electronic signals representing a signed warranty offer to a relying party, the signed warranty offer being based at least on the subscriber attribute assurance, wherein the reliance server only provides the signed warranty offer if the relying party is authorized to make a request for said warranty.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

**RELIANCE MANAGER
FOR ELECTRONIC TRANSACTION SYSTEM**

5 **1. FIELD OF THE INVENTION**

 This invention relates to electronic transactions, and, more particularly, to services supporting reliance in an electronic transaction system.

2. BACKGROUND

10 Systems for accomplishing business transactions electronically are becoming increasingly widespread, partly because of the advent of global computer networks such as the Internet, and partly because of the evolution and

maturity of public key cryptography, which enhances the security of such commerce.

To use secure electronic commerce according to the conventional methods, each user has a pair of related keys, namely a private key (to be kept
5 secret by the user) and a public key (which can be known by anyone without compromising the secrecy of the corresponding private key). Using a particular public key, an algorithm can determine whether the corresponding private key was used to sign or authenticate a given message.

A public key is simply a value (generally a number), and has no intrinsic
10 association with anyone, including the person whose message it is to authenticate. Widespread, commercial use of digital signatures requires reliable information associating public keys with identified persons. Messages of those identified persons can then be authenticated using the keys.

Digital signature certificates (sometimes also called public key certificates
15 or simply certificates) meet this need. These certificates are generally issued by trusted third parties known as certification authorities (CAs) and they certify (1) that the issuing certification authority has identified the subject of the certificate (often according to specifications delineated in a certification practice statement), and (2) that a specified public key (in the certificate) corresponds to the a private
20 key held by the subject of the certificate.

In order to assure that a certificate's authenticity can be subsequently verified, the certification authority digitally signs the certificate when issuing it. The issuing certification authority's digital signature can itself be verified by reference to a public key (the certification authority's public key), which is
25 associated with the certification authority in another certificate issued by a second

certification authority to the first certification authority. That other certification authority's digital signature can be verifiable by a public key listed in yet another certificate, and so on along a chain of certificates until one reaches a so-called root or prime certification authority whose public key is widely and reliably distributed. For maximum assurance of the authenticity of a certificate relied upon in a transaction, the relying party must, using conventional methods, verify each certificate in the chain.

Most legal systems treat a certificate as a representation, finding, or conclusion made pursuant to a contract between the issuing certification authority and the subscriber, i.e., the person identified in the certificate as the holder of the private key corresponding to the public key listed in the certificate. Persons other than the subscriber may rely on the certificate. The certification authority's duties in relation to those relying parties may stem from rules governing representations or false statements, rules treating the relying party as a third-party beneficiary of the contract between the certification authority and subscriber, statutes governing digital signatures, or a blend of all of the above as well as perhaps additional legal principles.

Often, a party's right to rely on a certificate is limited. In the law applicable to misrepresentations, for example, reliance is generally required to be reasonable. Further, reliance on some certificates is specified to be *per se* unreliable. A bright line separates certain classes of clearly unreliable certificates from all others, and a relying party relies on them at its own peril, without recourse against the issuing certification authority or subscriber for a defect in the certificate. Certificates that are *per se* unreliable are conventionally termed invalid, and may include any certificate which:

- (1) Has expired (i.e., the time of reliance is later than the date specified in the certificate for its expiration);
- (2) Has been revoked (i.e., have been declared permanently invalid by the certification authority which issued the certificate); and
- 5 (3) Is suspended at the time of reliance (i.e. has been declared temporarily invalid by the certification authority which issued the certificate).

In addition, a certificate which has not been accepted by its subscriber or issued by a certification authority should not be considered to have taken effect, and could, perhaps rather loosely, be considered invalid.

10 Suspending and/or revoking certificates are an important means of minimizing the consequences of errors by the certification authority or subscriber. Depending on applicable legal rules, a certification authority may avert further loss due to inaccuracy in the certificate by revoking it. A subscriber can revoke a certificate to prevent reliance on forged digital signatures created using a

15 compromised, e.g., lost or stolen, private key. Certificates which become invalid by revocation are generally listed in a certificate revocation list (CRL), according one standard, for example ITU X.509. Suspension, or temporary invalidation, was not contemplated in ITU X.509, and may or may not be included in the CRL. Certificates which become invalid by virtue of their age need not be listed in a

20 CRL because each certificate contains its own expiration date.

As a practical matter, the conventional CRL-based system works as follows. Before a subscriber can create a verifiable digital signature, the signer must arrange for a certification authority to issue a certificate identifying the subscriber with the subscriber's public key. The subscriber receives back and

25 accepts the issued certificate, and then creates digital signatures and attaches a

copy of the certificate to each of them. When the other party to a transaction receives such a digital signature, the other party must check with the certification authority, generally via its on-line database, to determine whether the certificate is currently valid. If so, and if the digital signature can be verified by the public key
5 in the certificate, the party is usually in a strong position to rely on the digital signature.

Existing, conventional systems have several deficiencies, including:

Little support for risk management: The conventional system provides very few facilities or opportunities to enable a certification authority to
10 manage the risk of certification. The certification authority is not informed when anyone relies on a certificate that the certification authority has issued or the extent to which anyone relies on any certificate it has issued. The certification authority also has no way of monitoring
15 outstanding certificates, ascertaining whether problems arise, evaluating which factors affect the risk of faulty certification or the scope of exposure to risk that the certification authority should prudently undertake.

Furthermore, conventional systems provide few facilities to help subscribers and relying parties manage their risks, including the risk of keeping the private key secure.

Relying party is under-served: To a great extent, it is the relying party,
20 not the subscriber, who bears the risk of fraud or forgery in the transaction. If a document is forged or is fraudulently altered, the relying party will suffer the consequences, which, according to the law of most states, is that the message is treated as void. Although the relying party has the keenest
25 interest in the information security of the transaction, the certification

authority's service contract is entirely with the subscriber. In the case of a fraud or forgery, the subscriber may even be the perpetrator. The roles of the conventional system thus set the certification authority up to deal with relatively disinterested parties or even perpetrators in problem cases, but to have no contact with the party who primarily bears the loss. This state of affairs exposes the certification authority to serious liability risks in relation to the relying party and causes the certification authority to forgo the business opportunity of serving the relying party. Rather than dealing exclusively with the subscriber, the digital signature infrastructure also needs a way of dealing with the relying party.

Cost front-loaded onto subscriber: Since the certification authority's contract is with the subscriber alone, not with the relying party, the certification authority has no alternative but to recover all costs and profit from the subscriber, even though, as previously noted, the relying party has the principal interest in the security of the signed message.

Lack of robustness: Because the conventional system fails to address risk management and the needs of relying parties, certification authorities have tended to interpret their roles narrowly. A certification authority may, for example, promise to look by rote at an apparent driver's license, or accept at face value a notarized application for certification, without purposefully endeavoring to serve the real business need for certification, which is to assure the expectations of the parties to the transaction. This mechanical approach to certification limits the potential for CAs to add further value to electronic commerce transactions. A more robust system needs to be

serviceable for certifying authorization, accreditation, legal status of a juridical entity, and credit, for example.

BRIEF DESCRIPTION OF THE DRAWINGS

5 The objects and advantages of the invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which the reference characters refer to like parts throughout and in which:

FIGURE 1 depicts an overview of components of embodiments of this
10 invention;

FIGURE 2 depicts the four corner model example according to embodiments of this invention;

FIGURES 3-4 depict the processing for obtaining an Identity Warranty according to various embodiments of the present invention;

15 **FIGURE 5** depicts the processing for the certificate status service according to embodiments of this invention;

FIGURE 6 provides an overview of identity warranty management services according to the present invention;

FIGURES 7-9 depict various message flow diagrams for identity warranty
20 management services according to the present invention;

FIGURE 10 shows the format of a signed transaction according to embodiments of this invention;

FIGURES 11-19 depict various messages associated with services according to the present invention;

FIGURES 20-29 depict message flow details associated with services according to the present invention; and

FIGURE 30 depicts Management Protocol Message Flows according to some embodiments of this invention.

5

DETAILED DESCRIPTION OF PRESENTLY PREFERRED EXEMPLARY EMBODIMENTS

INTRODUCTION

An overview of components of this invention is provided with reference to the diagram in **FIGURE 1**. This invention provides a reliance manager (RM) system that enables a Certification Authority (CA) to monitor transactional risk associated with certificates it has issued. In a preferred embodiment, the RM services of the present invention could be implemented within and by a organization of Participating Financial Institutions (PFIs) referred to as a Financial Trust Authority (FTA).

15

As used herein, a reliance manager (RM) is a general term for the assurance, certificate status, and assurance management services. The RM according to the present invention works within a public key infrastructure (PKI) hierarchy. A Certificate Authority (CA) generally refers to an application that signs and issues certificates. The PKI includes CAs for the itself and for each of the level-one PFI's (banks) in the FTA. In the PKI according to the present invention, a bank (Issuing Bank, IB) issues transaction based liability certificates (TBL Certificates) to entities, e.g., end users (Signing Party, SP). Policies and rules associated with these certificates define what any party receiving a signed message with a TBL Certificate (a Relying Party, RP) must do to obtain assurance associated with the transaction embodied in the signed message.

25

Assurance is the liability protection that the Relying Party (RP) wants with respect to the transaction. Assurance is generally limited to direct damages that the Relying Party (RP) will suffer if information (usually identity information or status information) contained within the TBL Certificate is incorrect or inaccurate, although any type of assurance can be given and is considered within the scope of this invention.

The various entities involved in the operation of the present invention are briefly described with reference to **FIGURE 1**.

Participating Financial Institution (PFI) Issuing Bank (Issuing Bank) provides certification and assurance services to various entities such as corporations and their employees/designees. Certification services include Registration Authority (RA) services, certificate issuance and certificate management. Assurance services include certificate validation and certificate information guarantees/assurance.

With respect to the four-corner model example of **FIGURES 1-2**, the Issuing Bank (IB) is the bank that issues the subscribers' certificates--i.e., a certificate for which a relying party may request assurance--and which responds to assurance requests from a relying party bank RM server. Note that banks will generally implement both issuing and relying party roles.

PFI Issuer Certificate Authority (CA) issues certificates to various entities, usually an institution's subscribers. A **Subscriber** is generally an end-user for whom an Issuing Bank has created a subscriber, or transaction bearing liability (TBL) certificate. A subscriber engages in an on-line transaction with a relying party by signing a contract and sending the subscriber's TBL certificate. A subscriber is sometimes also referred to as a Signing Party.

The CA may issue multiple types of certificates, as determined by usage, including Transaction Based Liability (TBL) certificates and utility (Secure Socket Layer, SSL) certificates. A Transaction Based (or Bearing) Liability Certificate (TBL) is, e.g., a certificate used under the PKI for identity warranty. That is, **TBL Certificates** (also known as a Warranty Certificates and Attribute Certificates) certificates given by an issuing bank to its subscribers. It is the certificate given by banks to their end users that implements the certificate profiles specified by the architecture. RM clients use their private keys and their warranty certificates to sign and certify identity warranty and certificate status request messages.

An Attribute Certificate is a certificate that contains additional information about the RM client that may be used in a transaction and can be part of an assurance request. An example of attribute certificates are certificates described in U.S. Patent No. 5,659,616, issued August 19, 1997, titled "Method For Securely Using Digital Signatures In A Commercial Cryptographic System," which is incorporated herein by reference.

A Utility Certificate is a certificate issued for some use other than Certificate Status or Identity Warranty Service messages, e.g., SSL client and server certificates.

PFI Repository (*Repo.* in **FIGURE 1**) stores and provides updated certificate status information to relying party banks through the Guardian/RM. A Repository refers generally to the service or application to which CAs publish certificates. Typically there is one repository for each CA, although there may be more than one per CA and CAs may share repositories. A repository service validates that a CA published a certificate and it says whether the certificate has

been revoked or not. The RM server for a given bank speaks directly with the Repositories for the bank and for the root CA. Communication with Repositories of other banks is channeled through the other bank's RM. RP clients also access the services of their bank's Repository (and of other bank Repositories) through their bank's RM. Repositories respond to requests for certificate status and for the certificates and certificate revocation lists (CRLs) themselves, sometimes called a CertRepository.

A Signing Party (Signing Party, SP) is an entity, e.g., an employee of a corporation that receives a TBL Certificate from an Issuing Bank. Each Signing Party may also be assigned an assurance limit, which could be a portion of the assurance limit granted by the PFI to the corporation. Generally, a Signing Party (SP), with respect to the four-corner model (see **FIGURE 1**), a warranty certificate holder whose bank maintains an identity warranty account for administering identity warranties, which can be purchased by Relying Parties.

The Guardian (RM) Server (Guardian (RM)) stores and provides access to information about assurance authorization and limits for all PFI's subscribers.

PFI Relying Party Bank (RPB) provides assurance services to Relying Parties. In preferred embodiments, RPB provides RP's only access point to the trust hierarchy. The Relying Party Bank (RPB), with respect to the four-corner model (see **FIGURES 1-2**), is generally the bank that responds to identity warranty service and certificate status requests from Relying Party clients. That is, the RPB is the bank that issues the relying party certificate--i.e., a certificate that a relying party uses to identify itself when it sends assurance and certificate status requests to its bank--and which responds to assurance requests from a

relying party client. As noted above, banks will generally implement both issuing and relying party roles.

5 Relying Party (RP) is an entity, e.g., an employee of a corporation that has been issued a certificate from a RPB and therefore has the right to seek assurance on individual signed transactions from Signing Parties. (A Signed Transaction generally refers to a CMS **SignedData** message (described below) that contains the business agreement as payload and content type, content message digest, signing certificate, signing time, and signer contract as authenticated attributes.)

10 Generally, a Relying Party (RP), with respect to the four-corner model (see **FIGURE 1**), is a warranty certificate holder who issues certificate status and identity warranty requests to its Relying Party Bank. Requests are made with respect to a Signing Party's certificate and a Signing Party-signed document. In other words, a **Relying Party** is an RM client who issues assurance and certificate status requests to his Relying Party Bank. A relying party issues assurance and certificate status requests with respect to a subscriber's certificate.

15 The Guardian (RM) Administrator manages Identity Warranty accounts and monitors the status of the Guardian (RM) services. Each Guardian (RM) has a local database that contains records for all transactions: Identity Warranty, certificates status and account management. The Guardian (RM) Administrator can run reports on data collected in the database. The various databases are described in greater detail in the section titled "Database Design" below.

20 Note that the various components of **FIGURE 1** describe and define a so-called "four corner" model, the "corners" being defined by the issuing bank, the relying party bank, the relying party and the signing party.

The RM according to the present invention provides a comprehensive solution for managing the risk exposure associated with the use of digital certificates. It enables financial institutions to offer their corporate customers financially backed warranties on certificate-based information. It provides various services, including Identity Warranty Service and Certificate Status Service (described below), for Relying Parties who wish to engage in Internet transactions. The present invention also provides Identity Warranty Management Services for the RM administrator.

- Identity Warranty Service – The service that guarantees the identity of a Signing Party certificate for a contract signed by the Signing Party's private key against a monetary amount of proven losses by the Relying Party. A Relying Party makes warranty requests to the Guardian (RM) at its bank (Relying Party Bank or RPB). Guardian (RM) will then validate the Relying Party's certificate, then issue an assurance request to Guardian (RM) identified in the TBL Certificate for which assurance is being sought. The Guardian (RM) receiving this request validates the TBL Certificate and then makes a determination as to whether assurance is to be granted. The assurance response is digitally signed by the Issuing Bank and sent to the RPB. The RPB in turn signs the assurance response and sends it to its customer, the Relying Party. Under the policies and contractual terms (System Rules) associated with TBL Certificates, a Relying Party cannot place any legal reliance (and therefore no liability) upon a TBL Certificate unless it has received a grant of assurance signed by its RPB in accordance with the System Rules. This requirement allows an Issuing Bank to manage risk associated with certificates on a transaction-by-transaction basis.

- Certificate Status Service – The service that provides status of an Identity Warranty Certificate in response to OCSP requests.
- Identity Warranty Management Service – The service that allows Guardian (RM) administrators to manage Identity Warranty accounts, manage Guardian (RM) operation, and monitor the status of Guardian (RM) services.

In preferred embodiments, all messages are encoded using Cryptographic Message Syntax (CMS) (an IETF standard for signing (and sealing) documents) and all are transported via HTTP over SSL. Reports are transported over SSL only. SSL is a transport-level security facility that can be configured to provide various levels of privacy and authentication, including authentication of the server to the client and of the client to the server. SSL is presently being finalized as an IETF standard as "Transport-Level Security" or TLS.

CMS is defined in IETF RFC2630, published July 12, 1999, ("<ftp://ftp.ietf.org/rfc/rfc2630.txt>") which is incorporated herein by reference.

The system may be configured under appropriate System Rules to operate, for example, as a three-corner model where an institution provides all the services for relying parties and signing parties. Equally, the System Rules could be formulated and the system configured to allow a participating institution change any parameters in the assurance offer to increase or limit the types of assurance offered. The system can be configured to allow an Issuing Bank to manage risk associated with certificates on a transaction-by-transaction basis or by groups of transactions.

OVERVIEW

The RM facility provides four client services: Identity Warranty with Offer and Accept messages, Identity Warranty without Offer and Accept messages, Certificate Status, and Identity Warranty Management. RM clients and servers function within the context of the PKI.

CLIENT SERVICES

The client services are implemented in the context of the “four-corner” model (FIGURES 1-2).

In this model, the Issuing Bank CA creates Warranty and Utility certificates for the Signing Party private keys. The Relying Party Bank CA creates Warranty and Utility certificates for the Relying Party private keys. The Signing Party and Relying Party private keys and certificates are preferably delivered and maintained in a secure manner such as on smart cards.

The Signing Party uses its Warranty Certificate private key to sign a business agreement, which it sends to the Relying Party. The business agreement covered by the Signing Party Warranty Certificate signature includes the contract itself and several Identity Warranty parameters, which qualify the Relying Party’s purchase of an Identity Warranty. In addition to the business agreement and signature, the Signing Party sends its Warranty Certificate chain (Warranty Certificate, Issuing Bank CA Certificate, Root CA Certificate).

Note that the Signing Party’s Warranty Certificate and private key are only used to protect the business agreement. For SSL and other applications, the Signing Party and Relying Party use their Utility Certificate and private key, which are designed to include no certificate extension that would cause the Certificate to fail generic validation procedures.

A Relying Party who receives a business agreement uses its own Warranty Certificate private key to sign the Identity Warranty Request and Acceptance messages it sends to its Relying Party Bank (RPB) RM.

5 The Request message includes a checksum for the contract, as the details of the contract are not of concern to the RPB RM. The Request includes the checksum, the Signing Party parameters and attributes, and the Signing Party signature so that the RPB and IB RM servers can verify the binding between the Signing Party signature, the contract, and the parameters. The Request also includes a RP signature for the message as a whole, and the SP and RP Certificate
10 chains, so the RPB RM and IB RM can verify the signatures and the status of the RP and SP certificates.

The Relying Party uses its Utility Certificate and private key for its SSL client identity when challenged for a certificate by the RPB RM.

15 **Identity Warranty Service with Offer and Acceptance Messages**

The processing for obtaining an Identity Warranty, with reference to **FIGURE 3**, is as follows:

1. A Relying Party receives a signed transaction.
2. The Relying Party (preferably using some mechanism, e.g., software,
20 provided by the Relying Party Bank) sends a Request for an Offer for a Warranty on the signed transaction.
3. The Relying Party Bank, operating a Reliance Manager system,
determines whether to authorize the Relying Party Request. On the basis
of the information contained in the Signing Party certificate, the Relying
25 Party's Bank, operating a Reliance Manager system, forwards the Request

to the Signing Party's Issuing Bank, which is responsible for the Signing Party's certificate.

4. The Signing Party's bank, i.e., the Issuing Bank, also operating a Reliance Manager system, determines whether to disburse the requested amount of Identity Warranty and sends an Offer for the Identity Warranty or an Error to the Relying Party Bank. The Offer includes an expiration date.
5. The Relying Party Bank updates the Offer and transmits it to the Relying Party. It may assess additional fees for certain value-added services it provides to the Relying Party.
10. The Relying Party chooses to accept or not to accept the Offer and sends an Acceptance message to the Relying Party Bank.
7. The Relying Party Bank determines a second time whether to authorize the Relying Party Request, commits the transaction, and forwards the Acceptance message to the Signing Party's Issuing Bank.
15. If the offer is still valid, the Issuing Bank determines a second time whether to disburse the requested amount of Identity Warranty, disburses the Identity Warranty amount from the Signing Party's Identity Warranty account (or refuses to disburse the amount) and returns the Warranty to the Relying Party Bank.
20. The Relying Party Bank updates the Warranty and forwards it to the Relying Party.

Identity Warranty Service Without Offer and Acceptance Messages

Alternately, as shown in **FIGURE 4**, the Relying Party may choose to avoid the Offer and Acceptance messages and immediately commit the Request. Note

that in this version of the protocol, the Relying Party accepts the Identity Warranty fee without knowing ahead of time exactly what the fee will be. The single round-trip version of the protocol makes the most sense when the Signing Party agrees to be charged for the Identity Warranty.

- 5 1. A Relying Party receives a signed transaction.
2. The Relying Party sends a request for an Identity Warranty on the contract from the Relying Party Bank.
3. The Relying Party Bank, operating a Reliance Manager system, determines whether to authorize the Relying Party Request. On the basis
10 of the information contained in a certificate, the Relying Party's Bank, operating a Reliance Manager system, communicates with the Signing Party's Issuing Bank, which is responsible for the Signing Party's certificate.
4. The Signing Party's bank, also operating a Reliance Manager system,
15 determines whether to disburse the requested amount of identity warranty, disburses the amount (or refuses to disburse the amount) immediately, and transmits a Warranty or Error to the Relying Party Bank.
5. The Relying Party Bank updates the Warranty and forwards it to the Relying Party. It may assess additional fees for certain value-added
20 services it provides to the Relying Party.

Certificate Status Service

A Relying Party may also check with its Relying Party Bank to verify the status of certificates in the certificate chain for a warranty certificate. **FIGURE 5** depicts the processing for the certificate status service according to embodiments
25 of this invention:

1. The Relying Party sends a certificate status request to the RM server at its Relying Party bank.
2. If the certificate in the message was issued by the Relying Party bank, then the Relying Party bank RM server checks the status of the certificate itself and sends the response to the Relying Party.
3. If the certificate in the message was issued by a different bank (“Target Certificate Bank” in **FIGURE 5**), then the Relying Party bank creates and sends a certificate status request to the Target Certificate Bank RM server on behalf of the Relying Party. The Target Certificate Bank RM server checks the status of the certificate and sends the response back to the Relying Party Bank, which resigns and sends the response to the Relying Party on behalf of the Target Certificate Bank.

Identity Warranty Management Service

FIGURE 6 provides an overview of identity warranty management services according to the present invention. Each RM server has a local database that contains information about its Identity Warranty accounts. The database also contains records for all transactions: identity warranty, certificate status, account management (e.g., create account, modify account, etc.). RM administrators manage Identity Warranty accounts and monitor the status of RM services through the Identity Warranty Management Service.

All commands are implemented to work within the same framework as a Relying Party client. One example would be from a COTS browser with signing plugin, using an administration version of the plugin, which knows about the administration command and response formats. RM servers export their

management interfaces through fixed URLs. RM administrators are issued warranty certificates on smart cards.

When the RM server is first installed, the installer initializes the authorization database to permit access to one RM administrator. The RM administrator inserts his or her smart card in a PC and downloads one of the administration forms (e.g., create new Relying Party) from the RM server, possibly downloading and installing the RM administration plugin in the process. The RM administrator fills out the form and presses the “submit” button. The plugin collects the administrators certificate chain, generates and signs the administration command, and sends the command to the RM server. Then it parses, validates, and displays the response.

Management commands fall into two categories: commands to manage accounts, commands to monitor RM services. Account management commands affect sensitive data such as identity warranty limits. RM servers apply authorization checks for account management commands and require approval of multiple administrators, each signing the request with his/her own warranty certificate before carrying out an actual update to the target account.

Service monitoring commands generate reports listing the status of RM services: e.g., return a list of all identity warranty transactions since 8:00 AM, return a list of all accounts with identity warranty balance equal to identity warranty limit, etc. Unlike account management commands, service monitoring commands do not require approval of multiple RM administrators, although they are verified against the same authorization database.

Given that the nature of reports is likely to vary from bank to bank, the RM server implements an extensible design that banks may easily install

customized reports. Service monitoring commands (a.k.a. report generation) are implemented as HTTP POST/RESPONSE messages against HTTPS URLs and authorized against the client's SSL identity (Utility Certificate).

In addition, each RM server implements a local management interface using the resources of the local host system. As the server is initially implemented on Windows/NT, the RM server runs as a Windows/NT service and uses the Windows/NT services control panel to start, stop, and suspend operation. However, instead of using the Windows/NT log services, the RM servers implement their own, cryptographically-protected log files. The log files record information related to the status of the server application itself, especially including utilization of system resources and network connectivity.

The RM servers log significant service events, such as the periodic status of Identity Warranty levels or depletion of Identity Warranty resources (and etc., as determined by experience). This provides a server-activated path for quick response, e.g., via a bank-specific process that continually scans the log and activates a bank-specific alert or alarm when it detects a significant event.

LOGGING

RM servers log protocol messages and database transactions. The signatures in protocol messages provide non-repudiation proof of communicating partner and local server actions. The RM server logs Identity Warranty messages it receives from RP clients and from other RM servers. The RM server logs Identity Warranty messages it generates itself. The RM server also logs Certificate Status (OCSP) messages it receives from OCSP responders: the local Repository, the Repository, other RM servers. Protocol messages are logged to the local file system. The logging system uses the logging private key to sign

individual entries and to sign the series of entries for protection against deleted entries. Although administrators will be able to view log entries remotely, the entries themselves are mainly of value for claims processing.

Database transactions (e.g., create Identity Warranty Account, update
5 Identity Warranty account warranty balance, update Identity Warranty account
warranty limit) are logged to database tables. These logs are used to generate
billing records and to monitor and manage the distribution of resources such as the
total value of all active identity warranties. Database logs are protected by the
same mechanisms as the database as a whole, which is to say by database-specific
10 configurations such as restricting access to database tables to stored procedures
and limiting the database administrator accounts to the account used by the RM
server.

CUSTOMIZATION

RM servers provide for integration with bank-specific authorization and
15 currency conversion procedures. To customize an RM server so that it invokes a
bank-specific risk management procedure, the RM installer adds a bank-supplied
library to the RM configuration. After executing the local authorization
procedure, the RM server invokes the bank-supplied procedure through the
library. RM servers invoke bank-supplied procedures for authorizing:

- 20 1. Request,
2. Forwarded Request,
3. Acceptance,
4. Forwarded Acceptance.

RM servers also provide bank-supplied procedures for currency
25 conversions. An RM server may convert between currencies when authorizing a

Request or Acceptance, as the Identity Warranty Account amount and request amount fields must be in a particular currency. An RM server may also convert between currencies when creating or forwarding an Offer, as the currency in the Request may not match the currency the bank uses to compute Identity Warranty fees.

Like other configuration parameters, the shared libraries that implement the bank-specific procedures are bound to a particular cryptographic token through hash values that are computed over the shared library files themselves and stored on the cryptographic token.

RM IDENTITIES

Each RM server may maintain multiple identities, where a identity means a public/private key pair and issued certificate. Key pairs and certificates are all stored on a cryptographic device (i.e., a hardware token, possibly more than one). When the RM server is first installed, the installation application generates new public/private key pairs on the cryptographic device and it creates certificate requests for each of key pair. The installer conveys the requests to the CA (which signs all RM certificates), and gets the CA to create the new certificates for each request. The final part of the installation binds the certificates and the RM configuration to the key pairs on the hardware token. The RM private keys are entirely contained on the hardware token. The hardware token is further protected by a passphrase, so each time the RM starts, it prompts a local administrator to type in the passphrase before it can begin. (Alternatively, the installer may choose between being prompted for a passphrase and saving the passphrase in (obscured)

local storage, with the caveat that the protection of the local storage then becomes a significant security risk.)

RM servers generate signatures for:

- Forwarded Request,
- 5 • Offer,
- Forwarded Offer,
- Forwarded Acceptance,
- Warranty,
- Forwarded Warranty,
- 10 • OCSP Request,
- OCSP Response,
- Management Command Response,
- Log File Entries.

RM servers also use public/private key pairs to protect transport
15 communication:

- SSL.

Servers use five identities for signing and one for SSL:

- RPB Identity for RPB Identity Warranty messages: Forwarded Request, Forwarded Offer, Forwarded Acceptance, Forwarded Warranty, Error,
- 20 • IB Identity for IB Identity Warranty messages: Offer, Warranty, Error,
- Certificate Status Identity for OCSP messages: Request, Response,
- Management Identity for Management Response messages,
- Logging Identity for Log File Entries,
- SSL Identity.

<i>Operation</i>	<i>Identity</i>
Sign Forwarded Request	RPB
Sign Offer	IB
Sign Forwarded Offer	RPB
Sign Forwarded Acceptance	RPB
Sign Warranty	IB
Sign Forwarded Warranty	RPB
Sign OCSP Request	Certificate Status
Sign OCSP Response	Certificate Status
Sign Management Command Response	Management Identity
Sign Log File Entries	Logging Identity
SSL	SSL

Certificates for identities other than SSL are preferably Warranty
 Certificates with extended key usage extension OIDs for each activity.

5 The SSL certificate is preferably a Utility Certificate.

To update any of the identities, the RM administrator preferably pauses
 operation of the server and re-runs the installation command that create the new
 key pairs, certificate requests, and installs the new certificates in the RM
 configuration.

10

WARRANTY REQUEST PROTOCOL

Introduction

This section describes an identity warranty protocol (IWP) according to
 embodiments of this invention. In particular, the messages between subscriber
 and relying party (RP), RP and reliance manager (RM), and between RMs are
 15 defined. The protocol is based on the use of CMS (formerly PKCS #7) to
 encapsulate transactions, using the CMS **signedData** construct. The individual
 messages are specified and encoded using ASN.1 DER (which is also used for

CMS itself). The **signedData** instance may be further encoded for transfer (e.g., using base64 encoding), and further protection (e.g., SSL or S/MIME) may be applied. The identity of the signer is contained in its certificate chain. **FIGURES 7-9** depict various message flow diagrams for identity warranty management services according to the present invention. **FIGURE 7** depicts identity warranty protocol message flows according to embodiments of this invention.

The messages of **FIGURE 7** are follows:

1. Signed transaction (technically, this is not part of the identity warranty protocol)
2. Request
3. Forwarded Request
4. Offer (this and messages 5 - 7 are optional, depending on the request)
5. Forwarded Offer
6. Acceptance
7. Forwarded Acceptance
8. Warranty
9. Forwarded Warranty

Either the Issuing Bank or the Relying Party Bank may return an error, for example, should the Signing Party or the Relying Party certificate prove to have been revoked.

FIGURE 8 depicts identity warranty protocol message flows with RP bank error. The messages of **FIGURE 8** are follows:

1. Signed transaction (technically, this is not part of the identity warranty protocol)
2. Request or Acceptance

3. Error

FIGURE 9 depicts identity warranty protocol message flows with issuer bank error. The messages of FIGURE 9 are follows:

1. Signed transaction (technically, this is not part of the identity warranty protocol)
2. Request or Acceptance
3. Forwarded Request or Acceptance
4. Error
5. Re-signed Error

SIGNED TRANSACTION STRUCTURE

Signed transactions according to the present invention are assumed to use the CMS message structure (**SignedData**).

The signer provides information on the transaction in a form usable by the parties to the actual identity warranty protocol in the **SignerContract** structure described below.

```

SignerContract ::= SEQUENCE {
    version          Version,
    contractID       ContractID,
    transactionType  [0] TransactionType OPTIONAL,
    paymentType      [1] PaymentType OPTIONAL,
    amountLimit      [2] MonetaryValue OPTIONAL,
    timeLimit        [3] GeneralizedTime OPTIONAL,
    relyingPartyID   [4] CertificateIdentifier OPTIONAL,
    contractAmount   [5] MonetaryValue OPTIONAL,
    contractExpires  [6] GeneralizedTime OPTIONAL,
    extensions       [7] Extensions OPTIONAL }
Version ::= INTEGER { v1(0), v2(1), v3(2) } -- from X.509
ContractID ::= OCTET STRING
-- SHA-1 hash of transaction
PaymentType ::= OBJECT IDENTIFIER
-- define values in arc for signing party pays, relying party pays, ...
TransactionType ::= OBJECT IDENTIFIER
-- define values in arc for fx, purch, collat, security, ...
MonetaryValue ::= SEQUENCE { -- from SET and ANSI X9.45

```

```

    currency          INTEGER (1..999),    -- per ISO 4217
    amount            INTEGER,
    exponent           INTEGER }
    -- value = amount * 10^exponent
5  CertificateIdentifier ::= OCTET STRING
    -- SHA-1 hash of DER encoding of relying party certificate

```

The contract is included as the content of the **SignedData** message. The **SignerContract** structure includes a hash of the transaction for which an identity warranty will be requested. The transaction itself is included as an unsigned attribute. Thus, the signature covers both the actual transaction and the **SignerContract**.

The contract ID is a hash to verify the integrity of the transaction in the unsigned attribute. The transaction type indicates, at some level of granularity, the type of transaction. This is a minimal amount of context which may be used by the RM when determining the risk associated with the transaction. The payment type field may be used by the Signing Party to offer to pay for the warranty.

The amount limit, time limit, and relying party ID fields constrain the relying party identity warranty request. The amount in the request cannot exceed the amount in the amount limit. The time of the request cannot be later than the time in time limit. The certificate for the relying party who submits the request must be same as the relying party identifier.

The contract amount and transaction expires fields describe the transaction. The contract amount is the actual transaction value. The contract expires field indicates the maximum duration of the transaction. The contract may also contain extensions (e.g., additional transaction context), although no extensions are currently defined.

The signer will also provide an instance of the signing certificate attribute as a signed attribute in the message. This attribute identifies the certificate for verifying the **SignerInfo** signature. The signer provides the certificates in the chain from its certificate to the root certificate in the CMS message structure.

5 The transaction for which an identity warranty will be requested is included as an unsigned attribute. This specification does not dictate any particular structure to the transaction contents.

```

10 spTransaction ATTRIBUTE ::= {
    WITH SYNTAX      SPTransaction
    ID               <... an OID ...> }
SPTransaction ::= OCTET STRING
    
```

The signer may optionally provide hardware or application-specific authentication or authorization data in one or more instances the signing party authentication information as authenticated or unauthenticated attributes in the message:

```

20 spAuthInfo ATTRIBUTE ::= {
    WITH SYNTAX      SPAAuthData
    ID               <... OID ...> }
SPAAuthData ::= SEQUENCE {
    version          Version,
    type             OBJECT IDENTIFIER,
25 content         ANY DEFINED BY type }
    
```

For example, the CSSD signature described in the Smart Card specification would be conveyed as an unauthenticated attribute:

```

30 id-CSSDAuthInfo    ::= <... OID ...>
CSSDAuthInfo        ::= OCTET STRING
    
```

The signed transaction (including signer contract) may easily be conveyed using S/MIME. The transaction may be included as the content of the CMS message, which is sent with MIME type “application/pkcs7-mime”. The relying party can re-encode the message without the “transaction” unsigned attribute. The
5 format of a signed transaction (with some details omitted) is shown in **FIGURE 10**.

IDENTITY WARRANTY PROTOCOL

This section defines the formats of the remaining identity warranty protocol messages. The identity warranty protocol usually requires two round
10 trips. With respect to the four-corner model (**FIGURES 1-2**), the Relying Party sends a request to its Relying Party Bank, and the Relying Party Bank forwards the request to the Issuing Bank (the two banks could be the same). In response, the Issuing Bank creates an offer and sends it to the Relying Party Bank, which forwards the offer to the Relying Party. This completes the first round trip.

15 The Relying Party starts the second round trip by creating an acceptance message, which it sends to the Relying Party Bank, who forwards the acceptance message to the Issuing Bank. In response, the Issuing Bank creates the warranty and sends it to the Relying Party Bank, who forwards the warranty back to the Relying Party.

20 The inner exchange of offer and accept messages is only necessary if the Relying Party indicated it wanted to decide itself whether to accept or reject the offer. If the Relying Party chooses to automatically accept the offer, there is no need for the inner round trip. The Relying Party sends a request to its Relying Party Bank, and the Relying Party Bank forwards the request to the Issuing Bank.

In response, the Issuing Bank creates the warranty and sends it to the Relying Party Bank, who forwards the warranty back to the Relying Party

Identity warranty protocol messages are assumed to use the CMS message structure (**SignedData**). The identity warranty protocol takes advantage of the
5 CMS **SignedData** capability of attaching multiple signatures (i.e., multiple **SignerInfo** fields), each with its own set of signed and/or unsigned attributes, to the same message content. The message originator assembles and signs the message content and additional authenticated or unauthenticated attributes. An intermediate party (e.g., the Relying Party Bank) forwards the originator's
10 message content and **SignerInfo** and adds its own certificates and **SignerInfo**, with authenticated and/or unauthenticated attributes and signature.

To protect sensitive upstream information that an intermediate party may wish not to expose to a downstream recipient and still be able to preserve the upstream signature for the downstream client to verify, the upstream neighbor
15 sends a digest of the sensitive information in the signed portion of the message and the sensitive information itself in the unauthenticated portion of the message. The intermediate party forwards the signed portion of the message and signature to the downstream neighbor as evidence of the upstream neighbor's participation in the transaction. And the intermediate party adjusts the sensitive information
20 and includes it in the portion of the message which it signs.

For example, this method is used to protect the Issuing Bank offer and warranty, so that the Relying Party Bank may add its own fee to the Issuing Bank fee while both preserving the Issuing Bank signature and protecting the relationship of Issuing Bank and Relying Party Bank fees from the Relying Party.

This method also protects the business transaction between the Signing and Relying Parties from the Banks.

REQUEST

With reference to **FIGURE 11**, to start an identity warranty transaction, the Relying Party creates a CMS **SignedData** message containing the content and **SignerInfo** from the Signing Party message--except for the transaction unsigned attribute--together with a Relying Party **SignerInfo**. (Omitting or including unsigned attributes makes no difference to the basic protocol. If an embodiment requires the relying party bank to forward the signing party transaction, this unsigned attribute can simply be included in the request.) The content type for the message is "signer contract"; this is included as the message content signed attribute, per the CMS specification. The Relying Party specifies Identity Warranty amount and duration in the **rpRequestInfo** signed attribute, whose syntax is specified below and with reference to **FIGURE 11**.

15

```

rpRequestInfo ATTRIBUTE ::= {
    WITH SYNTAX      IdentityWarrantyRequest
    ID                <... OID ...> }
IdentityWarrantyRequest ::= SEQUENCE {
    version           Version,
    warrantyAmount    MonetaryValue,
    warrantyExpires   GeneralizedTime,
    requestType       IdentityWarrantyRequestType,
    extensions       Extensions OPTIONAL – none currently defined}
IdentityWarrantyRequestType ::= OBJECT IDENTIFIER
-- define values in arc for bid, purchase, accept purchase

```

25

Warranty amount specifies the maximum value of identity warranty for which the Relying Party could issue a claim against the validity of the certificate identities for this transaction.

30

Warranty expires specifies the duration for the identity warranty contract.

Request type specifies whether the Relying Party wishes explicitly accept the offer by sending an acceptance message (**requestType** is bid), whether the Relying Party wishes to implicitly accept the offer without reviewing it first (**requestType** is purchase), or whether the Relying Party wishes to accept the Signing Party offer to purchase the warranty (**requestType** is accept purchase).
 5 **Extensions** may be specified as needed.

FORWARDED REQUEST

With reference to **FIGURE 12**, the Relying Party Bank creates a CMS **SignedData** message containing CMS message content and **SignerInfo** from the Relying Party CMS message, together with a **SignerInfo** of its own. The **SignerInfo** content type for the message is “signer contract”; this is included as the message content signed attribute, per the CMS specification. The Relying Party Bank specifies additional information in the **rpBankInfo** attribute whose syntax is specified below (and see **FIGURE 12**).
 10
 15

```

rpBankInfo ATTRIBUTE ::= {
    WITH SYNTAX          RPBankInfo
    ID                  <... OID ...> }
RPBankInfo ::= SEQUENCE {
    20 version            Version,
    extensions        Extensions OPTIONAL}
    
```

Alternate embodiments may include authentication or authorization information such as the OCSP responses for the Relying Party certificates.

25 **OFFER**

With reference to **FIGURE 12**, the Issuing Bank creates a CMS **SignedData** message containing the offer digest (**AttributeDigest** described below) as CMS message content. The content type for the message is “identity

warranty offer”; this is included as the message content signed attribute, per the CMS specification. The Issuing Bank specifies offer details in the **ibIdentityWarrantyOffer** attribute whose syntax is specified below (and in **FIGURE 12**).

5

```

AttributeDigest ::= SEQUENCE {
    version                Version,
    attributeld           OBJECT IDENTIFIER,
    randomPad            OCTET STRING (SIZE 80),
    -- 160 bits of entropy for hash to follow
    digestValue         OCTET STRING (SIZE 20)
    -- SHA-1 hash of DER encoding of attribute and random pad }

```

10

Attribute ID identifies the unsigned attribute for which this structure is the digest. The digest value is computed over the concatenation of the DER encoding of the **IdentityWarrantyOffer** attribute and **randomPad**. It protects the contents of the offer, which is transmitted as an unsigned attribute. Sending the offer as an unsigned attribute lets the relying party bank customize the offer it sends to the relying party, e.g., add its own charge to the issuing bank charge.

20

```

ibIdentityWarrantyOffer ATTRIBUTE ::= {
    WITH SYNTAX         IdentityWarrantyOffer
    ID                  <... OID ...> }
IdentityWarrantyOffer ::= SEQUENCE {
    version             Version,
    transactionID       TransactionID,
    warrantyAmount     MonetaryValue,
    warrantyExpires    GeneralizedTime,
    warrantyFee        MonetaryValue,
    offerExpires      GeneralizedTime,
    extensions         Extensions OPTIONAL }
TransactionID ::= SEQUENCE {
    contractDigest     OCTET STRING (SIZE 20),
    -- SHA-1 hash of SignerContract
    seqNum             INTEGER }
    -- distinguishes multiple protocol runs for the same transaction

```

25

30

35

The transaction ID consists of the SHA-1 hash of the concatenation of the DER encodings (i.e., including all ASN.1 type and length information) of:

40

1. the Signing Party **SignerContract**,

2. the signing time attribute from the Signing Party **SignerInfo**,
along with a sequence number which distinguishes multiple runs of the protocol
for the same signer contract and signing time. The transaction ID sequence
5 number is assigned by the Issuing Bank, and starts at 1 for the first offer for a
transaction.

The Issuing Bank uses the **TransactionID** to coordinate multiple requests
by the same Relying Party for a warranty for the same **SignerContract**. For each
request, the Issuing Bank generates a new Offer with a new
10 **TransactionID.seqNum**. When the Issuing Bank receives an Accept message, it
uses the **TransactionID** in the Accept message to locate the Offer and it deletes
all other Offers with the same **TransactionID.contractDigest**.

The Issuing Bank also uses the **TransactionID.contractDigest** to prevent
the Relying Party from obtaining a second warranty for the same **SignerContract**
15 while an existing warranty has yet to expire. A Signing Party who wishes to
prevent a Relying Party from serially obtaining warranties for the same
SignerContract after the warranty expires should use
SignerContract.timeLimit. Alternately, the Issuing Bank may implement a
policy that refuses to grant warranties for any **SignerContract** at some time later
20 than the Signing Time date (e.g., 30 days) in the Signing Party **SignerInfo**.

The offer also identifies the amount and duration for the offered warranty
(**warrantyAmount** and **warrantyExpires**), the warranty fee (**warrantyFee**), and
the time for which the offer is valid (**offerExpires**).

FORWARDED OFFER

With reference to **FIGURE 14**, the Relying Party Bank creates a CMS **SignedData** message containing CMS message content and **SignerInfo** from the Issuing Bank CMS message, together with a **SignerInfo** of its own. The

5 forwarded offer includes the content and signer info of the Issuing Bank Offer for claims processing evidence, should it be necessary. The Relying Party does not use them when it processes the response. (Whether or not the Issuing Bank signature is preserved depends in part upon who is legally responsible for the warranty. If it should become unnecessary to include the Issuing Bank signature,

10 then the Relying Party Bank simply omits the Issuing Bank Signer Info from the Forwarded Offer.) The content type attribute for the message is “identity warranty offer”; this is included as the message content signed attribute, per the CMS specification. The Relying Party Bank specifies the identity warranty offer details in the **rpbIdentityWarrantyOffer** attribute whose syntax is specified

15 below (and see **FIGURE 14**).

The Relying Party supplies OCSP replies (signed by the repository) that verify the status of its own certificate in the **rpbCertificateStatus** attribute whose syntax is specified below. The Relying Party uses a local copy of the OCSP signing certificate to verify the OCSP replies in the **rpbCertificateStatus**

20 attribute. Then it uses the public key in the Relying Party Bank certificate to verify the Relying Party Bank **SignerInfo**.

rpbIdentityWarrantyOffer ATTRIBUTE ::= {

25 WITH SYNTAX IdentityWarrantyOffer

 ID <... OID ...> }

rpbCertificateStatus ATTRIBUTE ::= {

 WITH SYNTAX SignedOCSPResponseSet

 ID <... OID ...> }

SignedOCSPResponseSet ::= SEQUENCE OF SignedOCSPResponse

SignedOCSPResponse ::= OCTET STRING -- per OCSP spec.

ACCEPTANCE

With reference to **FIGURE 15**, the Relying Party creates a CMS
 5 **SignedData** message containing the acceptance (**Acceptance** described below
 and see **FIGURE 15**) as CMS message content. The **SignerInfo** content type for
 the message is “identity warranty acceptance”; this is included as the message
 content signed attribute, per the CMS specification.

10 **Acceptance ::= SEQUENCE {**
 version **Version,**
 transactionID **TransactionID,**
 acceptanceStatus **AcceptanceStatus,**
 extensions **Extensions }**
 15 **AcceptanceStatus ::= OBJECT IDENTIFIER**
 -- define values in arc for accept, reject

FORWARDED ACCEPTANCE

With reference to **FIGURE 16**, the Relying Party Bank creates a CMS
 20 **SignedData** message containing CMS message content and **SignerInfo** from the
 Relying Party CMS message, together with a **SignerInfo** of its own. The
SignerInfo content type for the message is “identity warranty acceptance”; this is
 included as the message content signed attribute, per the CMS specification. The
 Relying Party Bank specifies additional information in the **rpbCertificateStatus**
 25 attribute whose syntax is specified above and in **FIGURE 16**.

IDENTITY WARRANTY

With reference to **FIGURE 17**, the Issuing Bank creates a CMS
SignedData message containing the identity warranty digest (**AttributeDigest**
 30 described above) as CMS message content. The content type for the message is

“identity warranty”; this is included as the message content signed attribute, per the CMS specification. The Issuing Bank specifies warranty details in the **ibIdentityWarranty** attribute whose syntax is specified below (and see **FIGURE 17**).

```

5  ibIdentityWarranty ATTRIBUTE ::= {
      WITH SYNTAX      IdentityWarranty
      ID                <... OID ...> }
IdentityWarranty ::= SEQUENCE {
10     version                Version,
      transactionID          TransactionID,
      signerContract        SignerContract,
      warrantyRequest      IdentityWarrantyRequest,
      warrantyAmount      MonetaryValue,
15     warrantyExpires    GeneralizedTime,
      warrantyFee          MonetaryValue,
      extensions          Extensions OPTIONAL }

```

The signer contract and warranty request record the Signing Party and Relying Party inputs to the warranty. Warranty amount and warranty expires describe the resulting warranty. Warranty fee describes the charge for the warranty.

FORWARDED IDENTITY WARRANTY

With reference to **FIGURE 18**, the Relying Party Bank creates a CMS **SignedData** message containing CMS message content and **SignerInfo** from the Issuing Bank CMS message, together with a **SignerInfo** of its own. The **SignerInfo** content type for the message is “identity warranty”; this is included as the message content signed attribute, per the CMS specification. The Relying Party Bank specifies signed OCSP replies attesting to the status of its own certificate in the **rpbCertificateStatus** attribute whose syntax is specified above and see **FIGURE 18**.

IDENTITY WARRANTY ERROR

With reference to **FIGURE 19**, if the Issuing Bank or the Relying Party Bank encounters an error processing the request or if it chooses to deny the request, then it returns this error message. The Bank creates a CMS **SignedData** message containing the error (**IdentityWarrantyError** described below) as CMS message content. The content type for the message is “identity warranty error”; this is included as the message content signed attribute, per the CMS specification.

Either the Issuing Bank or the Relying Party Bank may generate the identity warranty error message. The messages vary only in that the identity warranty error generated by the Issuing Bank does not include the certificate status attribute. When the Relying Party Bank receives an error generated by the Issuing Bank, then the Relying Party Bank re-signs the Issuing Bank **IdentityWarrantyError** content, creates the certificate status attribute, and sends the message with only the Relying Party Bank signature. If the Issuing Bank signature on an error message is determined to be significant, then the protocol will be expanded to include a forwarded error composed of an **IdentityWarrantyError** content with Issuing Bank and Relying Party Bank **SignerInfos**.

```

Identity WarrantyError ::= SEQUENCE {
    version          Version,
    error            Identity WarrantyStatus,
    transactionID   TransactionID OPTIONAL,
    certStatus      OCSPResponse OPTIONAL }
IdentityWarrantyStatus ::= SEQUENCE {
    statusCode      IdentityWarrantyStatusCode,
    errorText       IA5String OPTIONAL }
IdentityWarrantyStatusCode ::= ENUMERATED { success(0),
    subscriberCertChainOCSPError(1),
    rpCertChainOCSPError(2), rpServiceCertChainOCSPError(3),

```

**subscriberServiceCertChainOCSPError(4), Identity
WarrantyValueExceedsLimit(5), ... }
OCSPResponse ::= OCTET STRING -- per OCSP spec.**

5 If the error was caused by an OCSP response then the Issuing Bank includes the OCSP response in the certificate status field of the error.

 While the protocol messages may be described (as above) using CMS, they may also be described using XML. This section defines the formats of the identity warranty protocol messages using XML.

10 **IDENTITY WARRANTY PROTOCOL (XML)**

 As noted above, the identity warranty protocol usually requires two round trips. With respect to the four-corner model, the Relying Party sends a request to its Relying Party Bank, and the Relying Party Bank forwards the request to the Issuing Bank (the two banks could be the same). In response, the Issuing Bank
15 creates an offer and sends it to the Relying Party Bank, which forwards the offer to the Relying Party. This completes the first round trip.

 The Relying Party starts the second round trip by creating an acceptance message, which it sends to the Relying Party Bank, who forwards the acceptance message to the Issuing Bank. In response, the Issuing Bank creates the warranty
20 and sends it to the Relying Party Bank, which forwards the warranty back to the Relying Party.

 The inner exchange of offer and accept messages is only necessary if the Relying Party indicated it wanted to decide itself whether to accept or reject the offer. If the Relying Party chooses to automatically accept the offer, there is no
25 need for the inner round trip. The Relying Party sends a request to its Relying Party Bank, and the Relying Party Bank forwards the request to the Issuing Bank.

In response, the Issuing Bank creates the warranty and sends it to the Relying Party Bank, who forwards the warranty back to the Relying Party.

The warranty protocol defines nine XML messages:

```

5 <!--Warranty Protocol DTD -->
  <!-- PUBLIC "-//CertCo//DTD WP 1.0//EN" -->
  <!-- SYSTEM "wp.dtd" -->

  <!ELEMENT wmsg
10   (warranty-request | interbank-request | interbank-offer |
    customer-offer | acceptance | interbank-acceptance |
    interbank-warranty | warranty | error) >

  <!ATTLIST wmsg version    CDATA    #FIXED "1.0" >

```

15 All messages in the protocol consist of the detached signature from the signing party's transaction, and a warranty protocol message represented in XML. The two components are conveyed in a MIME multipart/message structure, which forms the actual content of the **SignedData**. The content type for the message is "data"; this is included as the content type signed attribute, per the CMS

20 specification. The structure of the MIME message is thus:

```

Content-Type: multipart/mixed; boundary=9afb45g

-- 9afb45g
25 Content-Type: application/pkcs7-signature

<base64 encoding of detached signature from signing party>

-- 9afb45g
30 Content-Type: text/plain

<XML warranty request message>

-- 9afb45g
35

```

If it is desired to pass on to the RP the warranty message from the issuing bank to the RP bank, the message can be encapsulated as a third MIME body part.

WARRANTY REQUEST (XML)

To start an identity warranty transaction, the Relying Party creates a CMS SignedData message containing the detached signature from the from the Signing Party message, together with the warranty request message defined below.

5 The warranty request message is defined as:

```

<!ELEMENT warranty-request (amount, expires) >
<!ATTLIST warranty-request reqtype (BID | BUY | ACCEPT) "BID" >
<!ELEMENT amount (#PCDATA) >
10 <!-- currency codes per ISO 4217 -->
<!ATTLIST amount &currcodes; "USD" >
<!ENTITY currcodes
" ( AED | AFA | ALL | AMD | ANG | AOK | AON | ARA | ARS | ATS |
15 AUD | AWG | AZM | BAD | BBD | BDT | BEF | BGL | BHD | BIF |
BMD | BND | BOB | BRE | BRL | BRR | BSD | BTN | BWP | BYB |
BZD | CAD | CDF | CHF | CLP | CNY | COP | CRC | CUP | CVE |
CYP | CZK | DEM | DJF | DKK | DOP | DZD | ECS | EEK | EGP |
ERB | ESP | ETB | EUR | FIM | FJD | FKP | FRF | GBP | GEL |
GHC | GIP | GMD | GNF | GNS | GQE | GRD | GTQ | GWP | GYD |
20 HKD | HNL | HRK | HTG | HUF | IDR | IEP | ILS | INR | IQD |
IRR | ISK | ITL | JMD | JOD | JPY | KES | KGS | KHR | KMF |
KPW | KWD | KYD | KZT | LAK | LBP | LKR | LRD | LSL | LTL |
LUF | LVL | LYD | MAD | MDL | MGF | MKD | MLF | MMK | MNT |
MOP | MRO | MTL | MUR | MVR | MWK | MXP | MYR | MZM | NAD |
25 NGN | NIC | NLG | NOK | NPR | NZD | OMR | PAB | PEI | PEN |
PGK | PHP | PKR | PLZ | PTE | PYG | QAR | ROL | RUR | RWF |
SAR | SBD | SCR | SDP | SEK | SGD | SHP | SIT | SKK | SLL |
SOS | SRG | STD | SVC | SYP | SZL | THB | TJR | TMM | TND |
TOP | TRL | TTD | TWD | TZS | UAH | UGS | UGX | USD | UYN |
30 UYP | UYU | UZS | VEB | VND | VUV | WST | XAF | XCD | XDR |
XEU | XOF | XPF | YER | YUN | ZAR | ZMK | ZRN | ZWD )" >

```

```

<!ELEMENT expires (#PCDATA) >
<!-- expiration time in ISO 8601 format -->
35 <!-- an example -->
<wpsmsg>
<warranty-request>
40 <amount ccy="GBP">10000</amount>
<expires>19990731T16:00:00</expires>
</warranty-request>
</wpsmsg>

```

45 The warranty amount specifies the maximum value of identity warranty for which the Relying Party could issue a claim against the validity of the certificate identities for this transaction.

“Expires” specifies the desired duration for the identity warranty contract.

The request type specifies whether the Relying Party wishes explicitly accept the offer by sending an acceptance message (**reqType** is “BID”), whether the Relying Party wishes to implicitly accept the offer without reviewing it first (**reqType** is “BUY”), or whether the Relying Party wishes to accept the Signing Party offer to purchase the warranty (**reqType** is “ACCEPT”).

The signer’s certificate chain is conveyed in the detached signature, rather than as a separate XML element. The detached signature consists of the **SignerInfo** structure, a version number, digest algorithm ID, and (optionally) certificates.

The relying party may include the entire signed transaction rather than the detached signature. This would be the entire CMS-encapsulated message, without MIME headers. The content type would be application/pkcs7-mime.

INTERBANK REQUEST (XML)

The Relying Party Bank creates an interbank request and sends it, along with the detached signature from the signer, to the Issuing Bank. The message contents and structure are the same as for the warranty request. Note the detached signature contains the signer’s certificate chain.

```
<!ELEMENT interbank-request (amount, expires) >
<!ATTLIST interbank-request reqtype (BID | BUY | ACCEPT) "BID" >
```

INTERBANK OFFER (XML)

The Issuing Bank creates a CMS **SignedData** message containing the detached signature of the original transaction, and the warranty offer, as the message content. The two components are structured as a MIME multipart/mixed

message as described previously. Note the signer's certificate chain may be discarded from the detached signature at this point.

The offer is defined as:

```

5    <!ELEMENT interbank-offer
      (transid, amount, expires, fee, offer-expires) >

    <!ELEMENT transid      (#PCDATA) >
    <!-- hash of the SignerInfo portion
10     of the original detached signature structure -->

    <!ATTLIST transid  algorithm (SHA1) #IMPLIED
      seq      (#PCDATA) #REQUIRED >

15   <!ELEMENT fee      (#PCDATA) >

    <!ATTLIST fee      ccy &currCodes; "USD" >

    <!ELEMENT offer-expires      (#PCDATA) >
20   <!-- offer expiration time in ISO 8601 format -->

    <!-- an example -->
    <wmsg>
      <interbank-offer>
25     <transid seq="1">IzBgNVNK45FZV1acHk8qDSouC9A=</transid>
      <amount ccy="GBP">10000</amount>
      <expires>19990731T16:00:00</expires>
      <fee ccy="GBP">10</fee>
      <offer-expires>19990611T14:20:00</offer-expires>
30     </interbank-offer>
    </wmsg>

```

The transaction ID consists of the SHA-1 hash of the DER of the Signing Party **SignerInfo**, along with a sequence number which distinguishes multiple runs of the protocol for the same signer contract and signing time. The transaction ID sequence number is assigned by the Issuing Bank, and starts at one for the first offer for a transaction.

The Issuing Bank uses the transaction ID to coordinate multiple requests by the same Relying Party for a warranty for the same transaction. For each request, the Issuing Bank generates a new Offer with a new sequence number. When the Issuing Bank receives an Accept message, it uses the transaction ID in

the Accept message to locate the Offer and it deletes all other Offers for the transaction.

The Issuing Bank also uses the transaction ID to prevent the Relying Party from obtaining a second warranty for the same transaction while an existing
5 warranty has yet to expire.

The offer also identifies the amount and duration for the offered warranty , the warranty fee, and the time for which the offer is valid.

CUSTOMER OFFER (XML)

10 The Relying Party Bank creates a CMS **SignedData** message containing the detached signature of the original transaction and the offer. The forwarded offer is identical in syntax to the interbank offer

15 <!ELEMENT customer-offer
(transid, amount, expires, fee, offer-expires) >

ACCEPTANCE (XML)

The Relying Party creates a CMS **SignedData** message containing the detached signature from the original transaction and the acceptance message.

20 <!ELEMENT acceptance (transid) >
<!ATTLIST acceptance status (ACCEPT|REJECT) #REQUIRED >

FORWARDED ACCEPTANCE (XML)

25 The Relying Party Bank creates a CMS **SignedData** message containing the detached signature of the original transaction and the acceptance message. The message has the same syntax as the customer acceptance message:

30 <!ELEMENT interbank-acceptance (transid) >

INTERBANK WARRANTY (XML)

The Issuing Bank creates a CMS **SignedData** message containing the detached signature of the original transaction and the identity warranty. The warranty has syntax:

5

```
<!ELEMENT interbank-warranty  
      (transid, warranty-request, amount, expires, fee) >
```

The warranty request records the Signing Party and Relying Party inputs to the warranty. The remainder of the message includes the warranty amount, expiration time, and fees.

10

IDENTITY WARRANTY (XML)

The Relying Party Bank creates a CMS **SignedData** message containing the detached signature of the original transaction and the warranty to be issued to the relying party. The warranty has the same structure as the interbank warranty.

15

```
<!ELEMENT warranty  
      (transid, warranty-request, amount, expires, fee) >
```

IDENTITY WARRANTY ERROR (XML)

20

If the Issuing Bank or the Relying Party Bank encounters an error processing the request or if it chooses to deny the request, then it returns this error message. The Bank creates a CMS **SignedData** message containing the error (described below) and the detached signature of the original transaction as the CMS message content.

25

Either the Issuing Bank or the Relying Party Bank may generate the identity warranty error message. The messages vary only in that the identity warranty error generated by the Issuing Bank does not include the certificate

status. When the Relying Party Bank receives an error generated by the Issuing Bank, then the Relying Party Bank re-signs the Issuing Bank error message content, creates the certificate status field, and sends the message with only the Relying Party Bank signature. If the Issuing Bank signature on an error message is determined to be significant, then the protocol will be expanded to include a forwarded error composed of an error message content with Issuing Bank and Relying Party Bank **SignerInfos**.

```

10 <!ELEMENT error (error-text?, transid?, cert-status?) >
    <!ATTLIST error  status (success|subscriber-ocsp-error|
        rp-ocsp-error|rp-service-ocsp-error|subscriber-service-error|
        exceeds-limit) #REQUIRED >
15 <!ELEMENT error-text    (#PCDATA) >
    <!ELEMENT cert-status  (#PCDATA) >
    <!-- base64-encoded OCSP response message -->

```

20 If the error was caused by an OCSP response then the Issuing Bank includes the OCSP response in the cert status field of the error.

WARRANTY PROTOCOL DTD

The warranty protocol DTD is included here:

```

25 <!--Warranty Protocol DTD      -->
    <!-- PUBLIC "-//CertCo//DTD WP 1.0//EN" -->
    <!-- SYSTEM "wp.dtd" -->
30 <!ELEMENT wpmsg
    (warranty-request | interbank-request | interbank-offer |
    customer-offer | acceptance | interbank-acceptance |
    interbank-warranty | warranty | error) >
35 <!ATTLIST wpmsg version    CDATA    #FIXED "1.0" >
    <!ELEMENT warranty-request (amount, expires) >
    <!ATTLIST warranty-request reqtype (BID | BUY | ACCEPT) "BID" >
40 <!ELEMENT amount          (#PCDATA) >
    <!-- currency codes per ISO 4217 -->

```

```

<!ATTLIST amount                &currcores; "USD" >

<!ENTITY currcores
    " ( AED | AFA | ALL | AMD | ANG | AOK | AON | ARA | ARS | ATS |
5      AUD | AWG | AZM | BAD | BBD | BDT | BEF | BGL | BHD | BIF |
      BMD | BND | BOB | BRE | BRL | BRR | BSD | BTN | BWP | BYB |
      BZD | CAD | CDF | CHF | CLP | CNY | COP | CRC | CUP | CVE |
      CYP | CZK | DEM | DJF | DKK | DOP | DZD | ECS | EEK | EGP |
10     ERB | ESP | ETB | EUR | FIM | FJD | FKP | FRF | GBP | GEL |
      GHC | GIP | GMD | GNF | GNS | GQE | GRD | GTQ | GWP | GYD |
      HKD | HNL | HRK | HTG | HUF | IDR | IEP | ILS | INR | IQD |
      IRR | ISK | ITL | JMD | JOD | JPY | KES | KGS | KHR | KMF |
      KPW | KWD | KYD | KZT | LAK | LBP | LKR | LRD | LSL | LTL |
15     LUF | LVL | LYD | MAD | MDL | MGF | MKD | MLF | MMK | MNT |
      MOP | MRO | MTL | MUR | MVR | MWK | MXP | MYR | MZM | NAD |
      NGN | NIC | NLG | NOK | NPR | NZD | OMR | PAB | PEI | PEN |
      PGK | PHP | PKR | PLZ | PTE | PYG | QAR | ROL | RUR | RWF |
      SAR | SBD | SCR | SDP | SEK | SGD | SHP | SIT | SKK | SLL |
      SOS | SRG | STD | SVC | SYP | SZL | THB | TJR | TMM | TND |
20     TOP | TRL | TTD | TWD | TZS | UAH | UGS | UGX | USD | UYN |
      UYP | UYU | UZS | VEB | VND | VUV | WST | XAF | XCD | XDR |
      XEU | XOF | XPF | YER | YUN | ZAR | ZMK | ZRN | ZWD )" >

<!ELEMENT expires                (#PCDATA) >
25 <!-- expiration time in ISO 8601 format -->

<!ELEMENT interbank-request (amount, expires) >

<!ATTLIST interbank-request reqtype (BID | BUY | ACCEPT) "BID" >
30

<!ELEMENT interbank-offer
    (transid, amount, expires, fee, offer-expires) >

<!ELEMENT transid                (#PCDATA) >
35 <!-- hash of the SignerInfo portion
    of the original detached signature structure -->

<!ATTLIST transid algorithm (SHA1) #IMPLIED
40          seq                (#PCDATA) #REQUIRED >

<!ELEMENT fee                    (#PCDATA) >

<!ATTLIST fee                    ccy &currcores; "USD">

45 <!ELEMENT offer-expires          (#PCDATA) >
<!-- offer expiration time in ISO 8601 format -->

<!ELEMENT customer-offer
    (transid, amount, expires, fee, offer-expires) >
50

<!ELEMENT acceptance            (transid) >

<!ATTLIST acceptance            status (ACCEPT|REJECT) #REQUIRED >

55 <!ELEMENT interbank-acceptance  (transid) >

<!ELEMENT interbank-warranty
    (transid, warranty-request, amount, expires, fee) >

60 <!ELEMENT warranty
    (transid, warranty-request, amount, expires, fee) >

```

```

<!ELEMENT error (error-text?, transid?, cert-status?) >
<!ATTLIST error  status (success|subscriber-ocsp-error|
5      rp-ocsp-error|rp-service-ocsp-error|subscriber-service=error|
      exceeds-limit) #REQUIRED >
<!ELEMENT error-text    (#PCDATA) >
10 <!ELEMENT cert-status  (#PCDATA) >
    <!-- base64-encoded OCSP response message -->

```

FUNCTIONAL DESCRIPTION

This section provides further details about the Identity Warranty,
 Certificate Status, and Identity Warranty Management services. **FIGURES 20-28**
 15 depict message flow details associated with services according to the present
 invention.

IDENTITY WARRANTY SERVICE

20 The Identity Warranty Service provides Identity Warranties in response to
 Requests by a Relying Party (RP). The RP communicates directly with the
 Relying Party Bank (RPB), which performs operations related to the RP:
 authentication, validation of the status of the RP certificate, etc. The RPB Identity
 Warranty Service that communicates with the RP is known as the RPBIWS.

25 Assuming these operations are successful, the RPB then signs and forwards the
 Request to the Signing Party's Issuing Bank (IB). The IB Identity Warranty
 Service that communicates with the RPB is known as the IBIWS. The IB
 performs operations related to the RPB and the Signing Party (SP): authentication,
 authorization and of disbursement of the identity warranty amount, validation of
 30 the RPB and SP certificates, etc. The IB sends a response to the RPB, which

combines the IB information with its own information and signs and forwards the combined result to the RP.

Operation of the RPBIWS and IBIWS is controlled by the value of the **requestType** field in the Request message. If the **requestType** field is set to **id--requestOffer** then the IB creates and sends an Offer, which the RPB updates, signs, and forwards to the RP. The Offer includes an expiration date, after which the Offer is no longer valid. If the RP wishes to accept the Offer, then at some point before the expiration date, the RP creates and sends an Acceptance message, which the RPB signs and forwards to the IB. The IB disburses the warranty amount from the Signing Party Identity Warranty account, and returns a Warranty message, which the RPB updates, signs and forwards to the RP.

A Request message with **requestType** field set to **id--requestWarranty** eliminates the inner round of messages. The IB immediately disburses (or refuses to disburse) the warranty amount and returns a Warranty message to the RPB. The RPB updates, signs and forwards the Warranty to the RP. The Warranty completes the message exchange. The RP does not send an Acceptance message.

All connections preferably use SSL v3 with client authentication (i.e., client certificates).

RPB Identity Warranty Service with Offer and Acceptance: first round-trip

With reference to **FIGURE 20**, the Relying Party Bank Identity Warranty Service (RPBIWS) is the Relying Party's portal to the Identity Warranty Service provided by the Relying Party Bank (RPB) and Issuing Bank (IB) RM servers.

The RPBIWS authenticates the Relying Party (RP) against the local database of Identity Warranty Accounts and against the Root and RPB

Repositories. Then, the RPBIWS authorizes the Request against the Spending Balance and Spending Limit values in the RP's Identity Warranty account.

The Spending Balance and Spending Limit fields restrict the total value of Identity Warranties for which a RP has yet to pay Identity Warranty fees. To
5 authorize a Request, the RPB compares the sum of the Spending Balance and the warranty amount of the Request to the Spending Limit. If the sum exceeds the limit, then the RPB sends an error message with an appropriate status value.

The bank may also choose to extend Request authorization by registering a bank-specific Request authorization method with the RM.

10 After authorizing the Request, the RPBIWS signs the Request with its RPB Identity Warranty key, logs the Request, forwards the Request to the IB, and waits for the IB response. If the IB approves the Request, it returns an Offer. Otherwise, it returns an Error.

When the RPBIWS receives an Offer from the IB, it authenticates the IB
15 against the local database of Identity Warranty Accounts and against the Repository. Then, the RPBIWS updates the IB Offer, e.g., adds its own charge to the **warrantyFee**.

Finally, the RPBIWS signs the Offer with its RPB Identity Warranty key, logs the Offer, and forwards the Offer to the RP.

20 If the RPBIWS receives an Error from the IB, then it still authenticates the IB against the local database of Identity Warranty Accounts and against the Repository. Then, it generates its own Error message, copying or updating the IB error status, signs the Error with its RPB Identity Warranty key, logs the Error, and sends the Error to the RP.

Message flows associated with the relying party bank request/forwarded offer details are described here with reference to **FIGURE 20**.

1. Request message contents (1):
 - i. Signer Contract,
 - 5 ii. Request (**requestType** set to **id--requestOffer**).
2. Log the Request (2).
3. Authenticate RP: check that the account from the RP Identity Warranty certificate in the Request exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL client certificate
10 for the session (3).
4. Authorize Request: check the sum of the Request warranty amount and the Spending Balance field in the RP Identity Warranty Account doesn't exceed the Spending Limit field in the RP Identity Warranty Account, invoke the bank RP authorization method if one is registered (4).
- 15 5. Verify RP certificates: check the extensions for the RP Utility Certificate; check the extensions for the certificates in the chain for the RP Identity Warranty Certificate; check the RPB and Root Repositories for the status of the RP Identity Warranty Certificate chain and for the RPB Repository OCSP certificate, log the OCSP responses (5, 6).
- 20 6. Sign and forward the Request to the IB for the Signing Party certificate; wait for the response, log response (7, 8, 9).
7. Authenticate Offer or Error: check that the account from the IB Identity Warranty certificate in the Offer or Error exists in the accounts database and that the SSL client certificate identifier in the account matches the
25 SSL server certificate for the session (10).

8. Verify IB certificates: check the extensions for the IB Identity Warranty certificate; query the Root Repository for the status of the IB Identity Warranty certificate, log the OCSP responses (11, 12).
9. Query Root Repository for status of RPB Identity Warranty certificate (13). The signed response for the RPB Identity Warranty certificate, together with a local copy of the Root Repository certificate, enables the RP to verify the status of the RPB Identity Warranty certificate.
10. Update, sign and log the forwarded Offer or Error (14).
11. Send forwarded Offer or Error to RP (15).

The RPBIWS maintains a table that associates the Transaction ID in an Offer with the IB and the Offer itself so that the RPBIWS knows where to forward the Acceptance message and what warranty amount to use to authorize the Acceptance.

IB Identity Warranty Service with Offer and Acceptance: first round-trip

The Issuing Bank Identity Warranty Service (IBIWS) provides the Issuing Bank's control over disbursement of Identity Warranties for Identity Warranty accounts. When the IBIWS receives a Forwarded Request with **requestType** set to **id--requestOffer**, it begins by authenticating the RPB and the Signing Party against the local database of Identity Warranty Accounts and against the Root and IB Repositories. Then, the IBIWS authorizes the Forwarded Request. Inputs to the authorization decision include:

1. the list of active warranties,
2. the limits imposed by the Signing Party (in the Signer Contract),

3. a limit on the outstanding Identity Warranty amounts for the Signing Party,
4. a limit for the outstanding Identity Warranty amounts for a group of Signing Parties.

5 First, the IBIWS scans the list of active warranties to see if a warranty for this Signed Transaction is still in effect. Warranties include a copy of the Transaction ID, for which the **contractDigest** hash uniquely identifies an instance of a Signer Contract in a Signed Transaction. To determine if a warranty for this Signed Transaction is still in effect, the IBIWS generates the **contractDigest** hash
10 for this Request and scans the list of current warranties for one with a Transaction ID with the same value. Note this does not prevent the IBIWS from repeatedly issuing warranties for the same **SignerContract** *after* the previously issued warranty expires. If the SP wishes to prevent an RP from repeatedly obtaining a warranty for the same **SignerContract**, the SP should specify a warranty duration
15 limit in the **SignerContract** itself.

Next, the IBIWS authorizes the Forwarded Request against the limits in the Signer Contract. The Signing Party may optional limit any combination of the warranty amount, the warranty duration, or the identity of the RP requesting the Warranty. If:

- 20 a) the warranty amount in the Request exceeds the warranty amount in the Signer Contract, or
- b) the warranty duration in the Request exceeds the warranty duration in the Signer Contract, or
- c) if the RP Identity Warranty certificate in the Request does not match the
25 RP identity in the Signer Contract,

then the IBIWS rejects the Forwarded Request with an appropriate status code.

Next, the IBIWS checks the sum of

- a) the warranty amount in the Request, and
- b) the Warranty Balance field in the SP Identity Warranty Account

5 do not exceed the Warranty Limit field in the same account. Finally, if the SP is a member of a group, then the IBIWS checks the sum of

- a) the warranty amount in the Request and
- b) the Warranty Balance field for the group account

does not exceed the Warranty Limit field for the group.

10 The bank may also choose to extend Forwarded Request authorization by registering a bank-specific Forwarded Request authorization method with the RM.

After authorizing the Request, the IBIWS invokes a bank-specific method to calculate the warranty fee, and records the completed Offer in a local database, which it uses to verify the timeliness of the forwarded Acceptance message (if

15 any). At this time, the IBIWS also creates a unique Transaction ID for the Offer.

An RP may request multiple Offers for the same Signer Contract. The IBIWS differentiates between different Offers for the same Signer Contract by including a sequence number in the Transaction ID, which it calculates as the enumeration of Offers with the same Transaction ID **contractDigest**. Finally, the IBIWS signs

20 the Offer, logs it, and sends it to the RPB.

The Message Flow associated with the above is described with reference to **FIGURE 21**.

1. Forwarded Request message contents (1):

- i. Signer Contract,
- 25 ii. Request (**requestType** set to **id--requestOffer**),

iii. RPB Info.

2. Log the Forwarded Request (2).

3. Authenticate RPB and SP: check the accounts from the RPB and SP

Identity Warranty certificates exists in the database and that the SSL client
5 certificate identifier in the RPB Identity Warranty Account matches the
SSL client certificate for the session (3).

4. Authorize Forwarded Request: check that no active warranty exists for this
Forwarded Request, check the Identity Warranty amount in the Forwarded
Request does not exceed the identity warranty amount limit in the Signer
10 Contract, check the time of the Request does not exceed the identity
warranty time limit in the Signer Contract, check the identity Relying
Party certificate matches the relying party ID in the Signer Contract, check
the identity warranty amount does not cause the balance for the SP Identity
Warranty account or group of SP Identity Warranty Accounts to exceed its
15 limit, invoke the bank Request authorization method if one is registered
(4).

5. Verify RPB and SP certificates: check the extensions for the RPB Utility
Certificate; check the extensions for the certificates in the chains for the
RPB and SP Identity Warranty Certificates; check the IB and Root
20 Repositories for the status of the certificates in the chains for the RPB and
SP Identity Warranty Certificates and for the IB Repository OCSP
Certificate, log OCSP responses (5, 6).

6. Sign and log the Offer, log OCSP responses (7).

7. Send Offer to RPB (8).

The IBIWS maintains a list of outstanding Offers sorted by expiration date, which it periodically scans to eliminate Offers whose expiration date has passed and which it also uses to process Forwarded Acceptance messages from the RPB. The list associates a Transaction ID with an Offer and Signing Party
5 Identity Warranty account.

**RPB Identity Warranty Service with Offer and
Acceptance: second round-trip**

Having received and reviewed the RPB Offer message, the RP client chooses either to accept or reject the Offer and sends the RPBIWS an Acceptance
10 message with a field indicating this decision (accept or reject). Alternately, if the RP chooses not to accept the offer, the RP can simply let the Offer expire without sending the Acceptance message. The Relying Party Bank Identity Warranty Service (RPBIWS) authenticates the RP against the local database of Identity
15 Warranty Accounts and against the Root and RPB Repositories. Then, the RPBIWS authorizes the Acceptance against the Spending Balance and Spending
Limit values in the Relying Party's Identity Warranty account.

The RPBIWS authorizes the Acceptance the same way it authorized the Request, namely by comparing the sum of the Spending Balance and the warranty
20 amount of the Request to the Spending Limit. The RPBIWS also invokes the bank-supplied Request authorization method, if one is supplied. The RPBIWS authorizes the amount from the Request a second time because the Spending
Balance value may have changed since the RPBIWS received and authorized the corresponding Request, e.g., if the RP accepted an Offer for a different Request.

If the sum of the Spending Balance and the warranty amount of the Offer
25 are less than the Spending Limit, then the RPBIWS adds the warranty amount

from the Offer to the Spending Balance and logs the transaction. Thus, for the two-round-trip version of the Identity Warranty Protocol, the RPB authorizes the RP two times: once for the Request, for the amount in the Request—at which point the Spending Balance is *not* modified, once for the Acceptance, for the amount in the Offer—at which point the Spending Balance *is* modified. (This double authorization is consistent with the IBIWS procedure for authorizing the Forwarded Offer and Forwarded Acceptance messages. Both the RPBIWS and IBIWS wait for the Acceptance message before updating the Spending Balance and Warranty Balance fields in the RP and SP Identity Warranty Accounts. An alternative design would be to update the Balance fields in response to the successful authorization of the Request message, which would have the desirable property of not requiring the second authorization. Unfortunately, it would also mean successive Requests for the same Signer Contract would be authorized (or fail to be authorized) against artificially inflated balances. The IBIWS accepts only one Offer, at which point the warranty amounts for all rejected Offers would flow back to the SP and RP account balances.)

After authorizing the Acceptance, the RPBIWS signs the Acceptance with its RPB Identity Warranty key, logs the Acceptance, forwards the Acceptance to the IB, and waits for the IB response. If the IB approves the Acceptance, it returns a Warranty. Otherwise, it returns an Error.

When the RPBIWS receives a Warranty from the IB, it authenticates the IB against the local database of Identity Warranty Accounts and against the Repository. Then, the RPBIWS updates the IB Warranty, e.g., adds its own charge to the **warrantyFee**. The RPB may also have to adjust the Spending Balance if the warranty amount in the Warranty differs from the amount in the

Offer. When the RP pays the bank for the Warranty, then the RM administrator decrements the Spending Balance by the Warranty amount. Finally, the RPBIWS signs the Warranty with its RPB Identity Warranty key, logs the Warranty, and forwards the Warranty to the RP.

5 If the RPBIWS receives an Error from the IB, then it still authenticates the IB against the local database of Identity Warranty Accounts and against the Repository. Then, it generates its own Error message, copying or updating the IB error status, signs the Error with its RPB Identity Warranty key, logs the Error, and sends the Error to the RP. The RPB also decrements the Offer warranty
10 amount from the Spending Balance.

Message flows associated with rpb identity warranty service with offer and acceptance: second round-trip are described with reference to **FIGURE 22**.

1. RP Acceptance message contents (1):
 - i. Acceptance (Transaction ID, status)
- 15 2. Log the Acceptance (2).
3. Authenticate RP: check that the account from the RP Identity Warranty certificate in the Request exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL client certificate for the session. Also, check that a record for the Offer (stored in the local
20 table by Transaction ID) exists (3).
4. Authorize Acceptance: check the sum of the Identity Warranty amount and the RP Identity Warranty Account Spending Balance field doesn't exceed the RP Identity Warranty Account Spending Limit field, invoke the bank Request authorization method if one is registered (4).

- 5 5. Verify RP certificates: check the extensions for the RP Utility Certificate; check the extensions for the certificates in the chain for the RP Identity Warranty Certificate; check the RPB and Root Repositories for the status of the RP Identity Warranty Certificate chain and for the RPB Repository OCSP certificate, log the OCSP responses (5, 6).
6. Update the Relying Party Identity Warranty Account request balance with the Identity Warranty amount (7).
7. Sign and forward the Acceptance to the IB for the Signing Party certificate; wait for the response, log response (8, 9, 10).
- 10 8. Authenticate Warranty or Error: check that the account from the IB Identity Warranty certificate in the Warranty exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL server certificate for the session (11).
9. Verify IB certificates: check the extensions for the IB Identity Warranty certificate; query the Root Repository for the status of the IB Identity Warranty certificate, log the OCSP responses (12, 13).
- 15 10. Reconcile the Relying Party Identity Warranty Account Spending Balance with the Identity Warranty amount, if necessary (14).
11. Query Root Repository for status of RPB Identity Warranty certificate (15). The signed response for the RPB Identity Warranty certificate, together with a local copy of the Root Repository certificate enables the RP to verify the status of the RPB Identity Warranty certificate.
- 20 12. Generate, sign and log the forwarded Warranty (16).
13. Send forwarded Warranty to RP (17).

**IB Identity Warranty Service with Offer and
Acceptance: second round-trip**

Receipt of the Forwarded Acceptance message with the **acceptanceStatus** field set to **id--acceptStatus** signals the IBIWS to disburse the Identity Warranty value. First, the IBIWS authenticates the RPB against the local database of Identity Warranty Accounts and against the Root Repository. Next, the IBIWS uses the Transaction ID to locate the Offer in its internal table of outstanding Offers to verify the Offer has not expired. If the Offer has not expired, then the IBIWS authorizes the Forwarded Acceptance.

To authorize the Forwarded Acceptance, the IBIWS checks the warranty amount in the Offer against the Warranty Balances in the SP Identity Warranty Account and the SP Group Account (if one exists). The IBIWS also invokes the bank-supplied Forwarded Acceptance authorization method, if one is supplied.

The IBIWS authorizes the amount from the Forwarded Request a second time in the event other RPs (or even the same RP) might have executed additional Identity Warranties for the SP—and hence changed the values in the SP Identity Warranty Account amount balance field—between the time the IBIWS authorized the amount from the Request and the time it authorized the Forwarded Acceptance.

If the Warranty Balances are less than the Warranty Limits, the IBIWS adds the Identity Warranty amount to the Identity Warranty Balances in the SP and SP Group accounts. This effectively reduces the warranty amount available for the SP and SP Group until the warranty expires, at which time the IBIWS returns the warranty amount to the pool by subtracting it from the SP and SP Group Account Balance fields.

The IBIWS also adds a record of the Warranty to an internal list of active Warranties so the IBIWS can return the Warranty amount after the Warranty expires—assuming no claim has been filed—and so the IBIWS can detect duplicate Requests for the same Signer Contract. The IBIWS may also scan the
5 list of outstanding Offers for entries with the same Transaction ID **contractDigest** hash and remove each match. (This is a slight optimization. Without it, the IBIWS timer will eventually delete entries when they expire.)

Finally, the IBIWS generates and signs the Warranty, logs it, and sends it to the RPB.

10 The message flows associated with **ib** identity warranty service with offer and Acceptance: second round-trip are described with reference to **FIGURE 23**.

1. Forwarded Acceptance message contents (1):
 - i. Acceptance (transaction ID, status),
 - ii. RPB Info.
- 15 2. Log the Forwarded Acceptance (2).
3. Authenticate RPB: check the account from the RPB certificate exists in the database and that the SSL client certificate identifier in the RPB Identity Warranty Account matches the SSL client certificate for the session (3).
4. Authorize Forwarded Acceptance: check the Offer has not expired, check
20 the Identity Warranty amount does not cause the balance for the SP Identity Warranty account or group of SP Identity Warranty Accounts to exceed its limit, invoke the bank Offer authorization method if one is registered, update the Identity Warranty Account amount (4).
5. Verify RPB and SP certificates: check the extensions for the RPB Utility
25 Certificate; check the extensions for the certificates in the chain for the

RPB Identity Warranty Certificate; check the IB and Root Repository for the status of the certificates in the chain for the RPB and SP, log OCSP responses (5, 6).

6. Update the warranty balance in the SP Identity Warranty and SP Group accounts (7).
7. Sign and log the Warranty (8).
8. Send Warranty to RPB (9).

RPB Identity Warranty Service without Offer and Acceptance

A Request message with **requestType** field set to **id--requestWarranty** eliminates the inner round of messages. The IB immediately disburses (or refuses to disburse) the warranty amount and returns a Warranty (or Error) message. The RPB updates, signs and forwards the Warranty (or Error) to the RP. The Warranty completes the message exchange. The RP does not send an Acceptance message.

The message flow and processing steps are the same as for the equivalent steps in the two-part version of the protocol.

The Relying Party Bank Identity Warranty Service (RPBIWS) authenticates the RP against the local database of Identity Warranty Accounts and against the Root and RPB Repositories. Then, the RPBIWS authorizes the Request against the Spending Balance and Spending Limit values in the Relying Party's Identity Warranty account.

If the sum of the Spending Balance and the warranty amount of the Request are less than the Spending Limit, then the RPBIWS adds the warranty amount from the Request to the Spending Balance and logs the transaction.

After authorizing the Request, the RPBIWS signs the Request with its
5 RPB Identity Warranty key, logs the Request, forwards the Request to the IB, and waits for the IB response. If the IB approves the Request, it returns a Warranty. Otherwise, it returns an Error.

When the RPBIWS receives a Warranty from the IB, it authenticates the IB against the local database of Identity Warranty Accounts and against the
10 Repository. Then, the RPBIWS updates the Warranty, e.g., adds its own charge to the **warrantyFee**. The RPB may also have to adjust the Spending Balance if the warranty amount in the Warranty differs from the amount in the Request. When the RP pays the bank for the Warranty, then the RM administrator decrements the Spending Balance by the Warranty amount.

15 Finally, the RPBIWS signs the Warranty with its RPB Identity Warranty key, logs the Warranty, and forwards the Warranty to the RP.

If the RPBIWS receives an Error from the IB, then it still authenticates the IB against the local database of Identity Warranty Accounts and against the Repository. Then, it generates its own Error message, copying or updating the IB
20 error status, signs the Error with its RPB Identity Warranty key, logs the Error, and sends the Error to the RP.

Message flows associated with RPB identity warranty service without offer and Acceptance are described here with reference to **FIGURE 24**.

25 1. Request message contents (1):

- i. Signer Contract,
 - ii. Request (**requestType** set to **id--requestWarranty**).
2. Log the Request (2).
3. Authenticate RP: check that the account from the RP Identity Warranty
5 certificate in the Request exists in the accounts database and that the SSL
client certificate identifier in the account matches the SSL client certificate
for the session (3).
4. Authorize Request: check the sum of the Identity Warranty amount and the
RP Identity Warranty Account Spending Balance field doesn't exceed the
10 RP Identity Warranty Account Spending Limit field, invoke the bank
Request authorization method if one is registered (4).
5. Verify RP certificates: check the extensions for the RP Utility Certificate;
check the extensions for the certificates in the chain for the RP Identity
Warranty Certificate; check the RPB and Root Repositories for the status
15 of the RP Identity Warranty Certificate chain and for the RPB Repository,
log the OCSP responses (5, 6).
6. Update the Relying Party Identity Warranty Account request balance with
the Identity Warranty amount (7).
7. Sign and forward the Request to the IB for the Signing Party certificate;
20 wait for the response, log the response (8, 9, 10).
8. Authenticate Warranty or Error: check that the account from the IB
Identity Warranty certificate in the Warranty exists in the accounts
database and that the SSL client certificate identifier in the account
matches the SSL server certificate for the session (11)

9. Verify IB certificates: check the extensions for the IB Identity Warranty certificate; query the Root Repository for the status of the IB Identity Warranty certificate, log the OCSP responses (12, 13).
10. Reconcile the Relying Party Identity Warranty Account Spending Balance with the Identity Warranty amount, if necessary (14).
11. Query Root Repository for status of RPB Identity Warranty certificate (15). The signed response for the RPB Identity Warranty certificate, together with a local copy of the Root Repository certificate enables the RP to verify the status of the RPB Identity Warranty certificate.
12. Sign and log the forwarded Warranty (16).
13. Send forwarded Warranty to RP (17).

IB Identity Warranty Service without Offer and Acceptance

A Forwarded Request message with **requestType** field set to **id--requestWarranty** eliminates the inner round of messages. The IB immediately disburses (or refuses to disburse) the warranty amount and returns a Warranty message.

The message flow and processing steps are the same as for the equivalent steps in the two-part version of the protocol.

The IBIWS authenticates the RPB and the Signing Party against the local database of Identity Warranty Accounts and against the Root and IB Repositories. Then, the IBIWS authorizes the Forwarded Request. The authorization process is the same as that described above.

After authorizing the Forwarded Request, the IBIWS adds the Identity Warranty amount to the Identity Warranty Balances in the SP and SP Group accounts. This effectively reduces the warranty amount available for the SP and SP Group until the warranty expires, at which time the IBIWS returns the
5 warranty amount to the pool by subtracting it from the SP and SP Group Account Balance fields.

The IBIWS also adds a record of the Warranty to an internal list of active Warranties so the IBIWS can return the Warranty amount after the Warranty expires—assuming no claim has been filed—and so the IBIWS can detect
10 duplicate Forwarded Requests for a Warranty for the same Signer Contract.

Next, the IBIWS invokes a bank-specific method to calculate the warranty fee.

Finally, the IBIWS generates and signs the Warranty, logs it, and sends it to the RPB.

15 The detailed message flows associated with IB identity warranty service without offer and acceptance are described with reference to **FIGURE 25**.

1. Forwarded Request message contents (1):
 - 20 i. Signer Contract,
 - ii. Request (**requestType** set to **id--requestWarranty**),
 - iii. RPB Info.
2. Log the Forwarded Request (2).
3. Authenticate client: check the accounts from the RPB and Signing Party Identity Warranty certificates exists in the database and that the SSL client

certificate identifier in the RPB Identity Warranty Account matches the
SSL client certificate for the session (3).

4. Authorize Forwarded Request: check the Identity Warranty amount in the
Forwarded Request does not exceed the limit in the Signer Contract and
that it does not cause the balance for the Signing Party Identity Warranty
Account or group of Signing Party Identity Warranty Accounts to exceed
its limit (4).
5. Verify client certificates: check the extensions for the Relying Party Bank
Utility Certificate; check the extensions for the certificates in the chains
for the Relying Party Bank and Signing Party Identity Warranty
Certificates; check the Relying Party Bank and Root Repositories for the
status of the certificates in the chains for the Relying Party Bank and
Signing Party Identity Warranty Certificates, log OCSP responses (5, 6).
6. Update the warranty balance in the SP Identity Warranty and SP Group
accounts (7).
7. Sign and log the Warranty (8).
8. Send Warranty to RPB (9).

CERTIFICATE STATUS SERVICE

The Certificate Status Service (CSS) determines that a certificate was
published by a CA and that the certificate has not been revoked. The CSS
communicates directly with its local certificate status service to determine the
status of certificates issued by its CA. To determine the status of a certificate
issued by a different CA, the CSS creates a new request as though it were the RP
and sends the request to the other bank's CSS.

The CSS communicates with clients and with other RMs via the OCSP protocol. In addition, the CSS authenticates clients and saves records of OCSP transactions so they can be used to generate bills for use of the service. To authenticate clients, the CSS requires clients sign their OCSP requests with their Identity Warranty Certificate private key. If the request used SSL, the CSS follows the same authentication algorithm as the RPBIWS and IBIWS, namely, to verify an account exists for the RP Identity Warranty certificate and that the utility certificate identifier in the account matches the RP's SSL client certificate. Note that the CSS authenticates clients whether they are RPs or the CSS at another bank's RM, meaning each RM must include Identity Warranty Accounts for its partner RMs. From the CSS perspective, another bank's RM just looks like a very active RP.

Note also that although the CSS serves OCSP requests, it does not directly fulfill the request, but functions instead as a proxy to the certificate status services of the local bank or possibly of the remote bank RM. The CSS authenticates these certificate status services and messages through OCSP requests of its own and through local copies of top-level certificates. As proxy OCSP, the CSS must implement the OCSP nonce algorithm and it must also verify the nonce returned by the local Repository and by the CSS of neighbor RMs.

20

Local Certificate

The CSS starts by authenticating and verifying the RP. It checks an account exists for the RP Identity Warranty certificate. If the RP used SSL, it verifies the utility certificate identifier in the account matches the SSL client certificate. Finally, it checks the status of the RP certificate with its local Repository and it checks the status of its Repository Certificate with the Repository. If the CSS successfully authenticates the client, then it checks its local Repository for the status of the certificate in the RP's OCSP request. For completeness, it then checks again with the Repository for the status of the local Repository certificate. The CSS finishes by logging the certificate request and formatting, signing, and sending the OCSP response to the RP.

With reference to **FIGURE 26**,

1. OCSP request contents (1):
 - i. Certificate chain (for certificate issued by CA for this bank),
 - ii. RP signature and certificate chain.
2. Authenticate RP: check that the account from the Relying Party Identity Warranty certificate in the Request exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL client certificate for the session (2).
3. Verify RP certificates: check the extensions for the RP Utility Certificate (if present); check the extensions for the certificates in the chain for the RP Identity Warranty Certificate; check the RPB Repository for the status of the RP certificate; check the Repository for the status of the RPB Repository and RPB CA certificates (3, 4).

4. Verify requested certificates: check the RPB Repository for the status of the requested certificate; check the Root Repository for the status of the RPB Repository and RPB CA certificates (5, 7).
5. Record transaction (7)
- 5 6. Sign and return OCSP response to RP (8).

Remote Certificate

The CSS starts by authenticating and verifying the RP. It checks an account exists for the RP Identity Warranty certificate. If the RP used SSL, it verifies the utility certificate identifier in the account matches the SSL client certificate. Finally, it

10 checks the status of the RP certificate with its local Repository and it checks the status of its Repository Certificate with the Repository. If the CSS successfully authenticates the client, then it formats and forwards an OCSP request for the certificate in the RP's OCSP request to the CSS at the Reliance Manager of the bank that issued the certificate.. The local CSS authenticates the response by

15 verifying the remote CSS certificate with the Root Repository.

With reference to **FIGURE 27**,

1. OCSP request contents (1):
 - i. Certificate chain (for certificate issued by CA for remote bank),
 - ii. RP signature and certificate chain.
- 20 2. Authenticate client: check that the account from the Relying Party Identity Warranty certificate in the Request exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL client certificate for the session (2).
3. Verify RP certificates: check the extensions for the RP Utility Certificate
- 25 (if present); check the extensions for the certificates in the chain for the RP

Identity Warranty Certificate; check the RPB Repository for the status of the RP certificate; check the Repository for the status of the RPB Repository and RPB certificates (3, 4).

4. Create OCSP request for certificates in RP request. Forward it to remote
5 CSS (Issuing Bank):
 - i. Certificate chain (for certificate issued by CA for remote bank),
 - ii. RPB signature and certificate chain.
5. Authenticate RPB: check that the account from the Relying Party Bank
Identity Warranty certificate in the Request exists in the accounts database
10 and that the SSL client certificate identifier in the account matches the
SSL client certificate for the session (6).
6. Verify RPB certificates: check the extensions for the RPB Utility
Certificate; check the extensions for the certificates in the chain for the
RPB Identity Warranty Certificate; check the Repository for the status of
15 the RPB Identity Warranty certificate (7).
7. Verify requested certificates: check the IB Repository for the status of the
requested certificate; check the Root Repository for the status of the IB
Repository and IB CA certificates (8, 9).
8. Record transaction (10)
- 20 9. Sign and return OCSP response to RPB (11).
10. Verify response: check the Repository for the status of the IB certificate
(12).
11. Record transaction (13)
12. Sign and return OCSP response to RPB (14).

IDENTITY WARRANTY MANAGEMENT SERVICE

The Identity Warranty Management Service (IWMS) implements management actions for the RM server. Management commands act against several targets: Identity Warranty Accounts, the RPBIWS Identity Warranty Transaction Log, the IBIWS Transaction Log, IB internal list of outstanding Identity Warranties, CSS Log, IWMS Log. Management commands vary per target. For many of the targets, the only management command is to return a report of entries given a selection criterion (e.g., a range of dates): RPBIWS Identity Warranty Transaction Log, IBIWS Transaction Log, CSS Log, IWMS Log. Other targets also support create, modify, delete, and approve commands: Identity Warranty Accounts, IBIWS Authorization, IBIWS Pending Commands, IB internal list of outstanding Identity Warranties (e.g., to mark an entry subject to a claim). A final group of management commands controls operation of the RM server itself: edit authorization database records, edit routing tables, etc.

The IWMS supports two protocols, distinguished by URLs: one for reports, one for all other management commands. Report commands are simply HTTP POST messages conveyed via SSL v3 with client certificates. Report responses are comma-delimited lines of data matching the request from the original HTTP POST. The IWMS authenticates the client by verifying the status of the SSL client (a.k.a. Utility) certificate with the Bank's Repository. The IWMS authorizes the command by comparing the "report" management command, the management command target, and the Subject DN from the SSL client (a.k.a. Utility) against the privileges listed for that DN listed in the authorization database.

All other commands are encoded as CMS **SignedData** messages where the signature is generated by the administrator's Identity Warranty Certificate private key and the messages are conveyed over SSL v3 with client certificates (as with the RPBIWS, IBIWS, and CSS). As with the RPBIWS, IBIWS, and CSS, IWMS clients are authenticated and the status of the IWMS client certificates is verified. Next, the management command in the request is authorized by comparing the management command, the management command target, and the Subject DN from the client certificate with the privileges for that DN listed in the authorization database (create, modify, delete, approve, report, etc.).

IWMS commands that create, modify, or delete Identity Warranty Accounts implement a multi-part change process that requires the action of an administrator, who initially submits a create or edit command, and of one or more authorizers, who approve the command. The change is only applied to the database when a quorum of administrators approves the command. Permission to submit and approve commands is controlled by the RM authorization database. As with the other services, management commands are recorded in a log, and administrators may invoke commands that generate reports, depending on the their rights in the authorization database.

IWMS Report Commands

In the diagram in **FIGURE 28**, "Auth DB" is the IBIWS Authorization database, "Accounts and Logs" stands for Identity Warranty Accounts, the RPBIWS Identity Warranty Transaction Log, the IBIWS Transaction Log, the CSS Log, and the IB internal list of outstanding Identity Warranties, "Pending

xactions” stands for the IBIWS Pending Commands, and “Mgmt Logs” stands for the IWMS Log.

With reference to **FIGURE 28**,

1. Management report command message contents (1):
 - 5 i. Management command target, e.g., “Identity Warranty Accounts”
 - ii. Report selection criterion (e.g., “all records between 1/1/91 and 1/2/91”)
2. Log report request (2).
3. Authorize command: Check the entry for the IWMS Authorization
10 Database for the Subject DN from the Utility Certificate includes a record listing “report” permission for the management command target (3).
4. Verify administrator certificate: check the extensions for the Utility Certificate; check the Bank Repository for the status of the Utility certificate, log OCSP response (4, 5).
- 15 5. Execute command: Invoke the database stored procedure (or directory list procedure for the message log) to generate the report response for the target specified in the request (6).
6. Return the response (7).

20 **Other IWMS Commands**

Management commands other than “report” are encoded as CMS **SignedData** messages and conveyed over SSL v3 with client certificate.

Authentication of the client and verification of the client certificate is the same as for the RPBIWS, IBIWS, and CSS. Authorization is administered via the IWMS
25 authorization database and via the quorum of required approvers.

In the diagram in **FIGURE 29**, “Auth DB” is the IBIWS Authorization database, “Accounts and Logs” stands for Identity Warranty Accounts, the RPBIWS Identity Warranty Transaction Log, the IBIWS Transaction Log, the CSS Log, and the IB internal list of outstanding Identity Warranties, “Pending
5 xactions” stands for the IBIWS Pending Commands, and “Mgmt Logs” stands for the IWMS Log.

With reference to **FIGURE 29**,

1. Management command message contents (1):
 - i. AdminRequest (command, target, parameters)
- 10 2. Log request (2).
3. Authenticate Administrator: check that the account from the Administrator Identity Warranty certificate in the Request exists in the accounts database and that the SSL client certificate identifier in the account matches the SSL client certificate for the session (3).
- 15 4. Authorize command for Administrator: compare the management command and target with the permissions listed for the Administrator Identity Warranty Certificate Subject DN in the IWMS Authorization Database (4).
- 20 5. Verify Administrator certificates: check the extensions for the Administrator Utility Certificate; check the extensions for the certificates in the chain for the Administrator Identity Warranty Certificate; check the Bank Repository for the status of the RP certificate; check the Repository for the status of the Bank Repository and Bank CA certificates, log OCSP responses (5, 6).
- 25 6. Execute command:

- i. Created, edit, delete commands extract add a new entry to the IWMS Pending Commands Database (7).
 - i. Approve command applies entry from IWMS Pending Commands Database to target (8).
- 5 7. Record the transaction (9),
8. Sign, log and return the response (10, 11).

IWMS Authorization Database

The RM implements an authorization model to determine whether or not a bank employee will be allowed to perform their required operation. The model partitions the Signing Party database according to the Distinguished Name of the Signing Party. Entries in an access control file specify which employees, known as the *client*, have access to particular branch of the tree, known as the *target*, and what types of operations they can perform on entities under the branch. For example:

10

15

Client	Target	Rights
CN=Agent 99, OU=Spies, O=Control, C=US	OU=Spies, O=Control, C=US	Raise Limit Disable Revoke
	CN=Agent 86, OU=Spies, O=Control, C=US	Shoot

When deciding if a client is authorized to perform an operation the longest DN match (i.e., the one with the lowest level) is used. In the example above, if the Agent 99 tried to revoke Agent 86's certificate, the second entry would be used, not the first, and the operation would be disallowed. While this short

20

summary does not do the model justice, we believe it is flexible enough to support appropriate delegation to subsidiaries.

Account modifications may have an additional requirement that they be approved by more than one party. The initial implementation will allow each RM
5 to set a run-time quorum on modification operations. When an appropriate bank employee connects to the AMS, they can review "change requests" or add their own. Once a request has been approved by the necessary quorum, the RM will act upon the change. The initiator may cancel a change request.

CMS PROFILE

10 This section profiles the use of CMS for:

1. the initial message from signer to relying party;
2. the identity warranty request from the relying party to the relying party bank;
3. the forwarded identity warranty request from the relying party bank to
15 the issuing bank;
4. the identity warranty offer from the issuing bank to the relying party bank;
5. the forwarded identity warranty offer from the relying party bank to the signing party;
- 20 6. the identity warranty acceptance from the relying party to the relying party bank;
7. the forwarded identity warranty acceptance from the relying party bank to the issuing bank;
8. the identity warranty from the issuing bank to the relying party bank;

9. the forwarded identity warranty from the relying party bank to the relying party.

5 Notation is as defined in the certificate profile specification. In the following tables:

- 1) The “support” column indicates requirements on origination and reception; e.g., “o/m” means an element is optional on origination and mandatory on reception;
- 2) “m” indicates support is mandatory (although the element need not be present
10 in every message);
- 3) “o” indicates support is optional;
- 4) “x” indicates the element is prohibited;
- 5) “r” indicates the element is required to be present (on origination).

INITIAL TRANSACTION

15

Table 1A Signer Contract

Field	Support
version	mr/m
ContractID	mr/m
TransactionType	m/m
PaymentType	m/m
AmountLimit	m/m
TimeLimit	m/m
RelyingPartyID	m/m
ContractAmount	m/m
ContractExpires	m/m
Extensions	o/m

Table 1B Signed Transaction Message		
Field	Support	Notes
Version	mr/m	1
DigestAlgorithms	mr/m	SHA-1 (only 1)
EncapContentInfo	mr/m	
contentType	mr/m	id-gto-signerContract

Table 1B Signed Transaction Message		
Field	Support	Notes
content	o/m	SignerContract, see Table 1A
certificates	m/m	chain from SP to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfos	mr/m	1
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of signer contract
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
transaction	mr/m	unstructured
signing party authorization data	o/m	card & signature security data (CSSD)

IDENTITY WARRANTY REQUEST

Table 2A Identity Warranty Request

Field	Support
version	mr/m
warrantyAmount	mr/m
warrantyExpires	mr/m
requestType	m/m
extensions	o/m

Table 2B Identity Warranty Request Message		
Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-signerContract
content	o/m	SignerContract, see Table 1A
certificates	m/m	chain from SP to plus chain from RP to root

Table 2B Identity Warranty Request Message		
Field	Support	Notes
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfos[0]	mr/m	2, this one from signed transaction
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of SignerContract
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signing party authorization data	o/m	card & signature security data (CSSD)
SignerInfos[1]	mr/m	This one added by Relying Party
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of SignerContract
signingTime	m/m	
warrantyRequest	mr/m	See TABLE 4.2A
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	

FORWARDED IDENTITY WARRANTY REQUEST

Table 3A Relying Party Bank Info

Field	Support
VERSION	mr/m
extensions	o/m

Table 3B Forwarded Identity Warranty Request Message		
Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-signerContract
content	o/m	SignerContract, see Table 1A
certificates	m/m	chains from SP, RP, and RPB to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfo[0]	mr/m	3, this one from signed transaction
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of SignerContract
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signing party authorization data	o/m	card & signature security data (CSSD)
signerInfo[1]	mr/m	This one from request
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of SignerContract
signingTime	m/m	
warrantyRequest	mr/m	See Table 2A
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signerInfo[2]	mr/m	This one signed by Relying Party Bank
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-signerContract
messageDigest	mr/m	digest of SignerContract

Table 3B Forwarded Identity Warranty Request Message		
Field	Support	Notes
signingTime	m/m	
rpBankInfo	mr/m	See Table 3A
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	

IDENTITY WARRANTY OFFER

Table 4A Attribute Digest

Field	Support
VERSION	mr/m
attributeId	mr/m
randomPad	mr/m
digestValue	mr/m

5

Table 4B Identity Warranty Offer

Field	Support
VERSION	mr/m
transactionId	mr/m
warrantyAmount	mr/m
warrantyExpires	mr/m
warrantyFee	mr/m
offerExpires	mr/m
extensions	o/m

Table 4C Identity Warranty Offer Message		
Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-warrantyOffer
content	o/m	attribute digest, see Table 4A
certificates	m/m	Chain from IB to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	

Table 4C Identity Warranty Offer Message		
Field	Support	Notes
signerInfos	mr/m	only 1
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyOffer
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
warrantyOffer	mr/o	See Table 4B
countersignature	o/o	

FORWARDED IDENTITY WARRANTY OFFER

Table 4C Forwarded Identity Warranty Offer Message		
Field	Support	Notes
version	Mr/m	1
digestAlgorithms	Mr/m	SHA-1 (only 1)
encapContentInfo	Mr/m	
contentType	Mr/m	id-gto-warrantyOffer
content	o/m	attribute digest, see Table 4A
certificates	m/m	chains from IB and RPB to root
certificate	m/m	
extendedCertificate	o/o	
atrCert	o/o	
crls	o/o	
signerInfo[0]	mr/m	2, this one from offer
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyOffer
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signerInfo[1]	mr/m	this one new
version	mr/m	1
issuerAndSerialNumber	mr/m	

Table 4C Forwarded Identity Warranty Offer Message		
Field	Support	Notes
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyOffer
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
warrantyOffer	mr/m	See TABLE 4B
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
certificate status	mr/m	
countersignature	o/o	

IDENTITY WARRANTY ACCEPTANCE

Table 6A Identity Warranty Acceptance

Field	Support
VERSION	mr/m
transactionID	mr/m
acceptanceStatus	mr/m
extensions	o/m

Table 4.6B Identity Warranty Acceptance Message		
Field	Support	Notes
Version	mr/m	1
DigestAlgorithms	mr/m	SHA-1 (only 1)
EncapContentInfo	mr/m	
contentType	mr/m	id-gto-warrantyAcceptance
content	o/m	Identity Warranty acceptance, see Table 6A
certificates	m/m	Chain from RP to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfos	mr/m	only 1
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyAcceptance
messageDigest	mr/m	digest of identity warranty acceptance

Table 4.6B Identity Warranty Acceptance Message		
Field	Support	Notes
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	

FORWARDED IDENTITY WARRANTY ACCEPTANCE

Table 5A Forwarded Identity Warranty Acceptance Message		
Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-warrantyAcceptance
content	o/m	Identity Warranty acceptance, see Table 6A
certificates	m/m	chains from RP and RPB to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfo[0]	mr/m	2, this one from acceptance
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyAcceptance
messageDigest	mr/m	digest of identity warranty acceptance
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signerInfo[1]	mr/m	this one new
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyAcceptance
messageDigest	mr/m	digest of identity warranty acceptance
signingTime	m/m	
rpBankInfo	mr/m	See Table 3A
signingCertificate	mr/m	

Field	Support	Notes
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	

IDENTITY WARRANTY

Table 8A Identity Warranty

Field	Support
VERSION	mr/m
transactionId	mr/m
signerContract	mr/m
warrantyRequest	mr/m
warrantyAmount	mr/m
warrantyExpires	mr/m
warrantyFee	mr/m
extensions	o/m

Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-identityWarranty
content	o/m	attribute digest, see Table 4A
certificates	m/m	Chain from IB to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfos	mr/m	only 1
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-identityWarranty
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	

Table 8B Identity Warranty Message		
Field	Support	Notes
identityWarranty	mr/m	see Table 8A
countersignature	o/o	

FORWARDED IDENTITY WARRANTY

Table 9A Forwarded Identity Warranty Message		
Field	Support	Notes
version	mr/m	1
digestAlgorithms	mr/m	SHA-1 (only 1)
encapContentInfo	mr/m	
contentType	mr/m	id-gto-identityWarranty
content	o/m	attribute digest, see Table 4A
certificates	m/m	chains from IB and RPB to root
certificate	m/m	
extendedCertificate	o/o	
attrCert	o/o	
crls	o/o	
signerInfo[0]	mr/m	2, this one from warranty
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-identityWarranty
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
countersignature	o/o	
signerInfo[1]	mr/m	this one new
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-identityWarranty
messageDigest	mr/m	digest of attribute digest
signingTime	m/m	
signingCertificate	mr/m	
identityWarranty	mr/m	see Table 8A
signatureAlgorithm	mr/m	RSA (PKCS #1)
signature	mr/m	
unsignedAttrs	o/m	
certificate status	mr/m	
countersignature	o/o	

IDENTITY WARRANTY ERROR

Table 10A Identity Warranty Acknowledgement	
Field	Support
VERSION	mr/m
error	mr/m
transactionID	mr/m
certStatus	mr/m

Table 10B Identity Warranty Error Message		
Field	Support	Notes
Version	mr/m	1
DigestAlgorithms	mr/m	SHA-1 (only 1)
EncapContentInfo	mr/m	
ContentType	mr/m	id-gto-warrantyError
Content	o/m	Identity Warranty error, see Table 10A
Certificates	m/m	Chain from RPB or IB to root
Certificate	m/m	
ExtendedCertificate	o/o	
AttrCert	o/o	
Crls	o/o	
SignerInfos	mr/m	only 1
version	mr/m	1
issuerAndSerialNumber	mr/m	
digestAlgorithm	mr/m	SHA-1
signedAttrs	mr/m	
contentType	mr/m	id-gto-warrantyError
messageDigest	mr/m	digest of identity warranty error
signingTime	m/m	
signingCertificate	mr/m	
signatureAlgorithm	mr/m	RSA (PKCS #1)
Signature	mr/m	
UnsignedAttrs	o/m	
Certificate status	mr/m	
Countersignature	o/o	

5 **DATABASE DESIGN**

This section describes the Reliance Manager (RM) database, the component used by the four RM services to store and manipulate account

information, transaction logs, and management authorization records. In particular, this section describes: the database schema: an enumeration of the tables, their fields, and the inter-table relationships the stored procedures used to retrieve and manipulate database information the class library that provides access
5 the database's stored procedures.

The following terminology is used herein:

Authorization Database : An enumeration of privileges for a (secure) identifier, maintained in a database to authorize management commands.

Assurance: The on-line service that guarantees the identity of a
10 subscriber certificate for a contract signed by the subscriber's private key against a monetary amount of proven losses by the on-line client.

Foreign Key: A column in one database table whose values match those of a primary key in another.

Primary Key: The column or combination of columns in a database table
15 that uniquely identifies the row.

During normal operation, the RM facility requires access to various information, including:

- Subscriber and relying party accounts
- Transaction logs
- Pending management transactions
- Management authorization records

5 This information is maintained in an SQL database at the issuing and relying party banks. The RM services use a class library layered on ODBC to access the database. (As used herein, ODBC refers to Open Database Connectivity, an application programming interface (API) that enables writing applications that are independent of any particular database management system (DBMS)) Stored
10 procedures perform the actual data manipulation and retrieval; the primary function of the class library is to bind C++ arguments to those of the stored procedures and then invoke the stored procedures. A preferred embodiment uses SQL Server™ on Windows NT™; using ODBC enhances portability to other environments, e.g., Oracle on Unix.

15 The Guardian database is accessed through ODBC and therefore relies on the availability of an ODBC class library and associated drivers. These components are currently available for the initial target platform (NT/SQL Server). ODBC drivers are available for other databases including Oracle, Informix, and Sybase running on a number of Unix™ variants, including Sun Solaris, HP-UX, and IBM
20 AIX.

The RM architecture depends on a mechanism to identify a database account given one (or possibly more than one) relying party or subscriber certificate. The PKI architecture specification certificate profile stipulates the use of the subjectDirectoryAttributes extension with the guardianAccountNumber
25 attribute as the mechanism for associating certificates to database accounts.

As with any relational database, the information in the RM database is stored in a set of tables. This section describes those tables, their contents, and interrelations.

The database reflects the fact that a bank can simultaneously play the role of both an issuing and relying party bank. Thus, unique account and transaction log tables exist for each role. If a specific bank is serving just one role, the tables associated with the other role are present but remain empty.

Accounts Account information is stored in the subscriber and replying party account tables. Accounts are uniquely identified by an account number, which is available in a certificate's guardianAccountNumber extension attribute. During creation, an account is assigned a parent account number, identifying the account's creator. Accounts are used to apply limits to assurance transactions, and in the case of relying parties, limit certificate status transactions. They are also used to cross reference identity (or warranty) certificates with utility (i.e., SSL) certificates. Finally, accounts contain distinguished names, used during authorization of management commands.

Logs: To support auditing, billing, restoration of assurance upon contract expiration, and rollback in the face of errors, all RM activity is recorded in a set of transaction logs. The subscriber and relying party log tables serve this purpose.

Separate tables are maintained for each class of RM activity, including:

- assurance transactions
- certificate status requests
- management activity (account creation, modification, etc.)
- changes to the assurance transaction log

5 To enforce consistency, database updates and the accompanying log operation are performed as atomic actions using SQL transaction statements.

Management Authorization Tables

An authorization model controls the execution of management commands. For example, a bank employee wishing to add a new account must be authorized
10 to do so. The management authorization table contains records specifying the actions (i.e., account creation) a client (i.e., a bank employee) is authorized to perform against specific targets (i.e., a subscriber organization). Clients and targets are specified using distinguished names (DNs)

Pending Management Transactions

15 RM management service policy requires that management operations be approved before being executed. Building on the previous example, a bank employee might request and be authorized to create an account; a bank manager would expected to eventually approve the request. This model requires that pending management requests be saved in the database until they are approved (or
20 rejected). The pending transaction table holds management requests that are awaiting approval.

Each entry contains sufficient information to reconstruct the requested management transaction, including an action code, an target account (relying or signing party) indicator, client and target DNs, an account number, and a BLOB
25 (binary large object). BLOB content is not interpreted by the database; it is

simply a convenient mechanism for the RM management service to store additional command-specific data.

Stored Procedures

Database activity is preferably implemented as a set of stored procedures, which the RM Services access through the RMDB library. Stored procedures are available to perform each of the following actions:

- Relying party:
 - perform assurance transaction
 - log assurance transaction
 - 10 • create report from assurance transaction log
 - perform certificate status transaction
 - log certificate status transaction
 - create report from certificate status transaction log
 - create/edit account
 - 15 • log create/edit account
 - create/edit management authorization record
 - log create/edit management authorization record
- Signing party:
 - perform assurance transaction
 - 20 • log assurance transaction
 - edit assurance transaction log
 - log edit assurance transaction log
 - create/edit account
 - log create/edit account
 - 25 • create/edit management authorization record

- log create/edit management authorization record

Note that under normal circumstances the log functions are invoked atomically as part of the underlying operation. For example, "perform assurance transaction" calls "log assurance transaction" directly during the execution of an assurance transaction. However, the log functions are also accessible directly from higher layers to support error conditions detected by the RM services, such as the receipt of an invalid certificate.

RMDB Library

The RMDB library provides the interface used by the RM services to access the database's stored procedures. There is a one-to-one mapping of functions in the library to database stored procedures. A typical library function binds the set of C++ arguments to those of the stored procedures, invokes the stored procedure, and passes the stored procedure status back to its caller. The library is layered on ODBC to allow for porting to other platforms, such as Unix/Oracle.

SERVICE CAPABILITIES

RM services are all implemented to provide the maximum degree of interoperability, scalability, and availability. RM services preferably use standard protocols for maximum interoperability. At the front end (i.e., the client), RM protocols preferably make use of standard web protocols, data types, and encoding algorithms.

Each of the RM services--Certificate Status, Identity Warranty, Identity Warranty Management--is preferably implemented as HTTP POST/RESPONSE message pairs, where the application payload is CMS.

Using standard protocols minimizes the complexity of the client software. RM messages are designed such that a client only requires the services of signing and CMS plugins to generate certificate status or Requests. Note that response validation and archiving would require additional capabilities.

5 At the back end (i.e., the database), RM services preferably invoke stored procedures written in standard SQL and accessed through a generic database API. The list of stored procedures fully describes the services required of the database. This approach is designed to allow a variety of databases depending on available services and scalability requirements.

10 The capability to scale up to large numbers of accounts and a high volume of network traffic requires complex combinations of software and hardware support. RM services are implemented so they can be migrated to platforms that support high scalability.

15 The implementation architecture preferably makes use of standard and easily-portable programming abstractions for synchronous and asynchronous control flow (e.g., threads) which fit smoothly with and take full advantage of multi-processor systems.

20 RM services achieve high availability through a mix of software architecture and database services. To implement full-time operation, the RM management service will preferably provide run-time loading and unloading of protocol and other services. Similarly, the software architecture closely monitors and manages constrained resources such as dynamic memory, network connections, and the like.

25 To recover from local hardware failure and other network disaster scenarios, the RM services may be run in hot-standby mode when combined with

a replicating database. The database manages replication and distribution of account and transaction information to a remote site, where a standby server resides off the network. In the event of a power or network failure at the primary site, the company connects the backup site to the network and updates routing
5 information in its network configuration to redirect requests to the new server.

RELYING PARTY ARCHITECTURE

RP environments are likely to vary widely, from stand-alone command-line tools to a service integrated within application environments such as web
10 browsers or client environments particular to a given bank: SAP, PeopleSoft, etc.

To avoid restricting the RP to any particular client environment, the RM software provides the RP service as a software development kit (RPSDK). The RPSDK includes library functions and documentation for invoking Identity
15 Warranty, Certificate Status, and RM Management services, together with reference clients for all client services.

The RPSDK invokes cryptographic functions through a cryptographic token service interface. For greatest compatibility across token implementations, the RPSDK uses the cryptographic device interface specified by PKCS#11.

SECURITY CONSIDERATIONS

20 The RM system according to the present invention preferably implements SSL v3, with client certificates and uses this to achieve transport-level integrity and data privacy. The RM servers also use SSL v3 to achieve a limited use host-based authentication.

Application-level security provides authentication and authorization
25 services. Support for application-level privacy is preferably implemented in

conjunction with support for encryption-certified private keys and is not planned for the at this time.

RM clients (both Relying Party and administrative) sign requests and RM servers sign responses with keys certified for RM use. RM clients include their certificate chains in their request; RM servers will include their chain in the
5 response in order to reduce the amount of intelligence needed on the client.

To verify message integrity, RM servers and clients use the public keys in their partner's certificate to regenerate and compare signatures on the request and response PDUs.

10 To authenticate a client, the RM server first uses the account number from the certificate to look up the SSL client certificate for the account from the appropriate RM accounts database. If the account and SSL client certificates are valid, the RM server then checks with the level-one bank and repositories to verify all certificates in the client's certificate chain have been published and that
15 none of the certificates in the client's certificate chain have been revoked.

To prepare a response, the server verifies the non-revoked status of its own certificate chain by sending OCSP queries to the local and repositories. The server includes the OCSP responses, together with the repository signatures, in the PDU it returns to the client.

20 An RM client authenticates the server's response using local copies of the Root and Bank Repository OCSP Signing Certificates. To authenticate and verify the server's response, the client uses its local copies of the certificate to verify the signatures on the OCSP responses. Then, it verifies the non-revoked status of the RM server certificate, and finally it uses the public key in the RM server
25 certificate to verify the signature on the response PDU.

To provide non-repudiation for the responses the server sends to the client, the server saves copies of the CMS **SignedData** messages, with their **SignerInfo** signatures and certificates.

Authorization varies per transaction type. The RPBIWS authorizes
5 Requests against the Spending Balance and Spending Limit in the Relying Party Identity Warranty Account. The IBIWS authorizes Forwarded Requests against the Identity Warranty Balance and Limits in the Signing Party Identity Warranty Account and Signing Party Group Account (if one exists). Administrative
10 commands are authorized by the records in the IWMS Authorization Database and by the approver quorum.

The following assumptions are made regarding preferred embodiments of the present invention:

1. All entities in a Guardian (RM) transaction are authorized participants of the certificate infrastructure and have been issued a authenticated
15 certificate.
2. Guardian (RM) provides the interface between Issuing Banks and Relying Party Bank and interfaces with the Repository. Communication with the bank and root repositories uses OCSP for status checking.
3. Private Keys are distributed in tamper-resistant hardware (e.g., smart
20 cards, PCMCIA etc.).
4. Guardian (RM) will be installed and initialized offline.
5. Communication between Signing Party and Replying Party is out of band of the private banking network.
6. Signing Party sends Replying Party digitally signed contract with all the
25 necessary information for Guardian (RM) processing.

7. A request for an increase in an Issuing Bank's assurance limit is communicated offline.
8. Signing Party's initialization process includes request for modification of assurance level, as initial assurance level is set at zero.
- 5 9. Message flow covers assurance request and certificate status check
- 10 10. Guardian (RM) maintains a database of all transactions of its clients, including assurance accounts of all of its clients.
11. Guardian (RM) takes no liability for caching; therefore, each assurance request requires an active certificate check.
- 10 12. Each PFI is responsible for synchronizing time on the server in accordance with the system rules.
13. System rules define and resolve any issues associated with exchange rates.
14. When an identity warranty certificate is issued a utility certificate is issued. When an identity warranty certificate is revoked, a utility
15 certificate is revoked.

FUNCTIONAL REQUIREMENTS

The following functional requirements are made regarding preferred embodiments of the present invention:

- Assurance Accounts** – Each subscriber receiving a TBL Certificate preferably has an assurance account in their Issuing Bank's Guardian (RM) database. This database identifies the Signing Party by an account identifier. The Guardian (RM) assurance database contains information on each Signing Party's allowable aggregate assurance and current outstanding assurance. (Initialization of assurance accounts occurs in conjunction with the issuance of the certificate, with the corporate entity requesting assurance limits for each Signing Party.)

Management of Assurance Accounts – Assurance accounts are preferably managed on an account-by-account basis. There is preferably complete protection between closed user groups. No information particular to one customer may be compromised by information from another user.

5 **Assurance and Status Requests** – Requests for assurance or status must preferably be logged. Guardian (RM) must preferably never grant an assurance request if there is insufficient assurance available in the relevant SP account.

Reason Codes – All responses for assurance must preferably be able to carry reason codes that describe reasons for responses, especially refusal of
10 assurance, as well as other state information of entities in the response path that may be relevant.

 The message sent by an RPB to the RP in response to an assurance request is preferably sufficiently signed by all appropriate parties, that RP need validate the signatures on the response and the certificates of the signatories of the
15 response.

Logs – Guardian (RM) preferably records of all transactions, including rejected transactions.

Logs – All Guardian (RM) transactions are preferably time-stamped.

Reports – Guardian (RM) preferably generates on demand reports
20 containing information about all transactions that it processes, including assurance modifications and account requests.

Reports – RPB must preferably be able to dynamically view status of RP transactions.

Assurance Transaction – Signing Party must preferably be able to limit
25 the amount of assurance on a transaction.

Assurance Transaction – Banks can preferably set pricing for identity warranty requests offered through Guardian (RM).

Assurance Transaction – Assurance transactions are preferably classified by category codes (e.g., FX for foreign exchange, PURCH for corporate purchasing, EMAIL for S/MIME, etc). This classification allows collection of data so those banks can track risk associated with certain types of transactions.

Billing and Payment for Services – Payment is preferably done out of band based upon detailed transaction reporting to banks.

Payment for Assurance – Guardian (RM) preferably maintains authorized spending accounts for customers. Guardian (RM) preferably denies assurance request when designated spending account for an assurance transaction that has been exceeded.

Billing Dispute – Dispute resolution is preferably done manually, based upon system rules.

Claims Processing – Claims processing is preferably done manually, based upon system rules.

Claims Processing – Guardian (RM) must preferably implement appropriate rules for handling requests for assurance after being notified of a claim.

Claims Processing – A Unique Transaction ID is preferably generated at Signing Party that follows the life of a transaction.

User Interface (UI) – UI must preferably be consistent across Guardian (RM) components and straight forward to use.

Distributed Operation– Guardian (RM) must preferably be able to be operated at each Level 1 PFI.

SYSTEM REQUIREMENTS

The following system requirements are made regarding preferred embodiments of the present invention:

5 Guardian (RM) processing should preferably take no more than thirty (30) seconds per transaction with five concurrent transactions, assuming no public network latency.

 Payload Based Design – To the extent possible, protocols should focus on message content, not the definition of new or modification of existing transport
10 protocols. (This requirement must be balanced with the need to maintain adequate security.)

 Standards-Based Design – Protocols are preferably standards-based (e.g., HTTP/SSL, SMTP/SMIME) where this is consistent with operational and security requirements.

15 Implement Four-Corner Messaging Model – Requests and responses must preferably work within the four corner model whereby RPs communicate by/through their RPB and Signing Parties through their Issuing Bank.

 Extensibility – A system according to the present invention is preferably designed to facilitate addition of new request/response types, field values and
20 parameters subject to the approval of these parameters in the PKI.

 Integration – A system according to the present invention is preferably compatible with end user and server-based integration, avoiding unnecessary requirements for additional PIN or password based authentication.

Deployment – A system according to the present invention should preferably minimize use of specialized software and custom protocols. System should leverage the PKI.

Audit – A system according to the present invention should preferably have a robust audit mechanism to aid in dispute resolution.

Internationalization Support - A system according to the present invention preferably must be able to address internationalization concerns.

Certificates – A system according to the present invention should preferably be able to handle certificate expiration and revocation.

10 **OPERATIONAL REQUIREMENTS**

The following operational requirements are made regarding preferred embodiments of the present invention:

The cumulative total processing time for each step shall preferably not exceed the limit set forth in the system requirements, and the time for any single step in the chain shall preferably not exceed one-third of that limit.

Certificate Capacity – A system according to the present invention should preferably be able to handle up to 100,000 accounts.

Usage – System operations must preferably be available on a continuous use basis (24x7). Guardian (RM) must preferably be engineered such that hardware failures, maintenance, upgrades, and other system wide events do not affect the availability of the overall system as seen by end users. The system should preferably have the ability to securely roll operations to a full backup system running in a different location without a significant degradation in performance. Full 24x7 availability may be achieved over time by a phased set of rollovers, with each system participating for some fraction of the 24x7 cycle.

Deployment – A system according to the present invention should preferably allow for processing at application servers within the Signing Party/Relying Party's company.

System Integration – Guardian (RM) preferably uses standards (i.e.,
5 OCSP, SSL v3, etc.) making it easier to integrate with other systems and network services.

Backup – A system according to the present invention should preferably be able to create full and delta backups of all Guardian (RM) data.

Audit Logs – A system according to the present invention should
10 preferably be able to keep full logs of all requests from a corporation for changes to Signing Party's assurance account.

Access Control – No request from one corporation or user group may in any way change the information or policies for a Signing Party in another corporation.

15 **SECURITY REQUIREMENTS**

Hardware Tokens – Cryptographic aspects and signing must preferably be hardware-based such as smartcards and PCMCIA devices.

Hardware Tokens – Cryptography must preferably be implemented using best available algorithms at the time e.g., RSA, DES, Triple DES, and SHA1.

20 Transport Level Security – Guardian (RM) must preferably provide standards based transport layer security for all system communications.

Application Level Security – For high value transactions, Guardian (RM) must preferably provide end-to-end application layer integrity.

Auditability – The signed assurance requests and records of action taken
25 by Guardian (RM) are part of records provided to the involved banks. These

records are preferably protected against alternation and transmitted securely.

Secret Keys – There is preferably a standard procedure for replacing the Guardian (RM) secret keys.

Secret Keys – There is preferably a method for reasonably recovering from
5 known compromise of a Guardian (RM) secret key.

Access Control – Guardian (RM) preferably protects account information from unauthorized outside access.

Communication Security – Communications between Guardian (RM) and the banks that establish or alter user accounts preferably have integrity and
10 confidentiality protection. Techniques preferably support non-repudiation.

Communication Security – Parameters associated with the transmission of assurance request and the response preferably have integrity and where necessary confidentiality protection. Request and response preferably support non-repudiation.

15 **IDENTITY WARRANTY SERVICE (IWS)**

The Guardian (RM) Identity Warranty Service guarantees the identity of a warranty certificate for a contract signed by the associated private key. The guarantee is against a monetary amount of proven losses by the Relying Party.

The following requirements are made regarding assurance accounts in
20 preferred embodiments of the present invention:

1. Subscribers receiving an Identity Warranty Certificate will have an assurance account in their Issuing Bank's Guardian (RM) database.
This account must be created by the Issuing Bank.
2. The account identifier is unique within the bank.

3. The Guardian (RM) account contains information on each Signing Party's maximum allowable aggregate assurance.
4. The Guardian (RM) account contains information on each Signing Party's current outstanding assurance.
- 5 5. When an assurance account is created, the assurance limits will be established by the corporate entity requesting assurance limits for each Signing Party.
6. Guardian (RM) maintains authorized spending information for each account.
- 10 7. Guardian (RM) must deny assurance requests that would exceed the Signing Party account balance.

The following requirements are made regarding Assurance Transactions (request/offer/accept) in preferred embodiments of the present invention:

- 15 1. Signing Party may be able to limit the amount of assurance on a transaction.
2. Signing Party may be able to set expiration on when assurance may be requested
3. SP may designate the specific RP that may request assurance.
- 20 4. Banks will be able to set pricing for assurance requests.
5. Amount requested in Identity Warranty request by the RP would be amount offered by the IB if an offer were made.
6. Warranty request does not include business document but does include hash of the document for identification.

7. Requesting assurance produces offer, which includes fee information, and this may be accepted or rejected by RP.
8. The RP is not required to respond to an offer. If no response is made, the offer will expire after an expiration period.
- 5 9. The mechanism shall not preclude requesting assurance which is immediately granted without requiring an offer or acceptance. This is useful in an 800 number type service where the RP does not pay for the assurance (e.g., It is prepaid or paid by the Signing Party).
- 10 10. RP only deals with RPB, SP with IB.

The following requirements are made regarding Assurance Transactions (Signatures and Security) in preferred embodiments of the present invention:

1. To trust an assurance message, the Relying Party need only verify the information in the assurance message: the signature of the Relying Party Bank, the certificate of the Relying Party Bank, the status of the Relying Party Bank signed by the Root Repository, and the certificate of the Root Repository
- 15 2. All assurance messages are signed using Identity Warranty certificates of the parties involved.
- 20 3. All parties in transaction must sign messages using their appropriate PKI identity, using their appropriate Identity Warranty certificate.
4. The Identity Warranty service identity private key are stored on hardware token.

25 The following requirements are made regarding the use of standards in preferred embodiments of the present invention:

1. CMS is used to encode assurance transaction data.
2. SSL v3 with client authentication is used to transport assurance transactions.
3. The RP SSL client certificate must be a Utility certificate. An entry
5 for this Utility Certificate must appear in the account associated with the Identity Warranty Certificate used to sign the Identity Warranty message. The Identity Warranty service does not need to check for revocation of this utility certificate since it is paired with the Identity Warranty certificate.

10

The following requirements are made regarding the Integration with Bank Systems in preferred embodiments of the present invention:

1. Provide callout to allow pricing of warranty offer at both RPB and IB.
2. Provide callouts for currency conversions at both RPB and IB.

15

The following requirements are made regarding Authorization in preferred embodiments of the present invention:

1. Support RPB authorization callout of RP warranty request.
2. Support IB authorization callout of RPB forwarded warranty request.
3. Support RPB authorization callout of RP warranty accepts.
- 20 4. Support IB authorization callout of RPB warranty accepts.
5. Support RPB authorization callout of RP certificate status requests.

The following requirements are made regarding Management, billing and Administration in preferred embodiments of the present invention:

1. All assurance transaction messages will be saved for subsequent use in
25 claims processing.

2. All claims processing is out of band, with no protocol or Guardian (RM) processing defined.
3. Assurance transactions are classified by category codes (e.g., FX for foreign exchange, PURCH for Corporate purchasing; EMAIL for S/MIME, etc) – this will allow collection of data so that banks will be able to track risk associated with certain types of transactions.
4. Adequate records are kept so that banks can bill for each RP warranty request.

10 **CERTIFICATE STATUS SERVICE (CSS)**

The Certificate Status Service (CSS) determines whether or not a certificate was issued by a Certificate Authority (CA) and whether or not the certificate has not been revoked.

15 *On-line Certificate Status Protocol (OCSP)* is a protocol that responds to queries about the existence and status of a certificate; a central design goal is to eliminate the need for client-side CRL processing. The OCSP is preferably implemented by repositories. As used herein, an *OCSP Responder* is a server that responds to OCSP queries.

In preferred embodiments of the present invention, regarding the use of
20 OCSP:

1. Guardian (RM) provides the Relying Party the ability to request status of Identity Warranty Certificates as well as Utility Certificates.
2. Guardian (RM) responds to OCSP requests from a Relying Party with OCSP responses.

3. Guardian (RM) responds to OCSP requests from other registered Guardian (RM) with OCSP responses.
4. Guardian (RM) is able to process OCSP v1.0 as defined by the IETF.
5. Guardian (RM) signs OCSP requests and responses with the private
5 key associated with its Certificate Status identity certificate. This identity is separate from the other Guardian (RM) identities such as that associated with the Identity Warranty and Identity Warranty management services.

In preferred embodiments of the present invention, regarding status
10 service:

1. Each Guardian (RM) maintains configuration data to determine which non-local Guardian (RM) to contact for certificate validation, based on the certificate issuer DN.
2. OCSP requests to non-local Guardian (RM)s are new requests signed
15 by the local Guardian (RM). Forwarded responses are resigned using the Guardian (RM) Certificate Status identity.
3. Relying Party and peer Guardian (RM) identities are validated when processing OCSP requests.

In preferred embodiments of the present invention, regarding standards:
20 The identity and utility certificates are linked. The SSL v3 with client authentication must be the utility certificate issued in conjunction with the identity warranty certificate.

In preferred embodiments of the present invention, regarding Signatures and Security:

1. All RP OCSP requests must be signed using the RP Identity Warranty certificate and include the certificate path for the RP Identity Warranty certificate.
2. Guardian (RM) always validates remote Guardian (RM)s and its CertValidator by contacting the root. No caching is performed.
3. The Guardian (RM) Certificate Status private key and certificate are stored on hardware token.
4. Utility and Identity Warranty certificates used in Guardian (RM) processing must conform to the Architecture certificate profiles. Guardian (RM) must be able to process certificates conforming to these profiles.

In preferred embodiments of the present invention, regarding Management, Billing and Administration:

1. All OCSP transactions are logged.
2. Adequate records are kept so that banks can bill for each RP warranty request.

IDENTITY WARRANTY MANAGEMENT SERVICE

The Identity Warranty Management Service implements management actions for the Guardian (RM) Server.

In preferred embodiments of the present invention, regarding Identity Warranty Management Service Administration:

1. Each Guardian (RM) has a local database that contains information about its Identity Warranty Accounts.

2. Guardian (RM) provides access for one administrator on initial installation.
3. Guardian (RM) validates the administrator certificate chain prior to allowing the administrator use of the system.
- 5 4. Guardian (RM) allows for control of operations with the capability to edit peer configuration data, etc.

In preferred embodiments of the present invention, regarding Identity Warranty Management Service Management of Assurance Accounts:

- 10 1. Guardian (RM) allows the administrator to create, modify or delete Identity Warranty Accounts.
2. Guardian (RM) can manage and view as appropriate:
 - Identity Warranty Accounts
 - Identity Warranty Transaction Log
 - IB internal list of outstanding targets
 - 15 • RPBIWS Identity Warranty Transaction Log
 - IBIWS Transaction Log
 - CSS Log
 - Identity Warranty Accounts
- 20 3. Guardian (RM) must protect customer information. No information particular to one customer may be compromised by information from another user.

In preferred embodiments of the present invention, regarding Identity Warranty Management Service Monitoring: Service monitoring commands are preferably implemented in HTTP POST/RESPONSE message against HTTPS
25 URL and authorized against the client's SSL identity (Utility) Certificate.

In preferred embodiments of the present invention, regarding Identity
Warranty Management Service Reports:

1. Guardian (RM) can generate on demand reports containing the
following information:
 - Status of Guardian (RM) Services.
 - All Identity Warranty Transactions since requested time.
 - Accounts with Identity Warranty balance equal to Identity
Warranty limit.
2. RPB can dynamically view status of RP transactions.

In preferred embodiments of the present invention, regarding Identity
Warranty Management Service Logging:

1. Guardian (RM) logs information related to status of server application.
2. All Guardian (RM) transactions must be time-stamped.
3. Guardian (RM) logs all Identity Warranty and OCSP messages
including:
 - Identity Warranty messages it receives from RP client.
 - Identity Warranty messages it receives from other Guardian (RM)
servers.
 - Identity Warranty messages it generates itself.
 - Certificate Status (OCSP) messages it receives from OCSP
responders.
 - Certificate Status (OCSP) messages it receives from the local
CertValidator.
 - Certificate Status (OCSP) messages it receives from the
CertValidator.

- Certificate Status (OCSP) messages it receives from other Guardian (RM) Servers.
- Guardian (RM) logs all changes to the Identity Warranty Account.

In preferred embodiments of the present invention, regarding Identity

5 Warranty Management Service Claims Processing:

1. Guardian (RM) must implement appropriate rules for handling requests for assurance after being notified of a claim.
2. Guardian (RM) Server must also be able to update assurance accounts when claims are resolved.
- 10 3. Guardian (RM) detects reuse of old transaction identifiers.

HARDWARE REQUIREMENTS (HDW)

Although the system according to the present invention can operate on any appropriate computer system, an implementation of the system shall preferably
15 operate on the following a minimum hardware/software platform:

Hardware

- Pentium Pro 450
- 128 Mbytes RAM
- 8-10 Gbyte SCSI Drives
- 20 • Network Card (TBD)
- Hardware Token Reader (TBD)
- Hardware Token (TBD)

Software

- Windows NT 4.0 w/Service Pack 3
- 25 • Hardware Token Drivers

- Microsoft SQL Server v 7

Guardian (RM) will preferably require separate hardware and software for each configuration. No other software applications should be installed.

5 **PERFORMANCE REQUIREMENTS (PER)**

To ensure reasonable response times for both requests and reporting, a preferred embodiment will meet the following requirements: Guardian (RM) processing should take no more than thirty (30) seconds per transaction with five (5) concurrent transactions, subject to public network latency.

10 **SECURITY**

Crypto and signing must preferably be hardware-based such as with smartcards and PCMCIA devices. Cryptographic algorithms must preferably be standard. e.g., RSA, DES, Triple DES, and SHA1.

Guardian (RM) must preferably provide standards-based transport layer security for all system communications. Guardian (RM) must preferably provide end-to-end application layer integrity.

Auditability – The signed assurance requests and records of action taken by Guardian (RM) are preferably part of records provided to the involved banks. These records are preferably protected against alternation and transmitted securely.

There is preferably a standard procedure for replacing Guardian (RM) secret keys. Also, there is preferably a method for reasonably recovering from known compromise of a Guardian (RM) secret key.

Guardian (RM) preferably protects account information from unauthorized outside access.

Communications between Guardian (RM) and the banks that establish or alter user accounts preferably have integrity and confidentiality protection.

Techniques preferably support non-repudiation for integrity.

Parameters associated with the transmission of assurance request and the response preferably have integrity and where necessary confidentiality protection.

Request and response support non-repudiation.

Guardian (RM) preferably protects account information from unauthorized outside access.

STANDARDS (STD)

CMS will preferably be used to encode all Identity Warranty messages.

A system according to the present invention shall preferably support at least the Sept 1998 draft of the On-line Certificate Status Protocol (OCSP) specification –<draft-ietf-pkix-ocsp-07.txt>. The OCSP responds to queries about the existence and status of a certificate; a central design goal is to eliminate the need for client-side CRL processing. The OCSP is preferably implemented by repositories.

The system shall preferably support SSL version 3.

The system shall preferably use HTTP over SSL for administration and management.

CARD AND SIGNATURE SECURITY DATA

The Card and Signature Security Data (CSSD) is a signature over the hash of the transaction, and several data items maintained on the card. These items preferably include:

- a) card number

- b) warranty signature version number
- c) card authentication cryptogram version number
- d) warranty transaction counter
- e) utility transaction counter
- 5 f) CSSD counter
- g) cardholder verification results

This information may be used by the issuing bank's risk management processes, to detect fraudulent use of the card.

10 If a signature scheme with recovery is used, these items may be carried in the signature block and recovered during signature verification. If not, the items must be conveyed as one or more additional attributes. In any case, the signature itself must be conveyed as an attribute (which need not be signed). Design of these additional attributes will be completed once the signature scheme is determined.

15 MANAGEMENT PROTOCOL

This sections defines a management protocol for Reliance Manager. In particular, the messages between an RM administrator (RMA) and RM are defined.

20 The protocol is based on the use of CMS (formerly PKCS #7) to encapsulate transactions, using the CMS **signedData** construct. The individual messages are specified and encoded using ASN.1 DER (which is also used for CMS itself). The **signedData** instance may be further encoded for transfer (e.g., using base64 encoding), and further protection (e.g., SSL or S/MIME) may be applied, although these features are not discussed further in this paper. The

identity of the signer is contained in its certificate chain. The message flow is shown in the diagram in **FIGURE 30**.

With reference to **FIGURE 30**, the messages are follows:

1. Management Command
2. Status

5

Management Protocol

This section defines the formats of the management protocol messages.

The management protocol comprises a single request/response round trip between RM administrator and the RM Administration Service.

10 Management protocol messages are encapsulated using CMS **SignedData** as the message content.

The content of the request is the management command. The content of the response is the management command status.

15 The message originator assembles and signs the message content and additional authenticated or unauthenticated attributes (i.e. **SignerInfo**).

Management Request

To start an assurance transaction, the RM Administrator creates a CMS **SignedData** message containing the **adminRequest** structure, whose syntax is specified below. The content type for the message is “management command”;
 20 this is included as the message content signed attribute, per the CMS specification.

AdminRequest ::= SEQUENCE {

<p>25</p> <p>version</p> <p>command</p> <p>target</p> <p>balance</p> <p>certificate</p> <p>...</p>	<p>Version,</p> <p>AdminCommandType,</p> <p>AdminTargetType,</p> <p>[1] MonetaryValue OPTIONAL,</p> <p>[2] X509 OPTIONAL,</p>
---	--

```

        extensions                Extensions OPTIONAL – none currently
defined}
AdminCommandType ::= ENUMERATED { create(0), modify(1), read(2), delete(3), ...
}
5 AdminTargetType ::= ENUMERATED { idWarrantyAccount(0), idWarrantyRecord(1),
idWarrantyXAction(2), authorizationDb(3), ... }
-- target database

```

Management Response

10 To respond to an assurance transaction, the RM Administration service creates a CMS **SignedData** message containing the **adminResponse** structure, whose syntax is specified below. The content type for the message is “management response”; this is included as the message content signed attribute, per the CMS specification.

```

15 AdminResponse ::= SEQUENCE {
        version                Version,
        status                  AdminStatusType,
        ...
        extensions                Extensions OPTIONAL – none currently
20 defined}
AdminStatusType ::= ENUMERATED { ok(0), noPermission(1), badCert(2)... }

```

25 Thus, a reliance manager for an electronic transaction system is provided. One skilled in the art will appreciate that the present invention can be practiced by other than the described embodiments, which are presented for purposes of illustration and not limitation, and the present invention is limited only by the claims that follow.

30

What is claimed:

1. An electronic transaction system comprising:
an authority issuing electronic signals representing subscriber
5 assurance of an attribute of a subscriber to the system; and
a reliance server obtaining electronic signals representing
information regarding the subscriber assurance issued by the issuing
authority, the reliance server issuing electronic signals representing a
signed warranty offer to a relying party, the signed warranty offer
10 being based at least on the subscriber attribute assurance, wherein the
reliance server only provides the signed warranty offer if the relying
party is authorized to make a request for said warranty.
2. A system as in claim 1 wherein the reliance server uses a
15 secure hardware device to sign the warranty.
3. A system as in claim 2 wherein the secure hardware
device contains a key certified by a certification authority.
- 20 4. A system as in claim 1 wherein the reliance server bases
a decision to sign the warranty offer on criteria including
 - (a) attributes of the issuing party certificates,
 - (b) attributes concerning the issuing party that are not
contained in issuing party certificates, and

(c) attributes of the request for said warranty that are sent by the issuing party.

5 5. A system as in claim 1 wherein the reliance server bases a decision to sign the warranty offer on criteria which are defined through scripts which may be configured under a secure administration process.

10 6. A system as in claim 1 wherein the reliance server treats each request from a particular relying party independently of all other requests from the same relying party.

15 7. A system as in claim 1 wherein each request from a particular relying party includes information that allows the reliance server to determine the policy regarding issuance of a signed warranty offer.

20 8. A system as in claim 1 wherein the reliance server produces secure logs of all transactions such that the system can be audited.

25 9. A system as in claim 1 wherein the warranty being offered to a relying party can be rolled back if the relying party does not accept the offer within a set time limit.

10. A system as in claim 1 wherein the issuing authority
limits a level of warranty that can be given for each transaction.

5 11. A system as in claim 10 wherein the issuing authority
limits the level of warranty by setting overall limits for any
transaction.

12. A method of managing reliance in an electronic
transaction system, the method comprising:
10 an issuing bank (IB) providing transaction bearing liability
(TBL) certificates to a subscriber;
the subscriber forming and signing a transaction, the signed
transaction including information contained in the TBL certificate,
and forwarding the signed transaction to a relying party;
15 the relying party forwarding an assurance request based on
the transaction to a relying party bank;
the relying party bank issuing a signed warranty offer to the
relying party, the signed warranty offer being based at least on
information in the TBL certificate, wherein the relying party bank
20 only provides the signed warranty offer if the relying party is
authorized to make a request for said warranty.

13. A method as in claim 12 wherein the relying party bank
uses a secure hardware device to sign the warranty.

25

14. A method as in claim 13 wherein the secure hardware device contains a key certified by a certification authority.

15. A method as in claim 12 wherein the relying party bank bases a decision to sign the warranty offer on criteria including

(a) attributes of the TBL certificate,

(b) attributes concerning the issuing bank that are not contained in certificates, and

(c) attributes of the request for said warranty.

16. A method as in claim 12 wherein the relying party bank bases a decision to sign the warranty offer on criteria which are defined through scripts which may be configured under a secure administration process.

17. A method as in claim 12 wherein the relying party bank treats each request from a particular relying party independently of all other requests from the same relying party.

18. A method as in claim 12 wherein a request from a particular relying party includes information that allows the relying party bank to determine the policy regarding issuance of a signed warranty offer.

19. A method as in claim 12 further comprising:

the relying party bank producing secure logs of all transactions such that the system can be audited.

20. A method as in claim 12 further comprising:

5 rolling back the warranty being offered to the relying party if the relying party does not accept the offer within a set time limit.

21. A method as in claim 12 further comprising:

10 the issuing bank limiting a level of warranty that can be given for each transaction.

22. A method as in claim 21 wherein the issuing bank limits the level of warranty by setting overall limits for any transaction.

15 23. A method as in claim 12 wherein the relying party

forwards the assurance request using an open network protocol.

24. A method as in claim 12 further comprising:

20 the relying party bank verifying that the relying party is authorized to make the request, the verification being based on a relying party's identity certificate and on attributes determined by the relying party bank in conjunction with information which may be requested by the relying party bank from other systems.

25

25. A method as in claim 12 further comprising:

by the relying party bank, maintaining a warranty account to track warranties that have been issued for each relying party.

5

26. A method as in claim 12 further comprising:

by the relying party bank, maintaining a record of outstanding warranties that have been issued for a group of relying party accounts.

10

27. A method as in claim 12 further comprising:

by the relying party bank, providing alert messages when certain warranty thresholds have reached.

28. A method as in claim 12 further comprising:

15

by the relying party bank, making requests for information from other systems to determine whether or not to issue the warranty offering.




Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13

4: Offer




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29





Fig. 30



INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 00/02013

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 H04L29/06 G07F7/08 G07F7/10

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED
Minimum documentation searched (classification system followed by classification symbols)
IPC 7 H04L G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 26385 A (ASAY ALAN ;SUDIA FRANK W (US); TURNER PAUL A (US); ANKNEY RICHARD) 18 June 1998 (1998-06-18) abstract page 1, line 5 - line 9 page 8, line 13 -page 9, line 15 page 12, line 24 - line 25 page 13, line 10 - line 12 page 13, line 29 -page 14, line 12 page 42, line 12 -page 43, line 11	1-4, 7-15, 18-28
A	WO 96 31965 A (ANDERSON MILTON M ;FINANCIAL SERVICES TECHNOLOGY (US); JAFFE FRANK) 10 October 1996 (1996-10-10) abstract page 5, line 5 -page 12, line 21	1-28

Further documents are listed in the continuation of box C. Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance
 "E" earlier document but published on or after the international filing date
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
 "O" document referring to an oral disclosure, use, exhibition or other means
 "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
 "&" document member of the same patent family

Date of the actual completion of the international search: 27 June 2000
 Date of mailing of the international search report: 04/07/2000

Name and mailing address of the ISA: European Patent Office, P.B. 5818 Patentlaan 2, NL - 2280 HV Rijswijk, Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016
 Authorized officer: Adkhis, F

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/02013

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9826385 A	18-06-1998	US 5903882 A	11-05-1999
		AU 5515398 A	03-07-1998
		CN 1244936 A	16-02-2000
		EP 0965111 A	22-12-1999
WO 9631965 A	10-10-1996	US 5677955 A	14-10-1997
		BR 9608448 A	07-12-1999
		CA 2217593 A	10-10-1996
		EP 0819345 A	21-01-1998
		JP 11503541 T	26-03-1999