
### Open Frame 6.2-inch IPS Retail Tablet Android

Android Commercial Tablet 6.2 inch 1024x600 IPS LCD





### **Highlighted Features**

- >Integrated smart content authoring software
- >Auto playback of appointed app
- >Full screen display without Android menu bar
- > Password protection for exiting the app
- >Auto SD card content update by USB key
- >Auto power on/off at designated time
- >Optional with various POS peripherals with fixed trigger parameters
- >Compatible with third-party CMS
- > 24-hour self-monitor & reset capabilities

OP6201 Droid is never like a consumer tablet, but is a tablet completely designed for commercial use where running 7/24/365 is crucial. Its mounting holes around the frame edge is convenient for retail integration into retail furniture or industrial equipment. With integrated hardware and software for commercial and retail use, added features like tempered glass, robust industrial housing, design and stress-tested for 7/24/365 use, VESA mounting, SD card protection system, anti-theft system, hidden quick control buttons on back, high-volume Hi-Fi stereo audio output, This OpenFrame Android Tablet is the best Android solution for the most demanded commercial, industrial and retail environment.

### Tech Spec

#### Panel:

Screen Size 6.2" IPS

Touch panel type 10-point Capacitive touch Active Area 141.498( H)\*68.04 ( V)mm

Resolution 1280 x 800 Brightness 300cd/m2 Contrast Ratio 800:1 Aspect Ratio 16:9

Viewing Angle 89/89/89/89(L/R/U/D)

### Hardware & OS: (Lower Spec Available Upon Request )

Processor: Rockchip Cortex-A9 Quad-core RK3188

RAM:DDR3, 1GB ROM: 8GB

OS: Android 4.4.4 / 5.1

I/O ports: 1 x RJ45, 2 x USB 2.0, 1 x USB 2.0 OTG, 1 x 3.5mm earphone, 1 x SD card slot, 1 x 12V/1A DC Jack, IR x1

Front Camera: 2,000,000 pixels Audio:Built-in stereo speakers 2W x 2 Power:Power input DC 12V, 1A

### Media support:

Video (Full HD 1920 x 1080)

AVI,H.263,H.264,VC-1,MPEG-2,MPEG-4,DIVD/DIVX,Real8/9/10,RM,RMVB,PMP,FLV,MP4,M4V,VOB,WMV, 3GP,MKV,AS-F,3G2M4V,MJPEG,RV10

Image JPG, BMP, PNG, GIF

Audio

MP1,MP2,MP3,WMA,OGG,AAC,M4A,FLAC,APE,AMR,RA,WA

#### **Connectivity:**

Wired Ethernet 10/100 Wifi Built-in WIFI 802.11b/g/n Bluetooth Built-in Bluetooth 4.0

### **General Information:**

Case Material High-quality PC+ ABS case with partial rubber injection

Case Color Standard color: Black or white (Customized color upon request)

upon request)

Storage Temp (-15 -- 65 degree) Working Temp (0 -- 50 degree)

Storage/Working Humidity (10 -- 90%)


Dimension 182.1x101.5x32mm

Net Weight: 0.8kgs

Point-of-Sale
 Industrial
 Commercial


### Open Frame 6.2-inch IPS Retail Tablet Android

Android Commercial Tablet 7 inch 1024x600 IPS LCD



### Open Frame 7-inch IPS Retail Tablet Android

Android Commercial Tablet 7 inch 1024x600 IPS LCD



### Highlighted Features

- >Integrated smart content authoring software
- >Auto playback of appointed app
- >Full screen display without Android menu bar
- >Password protection for exiting the app
- >Auto SD card content update by USB key
- >Auto power on/off at designated time
- >Optional with various POS peripherals with fixed trigger parameters
- >Compatible with third-party CMS
- > 24-hour self-monitor & reset capabilities

OP7001Droid is never like a consumer tablet, but is a tablet completely designed for commercial use where running 7/24/365 is crucial. Its mounting holes around the frame edge is convenient for retail integration into retail furniture or industrial equipment. With integrated hardware and software for commercial and retail use, added features like power-over-ethernet, tempered glass, robust industrial housing, design and stress-tested for 7/24/365 use, VESA mounting, SD card protection system, anti-theft system, hidden quick control buttons on back, high-volume Hi-Fi stereo audio output, This OpenFrame Android Tablet is the best Android solution for the most demanded commercial, industrial and retail environment.

### Tech Spec

#### Panel:

Screen Size 7" IPS

Touch panel type 10-point Capacitive touch Active Area 154.21( H)\*85.92 ( V)mm

Resolution 1024 x 600

Pixel Pitch 50.2X 143.2 um

Brightness 350cd/m2

Contrast Ratio 800:1

Aspect Ratio 16:9

Viewing Angle 89/89/89(L/R/U/D)

#### Hardware & OS: (Lower Spec Available Upon Request )

Processor: Rockchip Cortex-A9 Quad-core RK3188

RAM:DDR3, 1GB ROM: 8GB OS: Android 5.1

I/O ports: 1 x RJ45, 3 x USB 2.0, 1 x USB 2.0 OTG, 1 x 3.5mm

earphone, 1 x SD card slot, 1 x 12V/1A DC Jack

Front Camera: 2,000,000 pixels Audio:Built-in stereo speakers 2W x 2 Power:Power input DC 12V, 1A

Power over Ethernet (POE) 802.3at < Optional >;

### Media support:

Video (Full HD 1920 x 1080)

AVI,H.263,H.264,VC-1,MPEG-2,MPEG-4,DIVD/DIVX,Real8/9/ 10,RM,RMVB,PMP,FLV,MP4,M4V,VOB,WMV, 3GP,MKV,AS-F,3G2M4V,MJPEG,RV10

Image JPG, BMP, PNG, GIF

Audio

MP1,MP2,MP3,WMA,OGG,AAC,M4A,FLAC,APE,AMR,RA,WA

#### **Connectivity:**

Wired Ethernet 10/100

Wifi Built-in WIFI 802.11b/g/n

Bluetooth Built-in Bluetooth 4.0

### **General Information:**

Case Material High-quality PC+ ABS case with partial rubber injection

Case Color Standard color: Black or white (Customized color

upon request)

Storage Temp (-15 -- 65 degree)

Working Temp (0 -- 50 degree)

Storage/Working Humidity (10 -- 90%)


Dimension 201.97x116.88x27mm

Net Weight: 0.8kgs

\* Point-of-Sale \* Industrial \* Commercial

### Open Frame 7-inch IPS Retail Tablet Android


Android Commercial Tablet 7 inch 1024x600 IPS LCD



### Ordering Options:

### Open Frame 8-inch IPS Retail Tablet Android

Android Commercial Tablet 8 inch 1280x800 IPS LCD



### **Highlighted Features**

- >Integrated smart content authoring software
- >Auto playback of appointed app
- >Full screen display without Android menu bar
- >Password protection for exiting the app
- >Auto SD card content update by USB key
- >Auto power on/off at designated time
- >Optional with various POS peripherals with fixed trigger parameters
- >Compatible with third-party CMS
- > 24-hour self-monitor & reset capabilities

OP8008Droid is never like a consumer tablet, but is a tablet completely designed for commercial use where running 7/24/365 is crucial. Its mounting holes around the frame edge is convenient for retail integration into retail furniture or industrial equipment. With integrated hardware and software for commercial and retail use, added features like power-over-ethernet, tempered glass, robust industrial housing, design and stress-tested for 7/24/365 use, VESA mounting, high-volume Hi-Fi stereo audio output, This OpenFrame Android Tablet is the best Android solution for the most demanded commercial, industrial and retail environment.

### Tech Spec

#### Panel:

Screen Size 8" IPS

Touch panel type 5-point Capacitive touch Active Area 172.224 × 107.64 (H×V)mm

Resolution 1280 x 800 Brightness 350cd/m2 Contrast Ratio 900:1 Aspect Ratio 16:10

Viewing Angle 85/85/85(L/R/U/D)

### Hardware & OS:

Processor: Rockchip Cortex-A9 1.2GHz Quad-core RK3128, Mali-400MP2 @ 533MHz;

RAM:DDR3, 1GB ROM: 8GB

OS: Android 6.0+ Rooted

I/O ports: 1 x RJ45, 3 x USB 2.0, 1 x USB 2.0 OTG, 1 x 3.5mm

earphone, 1 x SD card slot, 1 x 12V/1A DC Jack Front Camera: 2,000,000 pixels (Optional ) Audio:Built-in stereo speakers 2W x 2 Power:Power input DC 12V, 1A

Power over Ethernet (POE) 802.3af < Optional >;

### Media support:

Video (Full HD 1920 x 1080)

AVI,H.263,H.264,VC-1,MPEG-2,MPEG-4,DIVD/DIVX,Real8/9/10,RM,RMVB,PMP,FLV,MP4,M4V,VOB,WMV, 3GP,MKV,AS-F,3G2M4V,MJPEG,RV10

Image JPG, BMP, PNG, GIF

Audio

MP1,MP2,MP3,WMA,OGG,AAC,M4A,FLAC,APE,AMR,RA,WA

#### **Connectivity:**

Wired Ethernet 10/100 WiFi Built-in:802.11b/g/n Bluetooth: Built-in Bluetooth 4.0

### **General Information:**

Case Material : Metallic + matt coating;

Case Color Standard color: Black (Customized color upon

request)

Storage Temp (-15 -- 65 degree) Working Temp (0 -- 50 degree)


Storage/Working Humidity (10 -- 90%) Dimension: 221.3x134.6x30mm

Net Weight:1.1kgs

Point-of-Sale
 Industrial
 Commercial

### Open Frame 8-inch IPS Retail Tablet Android

Android Commercial Tablet 8 inch 1280x800 IPS LCD



### Ordering Options:

Player Console: 8-inch IPS Retail Tablet Open Frame AC Adatper: 12V /1A

### Open Frame 10.1-inch IPS Retail Tablet Android

Android Commercial Tablet 10.1 inch 1280x800 IPS LCD, wired Ethernet with POE





### **Highlighted Features**

- >Integrated smart content authoring software
- >Auto playback of appointed app
- >Full screen display without Android menu bar
- > Password protection for exiting the app
- >Auto SD card content update by USB key
- >Auto power on/off at designated time
- >Optional with various POS peripherals with fixed trigger parameters
- >Compatible with third-party CMS
- > 24-hour self-monitor & reset capabilities

OP1026Droid is never like a consumer tablet, but is a tablet completely designed for commercial use where running 7/24/365 is crucial. Its mounting holes around the frame edge is convenient for retail integration into retail furniture or industrial equipment. With integrated hardware and software for commercial and retail use, added features like power-over-ethernet, tempered glass, robust industrial housing, design and stress-tested for 7/24/365 use, VESA mounting, SD card protection system, anti-theft system, hidden quick control buttons on back, high-volume Hi-Fi stereo audio output, This OpenFrame Android Tablet is the best Android solution for the most demanded commercial, industrial and retail environment.

### Tech Spec

#### Panel:

Screen Size 10.1" IPS

Touch panel type 10-point Capacitive touch

Active Area 216.96(H) x 135.6(V)

Resolution 1280 x 800

Pixel Pitch 0.1695 X 0.1695

Brightness 400cd/m2

Contrast Ratio 1300:1

Aspect Ratio 16:10

Viewing Angle 85/85/85/85(L/R/U/D)

#### Hardware & OS: (Lower Spec Available Upon Request )

Processor: Rockchip Cortex-A17 Quad-core RK3288

RAM:DDR3, 2GB ROM: 8GB

OS: Android 5.1

I/O ports: 1 x RJ45, 2x USB 2.0, 1 x USB 2.0 OTG, 1 x 3.5mm

earphone, 1 x SD card slot, 1 x 12V/1A DC Jack Front Camera: 2,000,000 pixels(optinal) Audio:Built-in stereo speakers 2W x 2 Power:Power input DC 12V, 1A

Power consumption 20W

Power over Ethernet (POE) 802.3at < Optional >;

Cellular (Optional ):

3G: Huawei MU709s-2 >>>UMTS/HSPA: 900/2100MHz >>

GSMGPRS/EDGE: 850/900/1800/1900 MHz

4G: Huawei ME909S-120 LTE (FDD):

B1,B2,B3,B4,B5,B7,B8,B20 >>> DC-HSPA+ /HSPA+/ HSPA/

UMTS: B1,B2,B5,B8>>>EDGE/GPRS/GSM: 850/9 00/1800/

1900 MHzMedia support:

Video (Full HD 1920 x 1080)

AVI,H.263,H.264,VC-1,MPEG-2,MPEG-4,DIVD/DIVX,Real8/9/1 O,RM,RMVB,PMP,FLV,MP4,M4V,VOB,WMV, 3GP,MKV,AS-

F,3G2M4V,MJPEG,RV10 Image JPG, BMP, PNG, GIF

Audio

MP1,MP2,MP3,WMA,OGG,AAC,M4A,FLAC,APE,AMR,RA,WAV

**Connectivity:** 

Wired Ethernet 10/100 Wifi Built-in WIFI 802.11b/g/n Bluetooth Built-in Bluetooth 4.0

### **General Information:**

Case Material High-quality PC+ ABS case with partial rubber injection

Case Color Standard color: Black or white (Customized color upon request)

Fixations Vesa 75 x 75mm

Storage Temp (-15 -- 65 degree)

Working Temp (0 -- 50 degree)

Storage/Working Humidity (10 -- 90%)

Dimension 256.4x161.5x35.3mm


Net Weight: 1.2kgs

> OpenFrame & All-in-One 1080P Player

• Point-of-Sale • Industrial • Commercial

### Open Frame 10.1-inch IPS Retail Tablet Android

Android Commercial Tablet 10.1 inch 1280x800 IPS LCD, wired Ethernet with POE



### **Ordering Options:**

Player Console: 10.1-inch IPS Retail Tablet Open Frame


AC Adatper: 12V /2A
Tablet Top Stand: Optional;
VESA Wall Mounts:Optional;
Floor Standing Mounts:Optional:
POE Injector: Optional;

### Open Frame 13.3" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 13.3" LCD panel



The 13.3" Android Commercial Tablet(OP1332Droid) is a smart-designed Open Framed retail tablet for in-Store interactive digital advertising. It features high resolution full HD IPS LCD panel 1920x1080 pixels to display your Ads message in a compelling way, the Quad-core processor is powerful to support the video-rich content with strong GPU. The mounting hoes along with the frame board helps end-users with easy integration into retail fixture. It comes with built-in VESA and slot protector for professional deployment.



Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen; Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### **LCD Panel Information**

Screen size:13.3 inch diagonal;

Display Type:TFT-LCD screen 1920\*1080 pixels;

Viewing Angle: 170°(H)170°(V);

Backlight type:LED; Aspect ratio: 16:9; Brightness:250cd/m2; Contrast Ratio:800:1;

#### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use ;

#### **Options**

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

**Push Buttons** 

Power: Power Over Ethernet (POE, 802.3at) Optional

### Video

MPEG4(avi: divX, Xvid), MPEG2(dvd, vob, MPG2), MPEG1(vcd,dat,MPG1), RM,rmvb, etc Up to 1080P



- > Robust Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Hardware (Lower Spec Available Upon Request)

Processor: ARM Cortex-A17 Quadcore 1.8GHz, Mali-764 GPU;

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

Camera: 2.0 MP

### O/S

Android 5.1/6.0

### Interface

Card Slot: SD Card;

USB: USB 2.0 Host x2, USB 2.0 OTG x1;

Power Jack: 12V /2A DC in

RJ45: 1

Audio: 3.5mm Earphone Port;

### Audio

Audio Format: MP3

Stereo Output: Speakers,  $2x3W/8\Omega$ 

#### Photo

Photo Format: JPEG/BMP /PNG

### **Working Conditions**

Operating Temperature:0°C to 50°C

Relative Humidity: 5% - 95% (Non-Condensing)

### Shipping Info

W x D x H (unit) : 385.1x256.8x32mm


Gift Box: 430x330x80mm


Carton: 445x410x370mm Qty / Carton: 5pcs G.W.:18.5kgs

### Open Frame 13.3" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 13.3" LCD panel

### **Mechanical Drawings**





### **Ordering Options:**

Tablet Console: 13.3 inch Android Kiosk Capacitive

AC Adatper: 12V /2A

POE: Requires Adding POE Module Inside (Optional )



### Open Frame 15.6" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 15.6"LCD panel



The 15.6" Android Commercial Tablet(OP1562Droid) is a smart-designed Open Framed retail tablet for in-Store interactive digital advertising. It features high resolution full HD IPS LCD panel 1920x1080 pixels to display your Ads message in a compelling way, the Quad-core processor is powerful to support the video-rich content with strong GPU. The mounting hoes along with the frame board helps end-users with easy integration into retail fixture. It comes with built-in VESA and slot protector for professional deployment.



- > Robust Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Commercial-Friendly

Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen; Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### Hardware

Processor: ARM Cortex-A17 Quadcore 1.8GHz, Mali-764 GPU;

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

Camera: 2.0 MP

### LCD Panel Information

Screen size: 15.6" (Diagonal) Active area: 344.2(H) x 193.5(V) mm Max. Resolution: 1920 (H) x 1080 (V)

Brightness: 250 cd/m2 Contrast ratio: 1000: 1

Viewing angle: 85/85/85/85(L/R/U/D)

Aspect Ratio: 16:9

### Interface

Card Slot: SD Card;

Audio Format: MP3

USB: USB 2.0 Host x2, USB 2.0 OTG x1;

Power Jack: 12V /2A DC in

RI45: 1

Audio: 3.5mm Earphone Port;

### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use ;

#### . . . . . .

Audio

Photo Format: JPEG/BMP /PNG

Stereo Output: Speakers,  $2x3W/8\Omega$ 

### **Options**

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

**Push Buttons** 

Power: Power Over Ethernet (POE, 802.3at) Optional

### **Working Conditions**

Operating Temperature:0°C to 50°C

Relative Humidity: 5% - 95% (Non-Condensing)

### Video

MPEG4(avi: divX, Xvid), MPEG2(dvd, vob, MPG2), MPEG1(vcd,dat,MPG1), RM,rmvb, etc Up to 1080P

### Shipping Info


W x D x H (unit): 427x275x30.2mm

Gift Box: 475x360x85mm

### Open Frame 15.6" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 15.6"LCD panel

### **Mechanical Drawings**



### **Ordering Options:**

Tablet Console: 15.6 inch Android Kiosk Capacitive

AC Adatper: 12V /2A

POE: Requires Adding POE Module Inside



### Open Frame 18.5" Commercial Tablet Made For Integration

Quad-Core Processor With Full HD 1366x768 pixels 18.5"LCD panel



The 18.5" Android Commercial Tablet(OP1852Droid) is a smart-designed Open Framed retail tablet for in-Store interactive digital advertising. It features high resolution HD panel 1366x768 pixels to display your Ads message in a compelling way, the Quad-core processor is powerful to support the video-rich content with strong GPU. The mounting hoes along with the frame board helps end-users with easy integration into retail fixture. It comes with built-in VESA and slot protector for professional deployment.



- > Robust Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Commercial-Friendly

Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen:

Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### Hardware & O/S

Processor: ARM Cortex-A17 Quadcore 1.8GHz, Mali-764 GPU;

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

Camera: 2.0 MP Android 5.1;

### **LCD Panel Information**

Screen size: 18.5" (Diagonal) Active area: 409.8(H)×230.4(V) mm Max. Resolution :1366(RGB)×768 [WXGA]

Brightness: 250 cd/m2 Contrast ratio: 1000:1

Viewing angle: 85/85/80/80(L/R/U/D)

Aspect Ratio: 16:9

### Interface

Card Slot: SD Card;

Audio Format: MP3

USB: USB 2.0 Host x2, USB 2.0 OTG x1;

Power Jack: 12V /2A DC in

RI45: 1

Audio

Audio: 3.5mm Earphone Port;

### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use;

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

### Photo

Photo Format: JPEG/BMP /PNG

### **Options**

**Push Buttons** 

### **Working Conditions**

Operating Temperature:0°C to 50°C

Stereo Output: Speakers, 2x3W/8Ω

Relative Humidity: 5% - 95% (Non-Condensing)

### Video

MPEG4(avi: divX, Xvid), MPEG2(dvd, vob, MPG2), MPEG1(vcd,dat,MPG1), RM,rmvb, etc Up to 1080P

### Shipping Info

W x D x H (unit): 487.8x307.1x36.3mm

Gift Box: 550x360x80mm

Carton: 570x380x350mm Qty / Carton: 4pcs G.W.:23kgs

## Open Frame 18.5" Commercial Tablet Made For Integration

Quad-Core Processor With Full HD 1366x768 pixels 18.5"LCD panel

# Mechanical Drawings 472.6 436 409.8 0 0 295. 1 0 0 0 0 0 0 0 0 0

### **Ordering Options:**


Tablet Console: 18.5 inch Android Kiosk Capacitive

AC Adatper: 12V /2.5A



### Open Frame 21.5" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 21.5"LCD panel







- > Robust Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Commercial-Friendly

Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen; Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### Hardware

Processor: ARM Cortex-A17 Quadcore 1.8GHz, Mali-764 GPU;

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

Camera: 2.0 MP

### **LCD Panel Information**

Screen size: 21.5" (Diagonal) Active area: 476.6(H) x 268.1(V) mm Max. Resolution: 1920 (H) x 1080 (V)

Brightness: 250 cd/m2 Contrast ratio: 1000:1

Viewing angle: 85/85/85(L/R/U/D)

Aspect Ratio: 16:9

### Interface

Card Slot: SD Card;

Audio Format: MP3

USB: USB 2.0 Host x2, USB 2.0 OTG x1;

Power Jack: 12V /2A DC in

RI45: 1

Audio

Audio: 3.5mm Earphone Port;

### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use;

### Photo

Photo Format: JPEG/BMP /PNG

### **Options**

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

**Push Buttons** 

Power: Power Over Ethernet (POE, 802.3at) Optional

### Video

MPEG4(avi: divX, Xvid), MPEG2(dvd, vob, MPG2), MPEG1(vcd,dat,MPG1), RM,rmvb, etc Up to 1080P

### **Working Conditions**

Operating Temperature:0℃ to 50℃

Stereo Output: Speakers,  $2x3W/8\Omega$ 

Relative Humidity: 5% - 95% (Non-Condensing)


### Shipping Info

W x D x H (unit) : 550x311.3x51.6mm

Gift Box: 61.7\*44.5\* 85mm


## Open Frame 21.5" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 21.5"LCD panel



### Open Frame 23.8" Commercial Tablet Android Touchscreen

Quad-Core Processor With Full HD 1920x1080 pixels 23.8"LCD panel







- > Robust Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Commercial-Friendly

Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen; Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### **LCD Panel Information**

Screen size : 23.8" (Diagonal)

Active area : 527.04(W)×296.46(H) mm Max. Resolution : 1920 (H) x 1080 (V)

Brightness: 250 cd/m2 Contrast ratio: 1000: 1

Viewing angle: 85/85/85/85(L/R/U/D)

Aspect Ratio: 16:9

### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use ;

### **Options**

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

**Push Buttons** 

Power: AC Power Adapter

### Video

MPEG4(avi: divX, Xvid), MPEG2(dvd, vob, MPG2), MPEG1(vcd,dat,MPG1), RM,rmvb, etc Up to 1080P

### Hardware

Processor: ARM Cortex-A17 Quadcore 1.8GHz, Mali-764 GPU;

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

WiFi: 802.11 b/g/n

### O/S Android 5.1

### Interface

Card Slot: SD Card;

USB: USB 2.0 Host x3 , USB 2.0 OTG x1;

Power Jack: 12V /3A DC in RJ45: 1 10M/100M

Audio: 3.5mm Earphone Port;

### Audio

Audio Format: MP3

Stereo Output: Speakers, 2x3W/8Ω

### Photo

Photo Format: JPEG/BMP /PNG

#### **Working Conditions**

Operating Temperature:0°C to 50°C

Relative Humidity: 5% - 95% (Non-Condensing)

### Shipping Info

W x D x H (unit) : 570.2x339.6x50.4mm

Gift Box: 66.0\*44.5\* 85mm

Carton: 640x460x285mm Qty / Carton: 3pcs G.W.:22.5kgs


### Open Frame 23.8" Commercial Tablet Android Touchscreen


Quad-Core Processor With Full HD 1920x1080 pixels 23.8"LCD panel

# Mechanical Drawings 81118000111000011100 88111000111000011100 570.2 527 21.6 604.634[23.8" 590 602 -Mini\_USB OFF/ON DC12V -USB LAN -Earphone USB USB 50.4 100

### 32" Commercial Tablet Android

Quad-Core Processor With Full HD 1920x1080 pixels 32"LCD panel





### Available in Openframe With Metallic Mounting Kit

The 32" Android Commercial Tablet(OP3202Droid) is a smart-designed retail tablet for interactive digital advertising. It features high resolution full HD LCD panel 1920x1080 pixels to display your Ads message in a compelling way, the Quad-core processor is powerful to support the video-rich content with strong GPU. It comes with built-in VESA and slot protector for professional deployment.

- > Compact Design VESA mount & Slot Protector;
- > Optimized Android Commercial-Friendly: hidden status bar, Restrict Access To Only Selected Apps, etc;
- > Proven High-reliability 7/24/365 By Top Brands

### Commercial-Friendly

Allow users to access allowed APK or Website only; Supports Full-Screen Browsing With Hidden Status Bar; Password protection for exiting the Full-Screen; Auto USB Copy & Auto Power On/Off; Supports Various Exteral POS Peripherals;

### Hardware

Processor: ARM Cortex-A17 Quadcore 1.8GHz Rockchip

RK3288

RAM: DDR3, 2GB;

ROM: 8GB(upgradeable to 16GB);

### LCD Panel Information

Screen size:31.5 inch diagonal;

Display Type:TFT-LCD screen 1920\*1080 pixels;

Viewing Angle:170°(H)160°(V);

Backlight type:LED; Aspect ratio: 16:9; Brightness:250cd/m2; Contrast Ratio:1000:1;

### Interface

Card Slot: SD Card;

USB: USB 2.0 Host x3 , USB 2.0 OTG x1;

Power Jack: 12V /4A DC in RJ45: 1 / 10/100M

Audio: 3.5mm Earphone Port;

VESA: 200x 200

### Touchscreen

Capacitive Multi-touch With G+G Structure For Industrial Use ;

### Audio & Video

Photo

Audio Format: MP3

Stereo Output: Speakers,  $2x3W/8\Omega$ 

Video Formats: AVI/MP4/H.264 (up to 1080P)

### Options

Interactivity: Barcode Reader, RFID Reader, Thermal Printer,

**Push Buttons** 

Frontal Camera: 2.0 MP;

**Working Conditions** 

Operating Temperature:0℃ to 50℃

Photo Format: JPEG/BMP /PNG

Relative Humidity: 5% - 95% (Non-Condensing)

#### O/S

Android 5.1 /6.0

#### Shipping Info

W x D x H (unit): 801.8x461.2x49.5mm

Carton: 880x300x580mm Qty / Carton: 2pcs G.W.:22kgs

Point-of-Sale
 Industrial
 Commercial

### 32" Commercial Tablet Android

Quad-Core Processor With Full HD 1920x1080 pixels 32"LCD panel

