

# Canada: 2023 Ram Commercial 3500, 4500 & 5500 Chassis Cab

## FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package. NA = Not available.  
 Note: some features and/or applications may be late availability.

### CONFIGURATION

#### 3500 – Body Model

3500 – BODY MODEL	TRADESMAN	SLT	LARAMIE	LIMITED
Regular Cab — 1,524-mm (60-in.) CA (3,645-mm (143.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,255-mm (167.5-in.) wheelbase) (N/A with 4,536-kg (10,000-lb. GVWR))	S	S	NA	NA
Crew Cab — 1,524-mm (60-in.) CA (4,379-mm (172.4-in.) wheelbase)	O	O	S	S

#### 3500 – Drive System

3500 – DRIVE SYSTEM	TRADESMAN	SLT	LARAMIE	LIMITED
4x2	S	S	S	S
4x4	O	O	O	O

#### 4500/5500 – Body Model

4500/5500 – BODY MODEL	TRADESMAN	SLT	LARAMIE	LIMITED
Regular Cab — 1,524-mm (60-in.) CA (3,670-mm (144.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,280-mm (168.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,743-mm (108-in.) CA (4,890-mm (192.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 3,048-mm (120-in.) CA (5,194-mm (204.5-in.) wheelbase)	S	S	NA	NA

<b>4500/5500 – BODY MODEL</b>	<b>TRADESMAN</b>	<b>SLT</b>	<b>LARAMIE</b>	<b>LIMITED</b>
Crew Cab — 1,524-mm (60-in.) CA (4,407-mm (173.5-in.) wheelbase)	O	O	S	S
Crew Cab — 2,134-mm (84-in.) CA (5,014-mm (197.4-in.) wheelbase)	O	O	S	S

#### 4500/5500 – Drive System

<b>4500/5500 – DRIVE SYSTEM</b>	<b>TRADESMAN</b>	<b>SLT</b>	<b>LARAMIE</b>	<b>LIMITED</b>
4x2	S	S	S	S
4x4	O	O	O	O

## POWERTRAIN

<b>ENGINE / TRANSMISSION</b>	<b>TRADESMAN</b>	<b>SLT</b>	<b>LARAMIE</b>	<b>LIMITED</b>
6.4-litre HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-litre HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-litre Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O

## MECHANICAL

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>ALTERNATOR</b>				
220-amp	S	S	S	S
380-amp (dual 160-amp and 220-amp; requires 6.4-litre)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-litre)	O/P	O/P	O/P	O/P

### Axles: 3500

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLES: 3500</b>				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 2,721-kg (6,000-lb.) GAWR (SRW axle)	S	S	S	S
Rear, 292-mm (11.50-in.) (SRW axle)	S	S	S	S
Front, 205-mm (8.1-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 292-mm (11.50-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 305-mm (12.0-in.) (DRW axle)	P	P	P	P

### Axle Ratios: 3500

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLE RATIOS: 3500</b>				
3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

**Axles: 4500/5500**

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLES: 4500/5500</b>				
Dual rear wheel	S	S	S	S
Front, 267-mm (10.5-in.)	S	S	S	S
Front, 267-mm (10.5-in.), 3,289 kg (7,250-lb.) GAWR	O	O	O	O
Front-axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

**Axle Ratios:4500**

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLE RATIOS: 4500</b>				
Rear, 4.10 ratio (packaged with 4500 with 6.7-litre engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-litre engine)	O/P	O/P	O/P	O/P
Rear, American Axle (5443-kg (12,000-lb.) GAWR)	S	S	S	S

**Axle Ratios: 5500**

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>AXLE RATIOS: 5500</b>				
4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, (6,123-kg (13,500-lb.) GAWR)	S	S	S	S

## Fuel Tank

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>FUEL TANK</b>				
197-litre (52-US gallon), rear	S	S	S	S
280-litre (74-US gallon) dual fuel tanks (197-litre (52-US gallon) and 83-litre (22-US gallon))	O	O	O	O
83-litre (22-US gallon) mid-ship fuel tank	O	O	O	O

## Power Take Off (PTO)

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>POWER TAKE OFF (PTO)</b>				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P

## EXTERIOR

### Engine Shut-Off Timer

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>ENGINE SHUT-OFF TIMER</b>				
6.4-litre and 6.7-litre (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O

## INTERIOR

### Instrument Cluster Displays

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>INSTRUMENT CLUSTER DISPLAYS</b>				
Cluster 3.5-in. TFT colour display	S	S	S	S
Cluster 7.0-in. TFT colour display	P	P	S	S
Cluster 12.1-in TFT colour display	NA	NA	P	P

### Upfitter Interface

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>UPFITTER INTERFACE</b>				
Vehicle system interface module (VSIM)	S	S	S	S

## UCONNECT MULTIMEDIA

### Wireless Technology

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>WIRELESS TECHNOLOGY</b>				
Uconnect Voice Command	S	S	S	S

### Compass

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>COMPASS</b>				
Compass display in the radio	S	S	S	S
GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)	P	P	P	P

## Connectivity

CONNECTIVITY	TRADESMAN	SLT	LARAMIE	LIMITED
Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in centre console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	NA	P	S	S
Wireless charging pad (packaged with Laramie and Limited)	NA	NA	P	P

## Power

POWER	TRADESMAN	SLT	LARAMIE	LIMITED
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (packaged with SLT)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	NA	P	S	S
400-watt inverter	P	P	P	P

## Radios

RADIOS	TRADESMAN	SLT	LARAMIE	LIMITED
Uconnect 3 — includes 5-in. digital touchscreen, AM/FM, SiriusXM Guardian and SiriusXM Travel Link	S	S	NA	NA
Uconnect 5 — includes 8.4-in. digital touchscreen, AM/FM, Aux/USB, integrated voice command with Wireless Technology, voice text reply, wireless Android Auto, wireless Apple CarPlay, HD radio, Amazon Alexa compatible, SiriusXM 360L, Firmware OTA and dual phone	O	O	NA	NA

connectivity

Uconnect 5 NAV — includes 8.4-in. digital touchscreen, AM/FM, Aux/USB, integrated voice command with Wireless Technology, voice text reply, wireless Android Auto, wireless Apple CarPlay, HD radio, navigation, SiriusXM Guardian, SiriusXM Traffic and SiriusXM Travel Link, TomTom navigation, Amazon Alexa compatible, SiriusXM 360L, Maps OTA, Firmware OTA and dual phone connectivity	NA	NA	S	S
Uconnect 5 NAV — includes 12-in. digital touchscreen, AM/FM, Aux/USB, integrated voice command with Wireless Technology, voice text reply, wireless Android Auto, wireless Apple CarPlay, HD radio, navigation, SiriusXM Guardian, SiriusXM Traffic and SiriusXM Travel Link, TomTom navigation, Amazon Alexa compatible, SiriusXM 360L, Maps OTA, Firmware OTA and dual phone connectivity	O	O	O/P	O/P
Radio controls, steering wheel-mounted audio controls	P	P	S	S

## SAFETY AND SECURITY

### Camera

CAMERA	TRADESMAN	SLT	LARAMIE	LIMITED
ParkView rear backup camera	O	O	O	S
Cargo View camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	P	O	O	O
Auxiliary remote camera (Mopar camera available at dealer)	O	O	O	O
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	O/P	O/P	O/P	O/P
Surround View camera (five digital cameras)	NA	P	P	P

### Parking Sensors

PARKING SENSORS	TRADESMAN	SLT	LARAMIE	LIMITED
Rear park assist	O	O	O	S
Front/rear park assist	O	O	O	S



## Safety Features

SAFETY FEATURES	TRADESMAN	SLT	LARAMIE	LIMITED
Security alarm	NA	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S
Full-speed Forward Collision Warning-Plus (available with Adaptive Cruise)	P	P	P	P
Adaptive Steering	P	P	P	P
Tire-fill alert system (must have 5-in. radio with Tradesman)	O	O	S	S
Selectable tire fill alert (packaged with 8.4-in. and 12-in. radios on SLT)	P	P	S	S
Tire-pressure Information System	O	S	S	S
Tire-pressure Monitoring Display	S	S	S	S
Trailer Tire-pressure Monitoring	O	O	O	O
Trailer Reverse Guidance	P	P	P	P
DOT– certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O
Max speed settings (105 km/h,113 km/h,124 km/h)	O	O	O	O
Auto high beam headlamp control	P	P	P	S
Rain Sensing Wipers	P	P	P	S
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

## EQUIPMENT PACKAGES

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
Electrical Accessory Group	O	O	O	O

	TRADESMAN	SLT	LARAMIE	LIMITED
<b>EQUIPMENT PACKAGES</b>				
Voltage Monitoring Auto Idle Up				
Trailer Brake Control				
<b>Ambulance Prep Group</b>	O	O	O	O
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls)				
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				
<b>Chrome Appearance Group</b>	O	NA	NA	NA
Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome inserts				
Chrome clad steel wheel on 3500 DRW				
Chrome clad steel wheel on 3500 SRW				
New bright wheel cover (4500/5500)				
<b>Heated Seats and Wheel Group</b>	NA	O	NA	NA
Heated steering wheel				
Leather-wrapped steering wheel and audio controls				
<b>Tradesman Level 1 Equipment Group</b>	O	NA	NA	NA
Overhead console (Regular Cab)				
Power windows (Regular Cab)				
Power door locks (Regular Cab) (speed sensitive actuation)				
Power black trailer tow mirrors (Regular Cab)				
Door trim: (Regular Cab) (wrapped bolster/armrest, 360 door handles, join seam, Iron Gray painted surround and accent)				
Remote Keyless Entry				
Interior door handles, satin chrome polished				

<b>EQUIPMENT PACKAGES</b>	<b>TRADESMAN</b>	<b>SLT</b>	<b>LARAMIE</b>	<b>LIMITED</b>
<b>SLT Level 1 Equipment Group</b>	NA	O	NA	NA
Rear power sliding window				
115V Auxiliary power outlet				
Dual globe boxes				
115V Auxiliary rear power outlet				
Foam bottle insert (door trim panel)				
Cluster 7.0-in. TFT colour display				
Read dome with On/Off switch lamp				
Media Hub-2 USBS (both charge-only)				
Leather wrapped steering wheel				
<b>Laramie Level 1 Equipment Group</b>	NA	NA	O	NA
Auto high beam headlamp control				
Rain-sensing wipers				
Foam bottle door inserts				
Ventilated three-level front driver/passenger seats				
Power-adjustable pedals				
Radio, driver, seat, mirror, pedals memory				
Uconnect 5 NAV with 12-inch display				
<b>Laramie Level 2 Equipment Group (Includes Laramie Level 1 Equipment Group Content)</b>	NA	NA	O	NA
17 speakers				
Wireless charging pad				
Rear seat heat (three level)				
<b>Limited Level 1 Equipment Group</b>	NA	NA	NA	O
12-in. radio				
17-speaker system				
Full-speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Surround View Camera				
<b>Premium Lighting Group</b>	NA	O	NA	NA
LED headlamps				
LED fog lamps				

<b>EQUIPMENT PACKAGES</b>	<b>TRADESMAN</b>	<b>SLT</b>	<b>LARAMIE</b>	<b>LIMITED</b>
<b>Safety Group</b>	O	O	O	O
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop, Go and Hold				
Lane Keep Assist				
Adaptive steering				
Rain-sensing wipers				
Smart Beam				
Trailer Brake Control (Packaged with Tradesman and SLT)				
<b>Tow Technology Group</b>	NA	O	O	O
Surround View camera				
Trailer reverse guidance				
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
<b>Heavy-Duty Snowplow Prep Group</b>	O	O	O	O
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
<b>Max Tow Package (Requires Diesel and Aisin)</b>	O	O	O	O
305-mm (12-in.) rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)				
6.7-litre				
Aisin transmission				
Trailer brake controller				
<b>Max Payload Package (6.4-litre 5500 only)</b>	O	O	O	O
8,618-kg (19,000-lb.) GVWR				
8,845-kg (19,500-lb.) GVWR				
4.89 axle ratio				
<b>Rollback Carrier Group</b>	O	O	NA	NA
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
Left- or right-side PTO				

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
83-litre (22-US gallon) mid-ship gas tank				
<b>Rear Interior Trim Delete Group (Regular Cab only)</b>	O	O	NA	NA
Delete front centre seat				
Delete rear floor storage tray				
Delete cab back trim panel				

###