

Canada: 2024 Ram Commercial 3500, 4500 & 5500 Chassis Cab

FEATURE AVAILABILITY

S = Standard. O = Optional. P = Part of package. NA = Not available.
 Note: some features and/or applications may be late availability.

CONFIGURATION

3500 – Body Model

	TRADESMAN	SLT	LARAMIE	LIMITED
3500 – BODY MODEL				
Regular Cab — 1,524-mm (60-in.) CA (3,645-mm (143.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,255-mm (167.5-in.) wheelbase)	S	S	NA	NA
Crew Cab — 1,524-mm (60-in.) CA (4,379-mm (172.4-in.) wheelbase)	O	O	S	S

3500 – Drive System

	TRADESMAN	SLT	LARAMIE	LIMITED
3500 – DRIVE SYSTEM				
4x2	S	S	S	S
4x4	O	O	O	O

4500/5500 – Body Model

	TRADESMAN	SLT	LARAMIE	LIMITED
4500/5500 – BODY MODEL				
Regular Cab — 1,524-mm (60-in.) CA (3,670-mm (144.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,134-mm (84-in.) CA (4,280-mm (168.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 2,743-mm (108-in.) CA (4,890-mm (192.5-in.) wheelbase)	S	S	NA	NA
Regular Cab — 3,048-mm (120-in.) CA (5,194-mm (204.5-in.) wheelbase)	S	S	NA	NA

4500/5500 – BODY MODEL	TRADESMAN	SLT	LARAMIE	LIMITED
Crew Cab — 1,524-mm (60-in.) CA (4,407-mm (173.5-in.) wheelbase)	O	O	S	S
Crew Cab — 2,134-mm (84-in.) CA (5,014-mm (197.4-in.) wheelbase)	O	O	S	S

4500/5500 – Drive System

4500/5500 – DRIVE SYSTEM	TRADESMAN	SLT	LARAMIE	LIMITED
4x2	S	S	S	S
4x4	O	O	O	O

POWERTRAIN

ENGINE / TRANSMISSION	TRADESMAN	SLT	LARAMIE	LIMITED
6.4-litre HEMI® V-8 (3500) with eight-speed 8HP75 automatic transmission	S	S	S	S
6.4-litre HEMI V-8 (3500/4500/5500) with six-speed AS66RC Aisin automatic transmission	S/P	S/P	S/P	S/P
6.7-litre Cummins Turbo Diesel I-6 engine with six-speed AS69RC Aisin automatic transmission	O	O	O	O

MECHANICAL

	TRADESMAN	SLT	LARAMIE	LIMITED
ALTERNATOR				
180-amp	S	S	S	S
220-amp (Included on 3500/4500/5500 models with Heavy-Duty Snowplow Prep Group; included with Electrical Accessory Group and Ambulance Prep Group)	O/P	O/P	O/P	O/P
380-amp (dual 160-amp and 220-amp; requires 6.4-litre)	O	O	O	O
440-amp (dual 220-amp alternators; requires 6.7-litre)	O/P	O/P	O/P	O/P

Axles: 3500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLES: 3500				
Single Rear Wheel Group	S	S	S	S
Dual rear wheels	O	O	O	O
Front, 2,721-kg (6,000-lb.) GAWR (SRW axle)	S	S	S	S
Rear, 292-mm (11.50-in.) (SRW axle)	S	S	S	S
Front, 205-mm (8.1-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 292-mm (11.50-in.) (DRW axle)	S/O	S/O	S/O	S/O
Rear, 305-mm (12.0-in.) (DRW axle)	P	P	P	P

Axle Ratios: 3500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 3500				
3.73 ratio (packaged with diesel models only)	P	P	P	P
4.10 ratio (standard with gas)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

Axles: 4500/5500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLES: 4500/5500				
Dual rear wheel	S	S	S	S
Front, 267-mm (10.5-in.)	S	S	S	S
Front, 267-mm (10.5-in.), 3,289 kg (7,250-lb.) GAWR	O	O	O	O
Front-axle disconnect (4500/5500 4x4)	S	S	S	S
Rear, anti-spin differential	S	S	S	S

Axle Ratios:4500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 4500				
Rear, 4.10 ratio (packaged with 4500 with 6.7-litre engine)	P	P	P	P
4.44 ratio	S	S	S	S
4.89 ratio (available with 6.4-litre engine)	O/P	O/P	O/P	O/P
Rear, American Axle (5443-kg (12,000-lb.) GAWR)	S	S	S	S

Axle Ratios: 5500

	TRADESMAN	SLT	LARAMIE	LIMITED
AXLE RATIOS: 5500				
4.44 ratio	S	S	S	S
4.89 ratio	O/P	O/P	O/P	O/P
Rear, American Axle, (6,123-kg (13,500-lb.) GAWR)	S	S	S	S

Fuel Tank

	TRADESMAN	SLT	LARAMIE	LIMITED
FUEL TANK				
197-litre (52-US gallon), rear	S	S	S	S
280-litre (74-US gallon) dual fuel tanks (197-litre (52-US gallon) and 83-litre (22-US gallon)	O	O	O	O
83-litre (22-US gallon) mid-ship fuel tank	O	O	O	O

Power Take Off (PTO)

	TRADESMAN	SLT	LARAMIE	LIMITED
POWER TAKE OFF (PTO)				
Stationary elevated engine idle up	S	S	S	S
Right-side PTO	O	O	O	O
Left-side PTO	O	O	O	O
Split-shaft PTO (packaged with PTO, if diesel)	P	P	P	P
Hard-wired remote start/stop (packaged with PTO)	P	P	P	P

EXTERIOR

Engine Shut-Off Timer

	TRADESMAN	SLT	LARAMIE	LIMITED
ENGINE SHUT-OFF TIMER				
6.4-litre and 6.7-litre (5 minutes) (dealer programmable from 1 to 60 minutes)	O	O	O	O

INTERIOR

Instrument Cluster Displays

	TRADESMAN	SLT	LARAMIE	LIMITED
INSTRUMENT CLUSTER DISPLAYS				
Cluster 3.5-in. TFT colour display	NA	P	NA	NA
Cluster 7.0-in. TFT colour display	P	P	NA	NA
Cluster 12.0-in. TFT colour display	NA	NA	S	S

Telematics

Upfitter Interface

	TRADESMAN	SLT	LARAMIE	LIMITED
UPFITTER INTERFACE				
Vehicle system interface module (VSIM)	S	S	S	S

UCONNECT MULTIMEDIA

Bluetooth

	TRADESMAN	SLT	LARAMIE	LIMITED
BLUETOOTH				
Uconnect Voice Command with Bluetooth	S	S	S	S

Compass

	TRADESMAN	SLT	LARAMIE	LIMITED
COMPASS				
Compass display in the radio (Tradesman availability only with optional 5.0-in. radio)	P	S	S	S
GPS antenna input on radio (packaged with 5.0-in., 8.4-in. and 12.0-in. radios)	P	P	P	P

Connectivity

	TRADESMAN	SLT	LARAMIE	LIMITED
CONNECTIVITY				
Front: Media hub — includes two fully functional type A/C USB port pairs and one auxiliary jack (four USB connection points)	S	S	S	S
Middle: 2.5-amp charge only single USB port (located in centre console or armrest)	S	S	S	S
Rear: Dual remote USB port 2 A/C pairs; one pair fully functional, one pair charge only (packaged with Luxury Group)	NA	P	S	S
Auxiliary headphone jack for mobile devices	S	S	S	S
Wireless charging pad (packaged with Laramie)	NA	NA	P	S

Power

POWER	TRADESMAN	SLT	LARAMIE	LIMITED
Accessory delay	S	S	S	S
Auxiliary outlets (one battery and one ignition-fed)	S	S	S	S
115-volt auxiliary power outlet, instrument panel-mounted (Tradesman option) (packaged with SLT)	O	P	S	S
115-volt auxiliary power outlet, rear facing, (Crew Cab only) (packaged with SLT)	NA	P	S	S
400-watt inverter	P	P	P	P

Radios

RADIOS	TRADESMAN	SLT	LARAMIE	LIMITED
Uconnect 3 with 5-inch display (hands-free Bluetooth), associated display	S	S	NA	NA
Uconnect 5 with 8.4-inch display — AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Uconnect with Bluetooth, SiriusXM Radio, HD radio, associated display	O	O	NA	NA
Uconnect 5 NAV with 8.4-inch display — AM/FM with 8.4-in. touchscreen display, media hub (USB, Auxiliary), Navigation, Uconnect with Bluetooth, SiriusXM Radio, HD radio, (packaged with Laramie) (SLT option is Crew only)	NA	NA	S	S
Uconnect 5 NAV with 12-inch display — AM/FM/BT/SiriusXM Radio/NAV/HD/CELL, Apple CarPlay and Android Auto, SiriusXM Radio	O	O	P	P
Radio controls, steering wheel-mounted audio controls	P	P	S	S

SAFETY AND SECURITY

Camera

	TRADESMAN	SLT	LARAMIE	LIMITED
CAMERA				
ParkView rear backup camera	O	O	O	S
Cargo View camera requires 8.4-in. or 12-in. radio, includes LED CHMSL and cargo lamps	NA	O	O	O
Auxiliary remote camera (Mopar camera available at dealer)	NA	O	O	O
Auxiliary Camera Prep, includes vehicle trailer wiring, camera display in radio, 12-pin connector at rear frame rail	NA	O/P	O/P	O/P
Surround View camera (five digital cameras)	NA	P	P	P

Parking Sensors

	TRADESMAN	SLT	LARAMIE	LIMITED
PARKING SENSORS				
Rear park assist	O	O	O	S
Front/rear park assist	O	O	O	S

Safety Features

	TRADESMAN	SLT	LARAMIE	LIMITED
SAFETY FEATURES				
Security alarm	NA	O	S	S
Backup alarm (audible alarm when vehicle is in reverse)	O	O	O	O
Lane Departure Warning, (Lane Keep Assist)	P	P	P	P
Adaptive Steering (standalone option)	P	P	P/O	P/O
Adaptive Cruise Control with Stop	P	P	P	P
Ready Alert Braking	S	S	S	S

SAFETY FEATURES	TRADESMAN	SLT	LARAMIE	LIMITED
Full-speed Forward Collision Warning-Plus (available with Adaptive Cruise)	P	P	P	P
Lane Keep Assist	P	P	P	P
Adaptive Steering	P	P	P	P
Tire-fill alert system (must have 5-in. radio with Tradesman)	O	O	S	S
Selectable tire fill alert (packaged with 8.4-in. and 12-in. radios on SLT)	NA	P	S	S
Tire-pressure Information System	O	S	S	S
Tire-pressure Monitoring Display	S	S	S	S
Trailer Tire-pressure Monitoring	NA	O	O	O
Trailer Reverse Guidance	NA	P	P	P
DOT– certified Roadside Safety Kit (DOT fire extinguisher, three reflecting triangles, spare fuses, two red vinyl flags)	O	O	O	O
Max speed settings (105 km/h,113 km/h,124 km/h)	O	O	O	O
Auto high beam headlamp control	P	P	P	S
Rain Sensing Wipers	P	P	P	S
Auxiliary Reverse Lamps (packaged with SLT)	O	O/P	S	S

EQUIPMENT PACKAGES

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
Electrical Accessory Group	O	O	O	O
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Trailer Brake Control				

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
Ambulance Prep Group	O	O	O	O
220-amp alternator				
Voltage Monitoring Auto Idle Up				
Remote rear heat/AC (provides ability to run auxiliary mounted heater and A/C independently of instrument panel controls)				
A/C line tap and engine coolant access for upfitter				
Foam roof blocks (included with Regular Cab only)				
Chrome Appearance Group	O	NA	NA	NA
Chrome front bumper (3500/4500/5500)				
Chrome grille (3500/4500/5500)				
Chrome inserts				
Chrome clad steel wheels				
Tradesman Level 1 Equipment Group	O	NA	NA	NA
Overhead console (Regular Cab)				
Power windows (Regular Cab)				
Power door locks (Regular Cab) (speed sensitive actuation)				
Power black trailer tow mirrors (Regular Cab)				
Door trim: (Regular Cab) (wrapped bolster/armrest, 360 door handles, join seam, Iron Gray painted surround and accent)				
Remote Keyless Entry				
Interior door handles, satin chrome polished				

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
Laramie Level 1 Equipment Group	NA	NA	O	NA
Auto high beam headlamp control				
Rain-sensing wipers				
Foam bottle door inserts				
Ventilated three-level front driver/passenger seats				
Power-adjustable pedals				
Radio, driver, seat, mirror, pedals memory				
Uconnect 5 NAV with 12-inch touchscreen				
Laramie Level 2 Equipment Group (Includes Laramie Level 1 Equipment Group Content)	NA	NA	O	NA
17 speakers				
Wireless charging pad				
Rear seat heat (three level)				
Limited Level 1 Equipment Group	NA	NA	NA	O
12-in. radio				
17-speaker system				
Full-speed Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop				
Surround View Camera				
Premium Lighting Group	NA	O	NA	NA
LED headlamps				
LED fog lamps				
Safety Group	O	O	O	O
Forward Collision Warning Plus with Auto Emergency Braking				
Adaptive Cruise Control with Stop, Go and Hold				
Lane Keep Assist				
Adaptive steering				
Rain-sensing wipers				
Smart Beam				
Trailer Brake Control (Packaged with Tradesman and SLT)				
Tow Technology Group	NA	O	O	O

	TRADESMAN	SLT	LARAMIE	LIMITED
EQUIPMENT PACKAGES				
Surround View camera				
Trailer reverse guidance				
Auxiliary reverse lamps, mirror-mounted				
Power convex mirrors				
Heavy-Duty Snowplow Prep Group	O	O	O	O
220-amp alternator				
Transfer case skid plate				
Heavy Duty Front Suspension Group (4500 and 5500)				
Max Tow Package (Requires Diesel and Aisin)	O	O	O	O
305-mm (12-in.) rear axle (3500)				
4.10 axle (3500)				
4.44 axle (4500)				
4.89 axle (5500)				
6.7-litre				
Aisin transmission				
Trailer brake controller				
Max Payload Package (6.4-litre 5500 only)	O	O	O	O
8,618-kg (19,000-lb.) GVWR				
8,845-kg (19,500-lb.) GVWR4.89 axle ratio				
Rollback Carrier Group	O	O	NA	NA
Voltage monitoring auto idle up system				
Rollback carrier adaptation brackets				
220-amp alternator				
Left- or right-side PTO				
83-litre (22-US gallon) mid-ship gas tank				
Rear Interior Trim Delete Group (Regular Cab only)	O	O	NA	NA
Delete front centre seat				
Delete rear floor storage tray				
Delete cab back trim panel				
6,804-kg (15,000-lb.) GVWR Package	O	O	O	O

EQUIPMENT PACKAGES	TRADESMAN	SLT	LARAMIE	LIMITED
Includes 6,804-kg (15,000-lb.) Gross Vehicle Weight Rating (4500) 4x2, 4x4				
7,257-kg (16,000 lb.) GVWR Package	○	○	○	○
Includes 7,257-kg (16,000-lb.) Gross Vehicle Weight Rating (4500) 4x2, 4x4				

###