nature research

Corresponding author(s):	Yuedong Yang
Last updated by author(s):	Jul 22, 2022

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see our Editorial Policies and the Editorial Policy Checklist.

o.			
St	at	ıstı	$1 \cap S$

For	all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Confirmed
	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
\boxtimes	A description of all covariates tested
\boxtimes	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
\boxtimes	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
\boxtimes	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
\boxtimes	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated
	Our web collection on statistics for high gives contains articles on many of the points above

Software and code

Policy information about availability of computer code

Data collection

Rosetta 2019.27.post.dev, PatchDock Beta 1.3 Version, Schrodinger 2021-1, GROMACS 2020.6 were used to implement the MD simulations. Python version 3 and Pytorch 1.8.0 were used to curate the dataset and build the deep learning model. The code is available at https://github.com/biomed-AI/PROTAC-RL.

Data analysis

Python version 3, Phoenix WinNonlin 6.3 and Maestro Release 2018-3 were used to analyze the results. The code is available at https://github.com/biomed-Al/PROTAC-RL. Microsoft Excel (2016) and Graphpad Prism 8 were used for data analysis.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about <u>availability of data</u>

 $All\ manuscripts\ must\ include\ a\ \underline{data\ availability\ statement}.\ This\ statement\ should\ provide\ the\ following\ information,\ where\ applicable:$

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The processed training datasets and AI-related data generated in this study are available at https://github.com/biomed-AI/PROTAC-RL. The raw data can be accessed at http://cadd.zju.edu.cn/protacdb/ for the PROTAC-DB dataset, https://zinc15.docking.org/ for the ZINC dataset, and https://www.rcsb.org for the protein crystal structure.

Field-specific reporting

Ρ	Please select the one below tha	at is the best fit for your	research. If you are not sur	re, read the appropriate sections	s before making your selection.
		_			

For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Sample size Histograms, means and standard deviations were estimated on different samples sizes, from 10 to 6,000, to ensure that the results are independent of sample size. The sample sizes used in the experiments are detailed in the manuscript and respective figure captions.

Data exclusions No data were excluded

Replication Results are verified by independent biological experiments. At least three independent measurements were taken.

Randomization For the study, self controlled case series methods were used to the data collection and analysis. Independent datasets consisting of randomly

selected Al-generated/screened data were used for estimating the mean and the variance of attributes.

Blinding Blinding was not relevant, as this study provides an Al-empowered computational framework for accelerated PROTACs discovery and the evaluation of Al-generated PROTACs.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

restates mast alsolose on these points even when the alsolosare is negative.

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).

Research sample

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.

Sampling strategy

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eve tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and

whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample

Study description

Data collection

Randomization

Study description

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

T stadies mast disclose on these points even when the disclosure is negative.

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National

Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and

	(any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets,
	describe the data and its source.
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.
Data collection	Describe the data collection procedure, including who recorded the data and how.
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.
Did the study involve field	d work? Yes No
Field work, collec	tion and transport
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).
Access & import/export	Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).
Disturbance	Describe any disturbance caused by the study and how it was minimized.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems	Methods	
n/a Involved in the study	n/a Involved in the study	
Antibodies	ChIP-seq	
Eukaryotic cell lines	Flow cytometry	
Palaeontology and archaeology	MRI-based neuroimaging	
Animals and other organisms		
Human research participants		
Clinical data		
Dual use research of concern		

Antibodies

Antibodies used

Antibodies for immunoblotting in this study:poly-clonal rabbit anti-BRD4 (Cat No: D261401, lot: 0025) were purchased from Sangon Inc., Shanghai, China and mono-clonal mouse anti-GAPDH (Cat No: 60004-1-lg, lot:10020246,Clone No: 1E6D9) from Proteintech (USA).

Validation

The antibodies were validated by the manufacturers for immunoblotting. Reactivity: Human and Mouse. Detailed antibody validation profiles are available on the antibody-provider websites.

Eukaryotic cell lines

Policy information about cell lines

Cell line source(s)

Molt4 and HEK293T Cell lines were from ATCC (American Type Culture Collection), distributed by Shanghai ChemPartner Co.,

Authentication

The cells were authenticated by STR.

Mycoplasma contamination

All cell lines used have been tested free of mycoplasma contamination.

Commonly misidentified lines (See ICLAC register)

None.

Palaeontology and Archaeology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

Male CD-1 Mouse, Fed, 7-9 weeks

Wild animals

Study did not involve wild animals

Field-collected samples

Following arrival at WuXi AppTec animals were assessed as to their general health by a member of the veterinary staff or other authorized personnel. Animals were acclimated for at least 3 days (upon arrival at WuXi AppTec) before being placed on study. Animals were group housed during acclimation and individually housed during the study. The animal room environment was controlled (target conditions: temperature 18 to 26°C, relative humidity 30 to 70%, 12 hours artificial light and 12 hours dark). Temperature and relative humidity was monitored daily. The animals were overnight fasted. They had access to Certified Rodent Diet ad libitum 4 hr post dose. The lot number and specifications of each lot used were archived at WuXi AppTec. Water was autoclaved before provided to the animals ad libitum. Periodic analyses of the water was performed and the results archived at WuXi AppTec.

Ethics oversight

Study was permitted by WuXi AppTec IACUC (Institutional Animal Care and Use Committee).

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data			
Policy information about <u>c</u> l	inical studies with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.		
Clinical trial registration	Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.		
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.		
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.		
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.		
Dual use research	n of concern		
Policy information about <u>d</u>	ual use research of concern		
Hazards			
in the manuscript, pose a No Yes Public health National security Crops and/or lives Ecosystems Any other significations	tock int area		
Experiments of conce	rn		
1	y of these experiments of concern:		
No Yes Demonstrate how	No Yes Demonstrate how to render a vaccine ineffective		
Confer resistance to therapeutically useful antibiotics or antiviral agents			
	ence of a pathogen or render a nonpathogen virulent		
	sibility of a pathogen		
Alter the host rang	diagnostic/detection modalities		
	nization of a biological agent or toxin		
	ally harmful combination of experiments and agents		

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as <u>GEO</u>.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session

(e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and

Sequencing depth	whether they were paired- or single-end.	
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.	
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.	
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.	
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.	
Flow Cytometry		
Plots		
Confirm that:		
The axis labels state tl	ne marker and fluorochrome used (e.g. CD4-FITC).	
The axis scales are cle	arly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).	
	olots with outliers or pseudocolor plots.	
A numerical value for	number of cells or percentage (with statistics) is provided.	
Methodology		
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.	
Instrument	Identify the instrument used for data collection, specifying make and model number.	
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.	
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.	
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.	
Tick this box to confirm	m that a figure exemplifying the gating strategy is provided in the Supplementary Information.	
Magnetic resonar	nce imaging	
Experimental design		
Design type	Indicate task or resting state; event-related or block design.	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance r	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
Acquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging para	meters Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Area of acquisition

Used

☐ Not used

Diffusion MRI

Preprocessing Preprocessing software Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.). Normalization If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization. Normalization template Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized. Noise and artifact removal Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration). Define your software and/or method and criteria for volume censoring, and state the extent of such censoring. Volume censoring Statistical modeling & inference Model type and settings Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation). Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether Effect(s) tested

Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether

ANOVA or factorial designs were used.

Specify type of analysis:

Whole brain

ROI-based

Both

Statistic type for inference
(See Eklund et al. 2016)

Correction

Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).

Models & analysis

n/a | Involved in the study

Graph analysis

Functional and/or effective connectivity

Multivariate modeling or predictive analys	is
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.