



# Deep Blue Sea

QUILT 1

A Free Project Sheet  
NOT FOR RESALE



Featuring fabrics from the **Deep Blue Sea** collection by **Geoff Allen** for



## Fabric Requirements

- (A) 5791P-77 ..... 1 panel
- (B) 1351-Navy\*\* ..... 2/3 yard
- (C) 5790-76 ..... 1/4 yard
- (D) 5787-77 ..... 3/8 yard
- (E) 5787-88 ..... 1/3 yard
- (F) 1351-Stone\*\* ..... 2/3 yard
- (G) 1351-Aegean Blue\*\* 5/8 yard
- (H) 1351-Denim\*\*.. 5/8 yard
- (I) 5789-77 ..... 2/3 yard
- (J) 1351-Royal\*\* ..... 1/2 yard
- (K) 5786-77 ..... 1 1/2 yards

- (L) 1351-Light Teal\*\* 1/4 yard
- (M) 5794-17 ..... 1/2 yard
- (N) 5795-76 ..... 3/8 yard
- (O) 5786-17 ..... 1/4 yard
- (P) 5788-77 ..... 3/4 yard\*
- (Q) 5793-38 ..... 3/8 yard
- (R) 5790-37 ..... 1/2 yard
- Backing  
5785-37 ..... 4 1/2 yards

\* Includes Binding  
\*\* Just Color! Collection

## Additional Supplies Needed

- Batting 69" x 81" (Recommended:  
Air Lite® Colour Me 100% Cotton)
- Piecing and sewing thread
- Quilting and sewing supplies

Quilt designed by Heidi Pridemore  
Finished Quilt Size 61" x 73"  
Skill Level: Intermediate

## Fabrics in the Collection



Sea Creature Collage  
Sand - 5785-37



Coral  
Light Blue - 5786-17



Coral  
Indigo - 5786-77



Urchins  
Indigo - 5787-77



Urchins  
Red - 5787-88



Sea Grass  
Aqua - 5788-76



Sea Grass  
Indigo - 5788-77



Waves  
Indigo - 5789-77



Tossed Shells and Coral  
Sand - 5790-37



Tossed Shells and Coral  
Aqua - 5790-76



Shell Blocks  
Light Blue - 5792-17



Lobsters  
Sand - 5793-38



Whales  
Light Blue - 5794-17



Sea Turtles  
Aqua - 5795-76



Sea Creature Panel  
Blue - 5791P-77

## Select Fabrics from Just Color!



Aegean Blue  
1351-Aegean Blue



Chambray  
1351-Chambray



Denim  
1351-Denim



Light Teal  
1351-Light Teal




Navy  
1351-Navy



Royal  
1351-Royal



Sea Glass  
1351-Sea Glass



Stone  
1351-Stone

## Cutting

### Cutting Instructions

*Please note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.*

WOF= Width of Fabric • LOF = Length of Fabric

#### **Fabric A (5791P-77 Sea Creature Panel – Blue ), fussy cut:**

- (1) 21 ½" x 34 ½" rectangle, centered on the panel.

#### **Fabric B (1351-Navy Just Color! – Navy), cut:**

- (2) 2 ½" x 34 ½" WOF strips.
- (2) 2" x 25 ½" WOF strips.
- (1) 2" x WOF strip, sub-cut (16) 2" squares.
- (16) Template 1 triangles.
- (14) Template 3 triangles.

#### **Fabric C (5790-76 Tossed Shells and Coral – Aqua), cut:**

- (2) 3 ½" x WOF strips, sub-cut (14) 3 ½" squares.

#### **Fabric D (5787-77 Urchins – Indigo), cut:**

- (2) 2" x WOF strips. Sub-cut (14) 2" x 3 ½" strips.
- (3) 2" x WOF strips. Sub-cut (16) 2" x 6 ½" strips.

#### **Fabric E (5787-88 Urchins – Red), cut:**

- (2) 2" x WOF strips, sub-cut (14) 2" x 3 ½" strips.
- (2) 2" x WOF strips, sub-cut (12) 2" x 6 ½" strips.

#### **Fabric F (1351-Stone Just Color! – Stone), cut:**

- (2) 3 ½" x WOF strips, sub-cut (16) 3 ½" squares.
- (3) 2" x WOF strips, sub-cut (52) 2" squares.
- (12) Template 1 triangles.
- (14) Template 3 triangles.

#### **Fabric G (1351-Aegean Blue Just Color! – Aegean Blue), cut:**

- (3) 3 ½" x WOF strips, sub-cut (26) 3 ½" squares.
- (2) 2" x WOF strips, sub-cut (30) 2" squares.

#### **Fabric H (1351-Denim Just Color! – Denim), cut:**

- (2) 3 ½" x WOF strips, sub-cut (14) 3 ½" squares.
- (1) 2" x WOF strip, sub-cut (14) 2" squares.
- (16) Template 1 triangles.
- (14) Template 3 triangles.

#### **Fabric I (5789-77 Waves – Indigo), cut:**

- (2) 3" x WOF strips, sub-cut (14) 3 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 60 ½" strips.
- (3) 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 2" x 51 ½" strips.

## Cutting - Continued

### **Fabric J (1351-Royal Just Color! – Royal), cut:**

- (2) 2" x WOF strips, sub-cut (34) 2" squares.
- (28) Template 1 triangles.
- (32) Template 3 triangles.

### **Fabric K (5786-77 Coral – Indigo), cut:**

- (2) 3" x WOF strips, sub-cut (14) 3 ½" strips.
- (4) 5 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 5 ½" x 63 ½" strips.
- (4) 5 ½" x WOF strips. Sew the strips together end to end with diagonal seams and cut (2) 5 ½" x 61 ½" strips.

### **Fabric L (1351-Light Teal Just Color! – Light Teal), cut:**

- (3) 2" x WOF strips, sub-cut (50) 2" squares.

### **Fabric M (5794-17 Whales – Light Blue), cut:**

- (60) Template 2 triangles.

### **Fabric N (5795-76 Sea Turtles – Aqua), cut:**

- (52) Template 2 triangles.

### **Fabric O (5786-17 Corral – Light Blue), cut:**

- (2) 3 ½" x WOF strips, sub-cut (16) 3 ½" squares.

### **Fabric P ( 5788-77 Sea Grass – Indigo), cut:**

- (1) 3 ½" x WOF strip, sub-cut (12) 3 ½" squares.
- (7) 2 ½" x WOF strips for the binding.

### **Fabric Q (5793-38 Lobsters – Sand), cut:**

- (1) 2" x WOF strip, sub-cut (2) 2" squares.
- (14) Template 1 triangles.
- (26) Template 3 triangles.

### **Fabric R (5790-37 Tossed Shells and Coral – Sand), cut:**

- (2) 2" WOF strips, sub-cut (26) 2" squares.
- (26) Template 1 triangles.
- (12) Template 3 triangles.

### **Backing (5785-37 Sea Creature Collage – Sand), cut:**

- (2) 81" x WOF strips for the backing. Sew the strips together and trim to make the 69" x 81" back.

## Sewing

Sew using a  $\frac{1}{4}$ " seam allowance with right sides together (RST) unless otherwise indicated. Always press towards the darker fabric while assembling, unless otherwise noted by the arrows.

### Block Assembly

**Note: The arrows in figures represent the fabric print direction. Pay attention to the fabric and unit orientations when assembling the various components.**

1. Sew (1)  $2\frac{1}{2}$ " x  $34\frac{1}{2}$ " Fabric B strip to each side of the  $21\frac{1}{2}$ " x  $34\frac{1}{2}$ " Fabric A panel. Sew (1)  $2$ " x  $25\frac{1}{2}$ " Fabric B strip to the top and to the bottom of the Fabric A panel to make the Center Block (Fig. 1). **Trim the block to measure  $24\frac{1}{2}$ " x  $36\frac{1}{2}$ ".**




Fig. 1

2. Sew (1)  $2$ " x  $3\frac{1}{2}$ " Fabric D strip to the left side of (1)  $3\frac{1}{2}$ " Fabric C square. Sew (1)  $2$ " x  $3\frac{1}{2}$ " Fabric E strip to the right side of the Fabric C square. Sew (1)  $2$ " x  $6\frac{1}{2}$ " Fabric D strip to the top of the newly sewn strip and (1)  $2$ " x  $6\frac{1}{2}$ " Fabric E strip to the bottom to make (1) Unit 1 square (Fig. 2). Repeat to make (12) Unit 1 squares total.




Fig. 2

3. Place (1)  $3\frac{1}{2}$ " Fabric H square on the top left corner of (1) Unit 1 square, right sides together (Fig. 3). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 3). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle  $\frac{1}{4}$ " away from the sewn seam (Fig. 4).




Fig. 3




Fig. 4

4. Follow Figure 5 for the seam direction to add a  $3\frac{1}{2}$ " Fabric G square to the upper right and lower left corners and (1)  $3\frac{1}{2}$ " Fabric F square to the lower right corner of the Unit 1 square to make (1) Unit 2 square (Fig. 6).




Fig. 5




Fig. 6




Fig. 7

5. Repeat Steps 3-4 to make (12) Unit 2 squares total.

6. Repeat Steps 2-4 and refer to Figure 7 for fabric identification, placement, seam direction and orientation to make (2) Unit 3 squares.

7. Place (1) 2" Fabric B square on the top left corner of (1) 3 1/2" Fabric I square, right sides together (Fig. 8). Sew across the diagonal of the smaller square from the upper right corner to the lower left corner (Fig. 8). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam (Fig. 9).

8. Follow Figure 10 for the seam direction to add a 2" Fabric J square to the upper right and lower left corners and (1) 2" Fabric H square to the lower right corner of the 3 1/2" Fabric I square to make (1) Unit 4 square (Fig. 11).




Fig. 8



Fig. 9






Fig. 10




Unit 4  
make 12  
Fig. 11

9. Repeat Steps 7-8 to make (12) Unit 4 squares total.


10. Repeat Steps 7-8 and refer to Figures 12-18 for fabric identification, placement, seam direction and orientation to make the indicated number of 3 1/2" unit squares for Unit 5 through Unit 11.




Unit 5  
make 12  
Fig. 12



Unit 6  
make 12  
Fig. 13




Unit 7  
make 12  
Fig. 14




Unit 8  
make 2  
Fig. 15



Unit 9  
make 2  
Fig. 16



Unit 10  
make 2  
Fig. 17



Unit 11  
make 2  
Fig. 18

11. Place (1) Fabric B Template 1 triangle on top of (1) Fabric M Template 2 triangle, right sides together, aligning the left sides (Fig. 19). Sew the (2) triangles together along the left side. Press the smaller triangle open.

12. Place (1) Fabric J Template 3 triangle on top of the Fabric M Template 2 triangle, right sides together, aligning the right sides (Fig. 20). Sew the (2) triangles together along the right side. Press the smaller triangle open to make (1) Unit 12 square (Fig. 21). Trim to the unit to measure 3 1/2" square.

13. Repeat Steps 11-12 to make (16) Unit 12 squares total.




Fig. 19






Fig. 20




Unit 12  
make 16  
Fig. 21

14. Repeat Steps 11-12 and refer to Figures 22-29 for fabric identification, placement and orientation to make the indicated number of 3 1/2" unit squares for Unit 13 through Unit 20.



Unit 13  
make 16  
Fig. 22



Unit 14  
make 12  
Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28




Fig. 29

15. Sew (1) Unit 12 square to the top of (1) Unit 13 square along the Fabric M sides to make (1) Unit 21 strip (Fig. 30). Repeat to make (16) Unit 21 strips total.

16. Repeat Step 15 and refer to Figures 31-34 for component identification, placement and orientation too make (12) Unit 22 strips, (14) Unit 23 strips, (12) Unit 24 strips and (2) Unit 25 strips.




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 34

17. Sew together (1) Unit 4 square, (1) Unit 23 strip and (1) Unit 5 square, in that order from left to right, to make the top row (Fig. 35).

18. Sew together (1) Unit 21 strip, (1) Unit 2 square and (1) Unit 22 strip, in that order from left to right, to make the middle row (Fig. 35).

19. Sew together (1) Unit 6 square, (1) Unit 24 strip and (1) Unit 7 square, in that order from left to right, to make the bottom row (Fig. 35).

20. Sew together the (3) rows from Steps 17-19 lengthwise to make (1) 12 1/2" Block One square (Fig. 35). Repeat to make (12) Block One squares total.

21. Repeat Steps 17-20 and refer to Figure 36 for component identification, placement and orientation to make (2) Block Two squares.




Fig. 35




Fig. 36

22. Sew (1) Block One square to the top and to the bottom of (1) Block Two square to make (1) Side Border (Fig. 37). Repeat to make a second Side Border.

23. Sew together (4) Block One squares to make the Top Border (Fig. 38). Repeat to make the Bottom Border.

Side Border  
make 2



Fig. 23

Top/Bottom Border  
make 2



Fig. 23

## Quilt Top Assembly

*(Follow the Quilt Layout while assembling the quilt top.)*

24. Sew (1) Side Border to each side of the Center Block. Sew the Top Border and Bottom Border to the top and bottom of the Center Block.

25. Sew (1) 2" x 60 1/2" Fabric I strip to each side of the Center Block. Sew (1) 2" x 51 1/2" Fabric I strip to the top and to the bottom of the Center Block.

26. Sew (1) 5 1/2" x 63 1/2" Fabric K strip to each side of the Center Block. Sew (1) 5 1/2" x 61 1/2" Fabric K strip to the top and to the bottom of the Center Block to make the quilt top.


## Layering, Quilting and Finishing

27. Press the quilt top and 69" x 81" backing well. Layer backing (wrong side up), batting, pressed quilt top (right side up) and baste. Quilt as desired and trim excess batting and backing when quilting is complete.

## Binding

28. Cut the ends of the (7) Fabric P binding strips at a 45-degree angle and sew end to end to make (1) continuous piece of binding. Fold in half lengthwise and press wrong sides together.



29. Sew the binding to the front of the quilt, raw edges together. Turn the folded edge to the back, and hand stitch in place.



Quilt Layout



100% Templates



**NOTE: All templates should be cut from a single layer of fabric.**