

Remote Control by Body Movement in Synchrony with Orbiting Widgets: an Evaluation of TraceMatch

CHRISTOPHER CLARKE, Lancaster University
ALESSIO BELLINO, Università di Milano-Bicocca
AUGUSTO ESTEVES, Edinburgh Napier University
HANS GELLERSEN, Lancaster University

In this work we consider how users can use body movement for remote control with minimal effort and maximum flexibility. TraceMatch is a novel technique where the interface displays available controls as circular widgets with orbiting targets, and where users can trigger a control by mimicking the displayed motion. The technique uses computer vision to detect circular motion as a uniform type of input, but is highly appropriable as users can produce matching motion with any part of their body. We present three studies that investigate input performance with different parts of the body, user preferences, and spontaneous choice of movements for input in realistic application scenarios. The results show that users can provide effective input with their head, hands and while holding objects, that multiple controls can be effectively distinguished by the difference in presented phase and direction of movement, and that users choose and switch modes of input seamlessly.

CCS Concepts: • **Human-centered computing** → **Interaction devices; Gestural input; Ubiquitous and mobile computing;**

Additional Key Words and Phrases: User input; Input techniques; Remote control; Movement correlation; Motion correlation; Motion matching; Path mimicry; Gesture input; Vision-based interfaces; Computer vision; User evaluation

ACM Reference format:

Christopher Clarke, Alessio Bellino, Augusto Esteves, and Hans Gellersen. 2017. Remote Control by Body Movement in Synchrony with Orbiting Widgets: an Evaluation of TraceMatch. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 1, 3, Article 45 (September 2017), 22 pages.
<https://doi.org/10.1145/3130910>

1 INTRODUCTION

Remote control is a perennial problem. The first remote control introduced into people's everyday lives, in 1950 by Zenith Radio Corporation, was aptly named "Lazy Bones" because remote controls aim to empower users with instant control while remaining comfortable [20]. TraceMatch is a recently introduced touchless remote control technique that expands on the idea of enabling user control in a manner that does not require users "to go out of their way". The principle behind the technique is simple (see Fig. 1): a control is presented to the user as a circular widget with an orbiting target, and the user can trigger input by performing any movement in synchrony

Author's addresses: C. Clarke and H. Gellersen, School of Computing and Communications, InfoLab21, Lancaster University, Lancaster, United Kingdom, LA1 4WA; A. Bellino, Department of Informatics, Systems and Communication (DISCo), Università di Milano-Bicocca, Milano, Lombardy, Italy; A. Esteves, Centre for Interaction Design, Edinburgh Napier University, 10 Colinton Rd, Edinburgh, United Kingdom, EH10 5DT.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, or post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2017 Copyright held by the owner/author(s). Publication rights licensed to Association for Computing Machinery.

2474-9567/2017/9-ART45

<https://doi.org/10.1145/3130910>




Fig. 1. TraceMatch provides a uniform means of remote control that users can appropriate flexibly: (a) Controls are displayed as orbiting widgets; (b) Users simply mimic the motion of a control to trigger input; (c) Users can use any part of their body for input, for example their head if their hands are occupied; (d) Users can gesture input with a hand without having to put down any object they might be holding.

with the displayed motion. What distinguishes *TraceMatch* as a remote input technique is the use of uniform movement that is highly appropriable. It relies on a single form of rhythmic motion, but users can perform such movement with different parts of their body without needing to pick up any device or put down any objects they might already be holding.

TraceMatch leverages insight from prior work on *motion correlation* as an input mechanism [32]. Fekete *et al.* reflected on the principles by which users' input is matched with output presented for selection, and highlighted how matching based on corresponding motion contrasts conventional spatial or semantic matching [9]. Carter *et al.* adopted motion correlation for distal input with hand/arm gestures, and demonstrated how this enables a new form of gestural interaction – one that is neither cursor-based for pointing, nor based on a discrete gesture set the user would have to learn [5]. Esteves *et al.* introduced *Orbits* as a new type of widget that displays input options as small targets orbiting the widget on a circular path [8]. Although originally designed for input by gaze, *Orbits* are equally compelling for gestural interaction. Their circular design gives them a consistent button-like appearance for display, while different input options can be encoded in the direction, phase and speed of the orbiting targets.

The principal motivation for *TraceMatch* is to enable users to select a displayed control with minimal effort (a small circular movement) and maximum flexibility (freedom to perform the movement in ways that are convenient in any given situation). Previous work has laid a foundation for the technique with the introduction of a computer vision system for detection and matching of movement that corresponds with presented *Orbits* [7].



Fig. 2. The stages of *TraceMatch* for matching the motion of an *Orbit* using a mobile phone. Left: Features (blue) are detected using the FAST feature detector. Centre: Moving features (green) are compared with the motion of an *Orbit* using the Pearson correlation. Right: The first feature to be matched is shown with its trajectory (green) and a fitted circle (red) found using RANSAC with inlier thresholds (blue).

95 The system requires only a general-purpose camera and does not assume any particular distance or posture of
96 the user. Figure 2 illustrates the computer vision approach with feature detection, optical flow processing and
97 model-fitting stages. The system is effectively a sensor for specific forms of motion and was evaluated for its
98 sensitivity, showing that user-generated motion produced in response to an Orbit can be reliably detected, while
99 avoiding false activations by other movement in the environment.

100 In this paper, we focus on understanding user performance with TraceMatch as an interaction technique. The
101 central premise of the technique is abstraction from the different ways in which users might want to produce
102 input. This raises the question of how effective users are in producing input with different parts of their body
103 and under different conditions, and what their preferences and spontaneous choices are. The other defining
104 property of TraceMatch is that it uses circular motion. This is a motion we would not expect to be produced
105 accidentally (thus avoiding the Midas touch effect) and that provides uniformity across the different ways of
106 performing movement. However, circular motion limits variation of input, prompting questions of how reliably
107 users are able to select one among multiple orbiting targets that vary in direction, phase and speed of movement,
108 and how many targets can be presented at the same time without degrading input performance.

109 We present three studies that shed light on these questions and provide insight into user performance and
110 preference, and support of ‘multiple choice’ tasks. The first study is a controlled experiment in which we assess
111 users’ performance for selection of one among multiple presented Orbits with different body movements, and
112 while holding objects. The study shows that users are effective with the technique across different movement
113 modalities and gives insight into effects of movement condition, speed of displayed motion, and number of
114 simultaneously presented targets on input performance. The second study engaged users with two interactive TV
115 application prototypes with Orbits embedded for control, to gain insight into spontaneous choice of movements
116 in realistic application contexts. The third study explored Orbit variants that integrate multiple targets in one
117 widget for more expressive input, and probe into the use of direction, colour and speed to convey and provide
118 multiple input options in a single Orbit.

119 In sum, the contributions of the article are:

- 120 • A validation of TraceMatch, showing that users are effective at selecting input by synchronising with
- 121 displayed motion using different types of movement;
- 122 • Insight into how different ways of performing matching motion, with head, hand, or while holding objects,
- 123 affect performance, and into preferences and spontaneous choices of different body movements for input;
- 124 • An exploration of ways in which the technique can be extended from binary selection to multi-level input
- 125 displayed within one orbiting widget;
- 126 • Design guidelines distilled from the observations made across the reported studies.

128 2 BACKGROUND AND RELATED WORK

129 TraceMatch is a technique for discrete input, i.e. for selection of one target among multiple available options.
130 For a system to be able to differentiate which option is being selected, it needs to have a way of matching the
131 user’s input against the available targets. In conventional user interfaces, this match is either spatial (the user
132 points at the position of a target) or semantic (the input is linked to a target by its meaning, for example when we
133 press a button on a remote control, or type in a command) [9, 32]. The approach in TraceMatch is fundamentally
134 different: the user’s input is matched against available targets based on motion. Input options are displayed with
135 distinct motion patterns, and synchronous movement by the user determines the selection. To contextualise our
136 contribution, we provide background on motion correlation, discuss how TraceMatch is positioned as a gestural
137 interaction technique, and briefly reflect on other related work.
138
139
140
141

2.1 Motion Correlation as Input Method

The principle of motion correlation for selection has been explored in a variety of prior works. Early works introduced the principle as enabling “pointing without a pointer” and “motion-pointing” [9, 37, 38], inspired by perceptual control theory [19] and naturally harmonic human motor behaviour [11]. Recent work adopted motion correlation for gaze- and gesture-based interaction [5, 8, 25, 33, 34], leveraging human natural ability to smoothly follow motion with their eyes and hands. This prior body of work, recently reviewed in depth by Velloso et al. [32], demonstrated advantages of motion correlation: the high discoverability of the available gestures as they are continuously displayed [5, 9]; implicit coupling of input and output coordinate spaces without need for calibration [8, 34]; usability with feedback modalities that are not suited for pointing [33, 38]; no split of attention between a cursor and a target [9]; and the capacity for multi-user input [5]. TraceMatch inherits these advantages, and in addition highlights how movement correlation supports a decoupling of the interface from the modality by which the matching movement is produced.

Motion correlation is a generic interaction principle, and not tied to any particular modality and application. It was first demonstrated in conventional desktop settings for selection of animated widgets by matching mouse movement [9, 37, 38]. It has since been studied for spontaneous touchless interaction with public displays [5, 35], input “at a glance” on smartwatches [8], and control of diverse types of devices in a smart environment [33]. Most of these works focused on gaze as input modality, leveraging specific properties of human smooth pursuit eye movement, whereas *PathSync* was first to adapt the concept for remote touchless input with mid-air gestures [5]. That work had focussed on hand gestures, whereas we consider body movement more generally, including head movement, movement with dominant and non-dominant hands, and movement while holding objects. Beyond the previously studied application settings, we focus on remote control of interactive TV as a compelling context for casual interaction, but note that TraceMatch has wider application.

TraceMatch was developed to make motion correlation work with any form of movement a user could produce with their bodies, “from head to toe”. A first work published on TraceMatch introduced the concept and described the computer vision system through which it is implemented (see Fig. 2). The system uses a standard camera mounted on the target display as input device, and analyses the visual scene in front of the screen for any occurrence of circular motion that is then matched against any motion displayed on-screen. From a technical point of view, the system is a smart sensor for detection of specific forms of motion, and the original publication provided an evaluation of the sensor’s detection performance, i.e. its sensitivity. For that evaluation, data was collected from users following a displayed motion with different parts of their body, however in a non-interactive manner (without feedback, and without any notion of task completion). The evaluation established that the system is capable of detecting a target motion pattern irrespective of the body movement by which it is produced. The work presented here builds on that result and focuses on evaluation of TraceMatch interaction – how users perform when they use TraceMatch for actual selection tasks. While the previous evaluation had measured sensitivity of the computer vision technique, we are concerned here with measuring task success.

2.2 Touchless Gestural Interaction

TraceMatch is a technique for remote control via body movements. There has been a plethora of work on touchless interaction using gestures, spurred by advances in real-time hand and body tracking that enable recognition of human gestures from a distance [29, 30]. Most gestural interaction techniques are either cursor-based or based on discrete gesture libraries [5], corresponding to the principles of spatial versus semantic matching noted above. In cursor-based pointing, the position of the user’s hand controls the position of an on-screen cursor. From then on, the interaction is similar to a desktop mouse, though another modality is often necessary for the confirmation of the selection once the cursor hovers the target, to avoid the Midas Touch. Touchless pointing requires a mapping of the user’s movement to the display which can be problematic to establish and lead to use

189 of larger than comfortable movements, and exacerbate fatigue issues. *PathSync* was first to show both Midas
190 Touch and mapping issues are circumvented by matching input based on corresponding motion, in contrast to
191 corresponding position. TraceMatch applies the same principle: the matching is based on the shape and temporal
192 execution of the motion gesture but independent of size, allowing even large motions to be synchronised with
193 small gestures, overcoming any need for large or exaggerated movements by the user.

194 The conventional alternative to pointing is to use discrete gesture libraries, where each gesture represents a
195 discrete input or command. In interfaces based on such gestures, the system waits until a movement it recognises
196 has been performed by the user and then responds with the corresponding action. This requires the system to be
197 trained for detection of a pre-defined set of gestures, and users to be able to remember and recall the gestures they
198 need. This has widely discussed usability issues [23], including questions of how gestures are revealed, discovered
199 and learned [1, 2, 36]. The use of motion correlation addresses these issues: rather than the user learning discrete
200 gestures they are interactively guided to synchronise with a displayed gesture, providing a gesture interface
201 that is self-revealing and highly discoverable [5]. TraceMatch relies on circular motion as single form of gesture
202 that can be performed scale-invariant, limiting expressivity to variation in phase, speed and direction of the
203 movement. This starkly contrasts the use of symbolic gestures that rely on a larger variety of gesture shapes, for
204 example to represent alphanumeric inputs [39]. Symbolic gesture can enable “spelling out” of more expressive
205 input but are more cumbersome to use – requiring prior knowledge of the gesture shapes, larger movements to
206 execute them, and care to produce them in a manner that avoids misclassification by the recognition system.
207 These issues are avoided in TraceMatch through the use of a uniform type of movement that can be varied to
208 allow for selection from among alternatives.

209 In this work we specifically consider TV control as a context for touchless interaction. TV control, and more
210 generally smart home interactions, provides a challenging context for interaction design where users tend to
211 act spontaneously and upon impulse. Research has highlighted how users desire instant control “right now”
212 with minimal action, and “right here” without having to go out of their ways [18]. Freeman and Weissman were
213 first to explore the idea of controlling a television using hand gestures over 20 years ago [10], observing fatigue
214 issues now often referred to as “gorilla arm” [12, 13]. More recent research on the topic has largely focussed on
215 library-based gestural techniques [6, 16, 17] and highlighted issues with learning and remembering of gestures
216 and gesture-to-function mappings [31]. TraceMatch avoids these issues, as the movements employed as input are
217 small and periodic, and guided by the visual display of animated controls.

220 2.3 Related Work

221 TraceMatch uses motion correlation for selecting inputs represented by on-screen controls. In related work,
222 motion matching has been used for interaction across devices, such as pairing by corresponding motion [15,
223 22], synchronous gestures across devices [14], and motion-based fusion of inputs in cross-device interaction
224 techniques [27, 28]. Correlation of movements has also been used to determine user and device relationships, for
225 example for disambiguation of multi-user input on shared displays by matching user movement (tracked with
226 a depth camera) with the motion of their devices (tracked with built-in sensors) [26]. These works all have in
227 common that they demonstrate motion correlation of different input signals, contrasting our focus on matching
228 of input and output.

229 Some prior work is related to presenting motion to the user for reproduction. Many pairing techniques are
230 based on one device presenting a secret that the user has to input on the other. Patel et al. presented a variant
231 where the user’s phone prompts a terminal to display a gesture, which the user has to reproduce with their
232 phone in hand to authenticate it for pairing [24]. We also note related work on the coupling of input and output
233 by periodic motion. *Resonant Bits* explores this in terms of resonance and how a system’s continuous feedback
234

can guide the user's rhythmic input [4]. *CycloStar* uses continuous closed loop motion to support panning and zooming in touch interfaces in a clutch-free manner [21].

3 PARTICIPANTS AND APPARATUS

Twenty participants (10M/10F) aged between 21 and 54 years (mean=29.4, sd=8.21) were selected to take part in the studies. Eighteen participants were right-handed and two were left-handed. None of the users had previous experience with, or knowledge of, the TraceMatch system. All three studies were undertaken sequentially by participants in one sitting, and took approximately one hour to complete per participant. Participants were compensated with £10.

The studies took place in a lab designed to represent a living room scenario. A 55" Smart TV (1920x1080) was used as the display, with a couch placed 2.23m from the TV (based on a TV size to viewing distance calculator). An unmodified, off-the-shelf web camera was mounted on top of the TV. The camera captured a 640x480 region of interest in the centre of a 1920x1080 image to control that only movement related to the simulated application setting was captured.

4 STUDY ONE - TASK SUCCESS WITH DIFFERENT BODY MOVEMENTS

To study how effective users are in producing input with different parts of their body under different conditions, participants performed a series of trials which required them to follow the motion of a randomly selected target Orbit from multiple presented Orbits. During the study, we measured the task success rate whilst varying the motion of the displayed Orbits with respect to their SIZE, i.e. the radius of the Orbit (25 and 50px), ORBITAL SPEED (2 and 4 seconds per cycle), DIRECTION (clockwise and anti-clockwise), and the NUMBER OF ORBITS (2, 4, 6, 8, and 4 plus 4) displayed simultaneously.

We maximised the phase difference between Orbits by $360^\circ/n$, where n is the number of Orbits displayed simultaneously in the same direction. The "4 plus 4" variable consisted of four Orbits rotating clockwise, and four anti-clockwise, displayed simultaneously with a 90° phase difference. This was included to investigate if the number of Orbits displayed simultaneously affected the participants' performance. We expected this combination to have similar results to when four Orbits of one direction were displayed.

The TYPE OF MOVEMENT (head, dominant hand, non-dominant hand, mobile phone-in-hand and cup-in-hand) participants used to match the motion of the Orbits was also varied. We used the cup and mobile phone as everyday objects that users would likely use for multi-tasking whilst interacting with the system in a real-life setting, e.g. drinking or sending a message. The cup was half filled with water to simulate the participants holding a drink, and the experimenter's Samsung Galaxy S5 was used in the event a participant did not have a mobile phone. In total, this resulted in $2 \times 2 \times 2 \times 5 \times 5 = 200$ trials per participant, and $20 \times 200 = 4000$ trials for the study.

4.1 Study One - Procedure

Upon arrival, participants signed a consent form and completed a demographics questionnaire. They were then presented with a basic overview of TraceMatch, which did not include any technical detail. Participants were instructed to find a comfortable position anywhere on the couch. Participants were not given instructions on how to perform the type of movements, but were told that the size of their movement did not have to correlate with the size of the Orbits. Following the introduction, participants took part in a practice session which involved all the variables, excluding number of Orbits, used for the trials. Participants spent, on average, less than four minutes during the practice session.

For each trial, a number of Orbits were presented simultaneously to the participants (see Fig. 3), with a target Orbit highlighted in blue. If the participant successfully matched the motion of the target Orbit it turned green and

the next trial was presented. If the participant activated an Orbit other than the target, the Orbit they activated flashed red and the trial was unsuccessful. The task was not completed until the participant successfully matched the motion of an Orbit, or ten seconds elapsed. A three second countdown preceded each trial.

A balanced Latin Square design was used to counter balance the different types of movement and minimize carry over effects. A 5×5 Latin square and its mirror image were used, resulting in multiples of 10 participants required for counterbalancing the type of movement. Participants completed trials in ten blocks, one block for each combination of speed and type of movement. Ten participants, counterbalanced for type of movement, performed the trials with slow Orbits (4 seconds per cycle) followed by fast Orbits (2 seconds per cycle), the other ten, also counterbalanced for type of movement, performed the opposite. For a given speed, participants used all types of movement before changing speeds.

For each block, participants were presented with each number of Orbits in order (i.e. 2, 4, 6, 8, then 4 plus 4), for large Orbits (50px) first and then with small Orbits (25px). All Orbits presented to participants rotated in the same direction when displayed on the screen, with the exception of the 4 plus 4 variable. Participants were shown both clockwise and anti-clockwise directions for each size, the order of which was determined randomly. The 4 plus 4 configuration was displayed twice per size, the first with the target Orbit rotating in one direction, the next with it rotating in the other direction. The ordering of the rotation of direction for the target Orbit was randomised.

After each block, participants completed a questionnaire consisting of six 5-point Likert items:

- I felt comfortable following the targets
- I felt confident following the targets
- I found it easy to synchronise with the position of the targets
- I found it easy to follow the movement of the targets
- It was not physically demanding
- It was not mentally demanding




Fig. 3. Configurations for the number of Orbits: (a) two, (b) four, (c) six, (d) eight, and (e) four plus four. Orbits shown rotating clockwise, with the exception of (e) where Orbits rotate in both directions.

After all of the trials were completed, participants were verbally asked about their preferred type of movement and speed.

4.2 Study One - Results

We used a four-way repeated measures ANOVA, Greenhouse-Geiser-corrected in the cases where Mauchly's test indicated a violation of sphericity and with Bonferroni-corrected post-hoc tests where applicable, to test for the effects of the type of movement, speed, size, and number of Orbits, averaged over direction (clockwise and anti-clockwise), on the task success rate. The task success rate is the number of times the participants correctly selected the target Orbit, divided by the total number of trials. A trial was deemed unsuccessful if the participant did not activate an Orbit within 10 seconds, or if an Orbit other than the target was activated. Figure 4 shows the task success rate for each type of movement across all variables after averaging for size and direction.

We found significant main effects for speed ($F_{1,19} = 7.72, p = .012$), and number of Orbits ($F_{4,76} = 103.01, p < .001$). There were no significant main effects for size ($F_{1,19} = 2.935, p = .103$), or type of movement ($F_{2,57,48.79} = 2.92, p = .051$). In general, participants performed significantly better with the slow speed (85%) compared with the fast speed (76%). As we expected, participants performed significantly worse when selecting the target from 8 Orbits (57%) compared with all others, at $p < .001$. We also observed a significant difference when participants selected a target from 6 Orbits (76%) compared with all others at $p < .001$. There were no further significant differences when selecting a target from 2 (92%), 4 (88%) or 4 plus 4 (88%) Orbits.

We observed significant two-way interactions for type of movement x speed ($F_{4,76} = 8.77, p < .001$), type of movement x number of Orbits ($F_{7,50,142.51} = 2.56, p = .014$), and speed x number of Orbits ($F_{2,74,52.12} = 3.04, p = .041$). There were no other significant interactions. We further investigate the simple main effects for the types of movement, proceeded by simple main effects for both speeds and all number of Orbits.

4.2.1 Type of Movement. We found no significant simple main effect for slow movements, when averaging over size and number of Orbits, between the head (88%), dominant hand (84%), non-dominant hand (84%), phone-in-hand (86%), and cup-in-hand (84%), ($F_{2,26,42.97} = 0.85, p = .45$). However, for fast movements there




Fig. 4. Task success rate for each type of movement when following slow (blue), and fast (green) Orbits, averaged for size and direction, plotted against each level of the number of Orbits variable. Standard error is shown with error bars.

377 was a significant simple main effect for types of movement ($F_{2,26,42.97} = 6.52, p = .002$). Participants performed
378 significantly worse with the fast head movement (59%) compared with the fast dominant hand (80%), and fast
379 non-dominant hand (83%) movements, at $p = .04$ and $p = .021$ respectively. We found no significant differences
380 between the fast head movement and the fast phone-in-hand (78%) or fast cup-in-hand movements (77%).

381
382 4.2.2 *Head.* For the head movement, we found significant simple main effects for speed ($F_{1,19} = 15.31, p = .001$),
383 and number of Orbits ($F_{4,76} = 14.97, p < .001$). Participants performed significantly better with the slow head
384 movement (88%) compared with the fast (59%). Participants were significantly worse when using the head
385 movement (averaged over speed) to select a target from 8 Orbits (56%) compared with 2 (81%), 4 (74%), 6 (76%), or
386 4 plus 4 Orbits (81%), at the $p < .005$ level.

387
388 4.2.3 *Dominant Hand.* For the dominant hand movement, we found a significant simple main effect for the
389 number of Orbits ($F_{2,89,58.84} = 27.40, p < .001$), but no simple main effect for speed. The task success rate was
390 significantly lower when participants selected a target from 6 Orbits (79%) compared with 2 Orbits (94%), at
391 $p = .013$, but was significantly higher compared with selecting a target from 8 Orbits (57%), at $p = .006$. We also
392 observed that the task success rate was significantly lower when selecting a target from 8 Orbits compared to all
393 others, including 4 (90%) and 4 plus 4 Orbits (88%), at $p < .01$.

394
395 4.2.4 *Non-dominant Hand.* For the non-dominant hand movement, we found a significant simple main effect
396 for the number of Orbits ($F_{2,55,48.44} = 25.52, p < .001$), but no significant simple main effect for speed. Selecting a
397 target from 6 Orbits (77%) resulted in a significantly lower task success rate compared with 2 Orbits (94%), and
398 4 Orbits (97%), at $p = .011$ and $p = .001$ respectively. The task success rate for selecting a target from 8 Orbits
399 (59%) was significantly lower than 2, 4, and 4 plus 4 (89%) Orbits at $p < .001$. There was no significant difference
400 between 6 and 8 Orbits.

401
402 4.2.5 *Mobile Phone-in-hand.* For the mobile phone-in-hand movement, we found significant simple main
403 effects for both speed ($F_{1,19} = 5.84, p = .026$), and number of Orbits ($F_{4,76} = 18.11, p < .001$). Selecting a slow
404 moving target resulted in a significantly higher task success rate (86%) compared with selecting a fast moving
405 target (78%). Selecting a target from 6 Orbits (74%) resulted in a significantly lower task success rate compared
406 with 2 (93%), 4 (86%), and 4 plus 4 Orbits (93%), at $p = .005$, $p = .044$, and $p = .002$ respectively. We also found a
407 significantly lower task success rate when participants selected a target from 8 Orbits (63%) compared with 2, 4,
408 and 4 plus 4 Orbits at $p < 0.005$. There was no significant difference between selecting a target 6 or 8 Orbits.

409
410 4.2.6 *Cup-in-hand.* For the cup-in-hand movement, we found a significant simple main effect for the number
411 of Orbits ($F_{4,76} = 42.91, p < .001$), but no significant simple main effect for speed. Selecting a target from 8 Orbits
412 (50%) resulted in a significantly lower task success rate compared with all others for $p < .001$. In addition, the
413 task success rate as a result of selecting a target from 6 Orbits (76%) was significantly lower compared to 2 Orbits
414 (96%) at $p = .003$, and both 4 Orbits (91%) and 4 plus 4 Orbits (90%) at $p = .13$.

415
416 4.2.7 *Speed x Number of Orbits.* For the slow speed, there was a significant simple main effect for number
417 of Orbits when averaging types of movement and size ($F_{2,31,43.96} = 69.33, p < .001$). The task success rate was
418 significantly lower for 8 Orbits (62%) compared with all others at $p < .001$, and for 6 Orbits (80%) and all others at
419 $p < .001$. There were no other significant differences between selecting a target from 2 (93%), 4 (94%), and 4 plus
420 4 (95%) Orbits.

421
422 There was also a significant simple main effect for number of Orbits for the fast speed ($F_{4,76} = 55.27, p < .001$).
423 Post-hoc tests revealed a significant difference between 8 Orbits (52%) and all others at $p < .001$. The task success
424 rate was also significant lower when selecting a target from 6 Orbits (72%) compared with selecting a target from
425 2 (90%), 4 (82%), or 4 plus 4 Orbits (81%), at $p = .001$, $p = .002$, and $p = .019$ respectively.

When taking all sizes and types of movement into account, there was a significant simple main effect for speed when selecting a target from 4 Orbits, ($F_{1,19} = 11.95, p = .003$). Slow moving targets (94%) resulted in a significantly higher task success rate compared with fast moving targets (82%). Slower moving targets (95%) also resulted in a significantly higher task success rate than the faster moving targets (81%) when selecting a target from 4 plus 4 Orbits, ($F_{1,19} = 18.48, p < .001$). There were no significant simple main effects for speed for 2, 6, or 8 Orbits.

4.3 Activation Time

Figure 5 shows the activation times for successful trials. Average activation times across all users are reported in brackets. The minimum time for activation of the slow and fast Orbits was 2 and 1 seconds respectively. For fast movements, it takes the head movements (4.1s) longer to acquire than the dominant hand (3.3s), non-dominant hand (3.2s), phone (3.5s) and the cup (3.2s). As figure 5 illustrates, there were participants who achieved activation times with the head matching those of the other input modalities. For slow movements, the head (4.1s) was once again slower than the dominant hand (3.6s), non-dominant hand (3.6s), phone (3.5s) and cup (3.5s). The spread of activation times for the slow head movement is less than the faster Orbit, but still larger than those of the other input modalities for the slow speed.

4.4 User Preferences

The most popular type of movement was the dominant hand (12), followed by the head (3) and phone-in-hand (3), and finally the cup-in-hand (2). No participant selected the non-dominant hand as their favourite type of movement to use. Ten participants preferred the faster targets, and ten participants preferred the slower. Six participants preferred the faster targets with the dominant hand movement, whereas the other six preferred the slower targets. All of the participants who selected the head movement preferred the slower targets, and all of the participants who selected the cup-in-hand preferred the faster targets. One participant preferred the slow targets with the phone-in-hand movement, with the remaining two preferring the faster targets.

4.5 Likert Item Responses

We performed a Friedman test on each Likert item to investigate participants' responses for the types of movement and speeds, see Fig. 6. Pairwise comparisons were performed with a Bonferroni correction for multiple comparisons.




Fig. 5. Box plots showing average activation time of participants for fast Orbits (left) and slow Orbits (right).

Participant responses to the comfort Likert item were significantly different across the movement speed combinations, $\chi^2(9) = 41.15, p < .0005$. Responses for the fast head movement (Mdn = 3) were significantly lower than both slow phone-in-hand (Mdn = 5) and fast dominant hand movements (Mdn = 5), at $p = .041$ and $p = .028$ respectively.

There was a significant difference in responses when participants were asked how easy it was to synchronise with the target, $\chi^2(9) = 28.92, p = .001$. Participants felt it was significantly harder to synchronise with the target using the fast head movement (Mdn = 3), compared with both slow dominant hand movement (Mdn = 5) and fast dominant hand movements (Mdn = 5), at $p = .021$ and $p = .008$ respectively.

When participants were asked how easy it was to follow the target, responses were significantly different based on speed and input modality, $\chi^2(9) = 34.18, p < .0005$. Participants felt it was significantly harder to follow the target with the fast head movement compared with both slow (Mdn = 5) and fast (Mdn = 4.5) cup-in-hand movements, at $p = .023$ and $p = .014$, and compared with both slow (Mdn = 5) and fast (Mdn = 4.5) dominant hand movements, at $p = .012$ and $p = .014$ respectively. The fast head movement (Mdn = 3) also received significantly worse responses compared with the slow non-dominant hand (Mdn = 5), and slow phone-in-hand movement (Mdn = 5), at $p = .031$ and $p = .028$.

There was a significant difference when participants were asked about the physical demand of using the movement and speed combinations to select a target, $\chi^2(9) = 32.74, p < .0005$. Participants reported significantly more physical demand for the fast head movement (Mdn = 3) compared with the fast dominant hand movement (Mdn = 5) at $p = .049$.




Fig. 6. Stacked bar charts showing responses to the Likert items for different types of movement and speed.

518 Although there were significant differences between responses to the confidence and mental demand Likert
519 items, $\chi^2(9) = 30.31, p < .0005$ and $\chi^2(9) = 32.55, p < .0005$ respectively, post-hoc tests revealed no significant
520 differences between speed and movement combinations after accounting for multiple comparisons.

522 4.6 Study One - Discussion

523 The results show that holding an object does not significantly affect the task success rate, nor does using the
524 non-dominant hand – unlike other tasks such as writing in which the non-dominant hand performs significantly
525 worse. This highlights the ability to abstract from input modality, and provides users with various means by
526 which to successfully interact with the system in the event their preferred input modality can not be used (e.g.
527 when performing other tasks).

528 Interestingly, we observed that using the head achieved the highest task success rate for slow movements,
529 but the lowest task success rate for fast movements. Many users reported that the fast head movement was
530 "uncomfortable" and felt "unnatural". The low task success rate can be, in part, explained by the way some users
531 performed this movement. The experimenter noted that during the trials, the output of the system (not seen
532 by participants) was reporting that the participants' fast head movements were passing the Pearson threshold,
533 however no activation occurred. This infers that the participants were following the motion of the target, however
534 their movements were not circular enough to pass the circle fitting stage of the matching process, i.e. the
535 movements were elliptical. This is further exaggerated because fast Orbits require more constrictive parameters,
536 compared with slow Orbits, to avoid accidental matching with background movements [7].

537 The task success rate across all sizes and number of Orbits when taking into account participants' preference
538 for type of movement and speed is 87%. This rises again to 97% for participants' preferred type of movement and
539 speed across both sizes if we only consider selecting a target from 2, 4, and 4 plus 4 Orbits (99% for 2, 96% for 4
540 and 95% for 4 plus 4). This demonstrates that, despite TraceMatch's generic approach, users can successfully
541 interact with the system using their preferred type of movement.

542 We observed individual differences between participants depending on the type of movement used. The
543 participant with the best overall task success rate across all variables had a task success rate of 90%, whereas the
544 worst had a task success rate of 67%. However, for the participant with the lowest overall task success rate, the
545 task success rate for their preferred movement and speed was 85% across all variables (100% excluding when they
546 selected a target from 6 and 8 Orbits). This is an example of when a participant had a much lower task success
547 rate for other types of movement and speed combinations, as can be seen by the low average, yet there was at
548 least one type of movement for which they achieved a very high task success rate.

549 According to the responses to the Likert items, there were no significant differences found other than for the
550 fast head movement. This validates the idea of abstracting from input modality and providing the user with a
551 choice of how to interact with the system or, in the event the user is performing another task, allowing the user
552 to continue interacting with the system whilst holding an object. The different preferences we observed for the
553 speed of the Orbits could easily be implemented using a "settings" option, allowing users to tailor the system
554 based on their personal preferences.

555 When discussing their favourite type of movement, one participant thought that their preference would depend
556 on whether or not they were in a social situation. The participant preferred the slow head movement due to
557 the "low-effort" involved, however, they stated that in a social situation they would rather use the hand gesture.
558 This is because they would only need to glance at the Orbit to be able to follow the target, thus allowing them
559 to control the system whilst maintaining their interaction in the social situation. This is another advantage of
560 abstracting from the input modality, allowing users to interact in different ways depending on the situation.

561 The activation time in TraceMatch consists of the time taken for the user to locate the control they wish
562 to activate, to position their desired input modality (e.g. raise their hand), to start synchronisation with the
563

Orbit, and to maintain synchronisation for the required amount of time (i.e. half an Orbit). Before starting the synchronisation, users may wait and choose to start the movement at a salient point, e.g. when the target is at the top of the Orbit. Interestingly, one would expect the slower times to be around one second slower for the slow Orbits due to the extra time required to synchronise with half an Orbit, 1s and 2s for fast and slow Orbits respectively. However, we observed a difference of less than half a second, suggesting that the slower Orbits are easier to synchronise with than the faster Orbits, as all other factors that contribute to the acquisition time remain the same (e.g. finding the target and positioning the input modality).

5 STUDY TWO - CHOICE OF MOVEMENT FOR INTERACTION

To investigate how participants interacted with the system using real-world applications we used two prototypes, an Interactive Story and a Formula 1 Multi-screen application. Participants were free to use any type of movement to interact with the prototypes. Participants were instructed to inform the experimenter in the event of an incorrect activation, i.e. the wrong Orbit is activated when trying to activate an Orbit, or a false activation, i.e. an Orbit is activated when not trying to activate an Orbit. The Orbits used for the prototypes had a radius of 50px and speed of 3 seconds per cycle.

5.1 Interactive Story

The aim of the first prototype was to assess how users interact with the system given an application in which the participant has minimal interaction. For this, we used an interactive video series about knife crime filmed from a teenager's point of view [3]. Participants are shown a film, during which they are offered a series of choices throughout which influence the outcome. In order to choose which route to pick users are presented with a textual description and associated Orbit to select an action, see Figure 7. Two additional Orbits were added to restart the story from the beginning, or replay the last video section. Participants were instructed to choose whichever actions they preferred, and that their choices were not being recorded. At the end of the story, participants were presented with four 5-point Likert items:

- I felt comfortable following the targets
- I felt confident following the targets
- It was not physically demanding
- It was not mentally demanding




Fig. 7. Prototypes for the second study. Left: Interface for the Interactive Story prototype with Orbits for selecting an action (left of the screen), and for restarting the story from the beginning or replaying the last section (right of the screen). Right: Interface for the Formula 1 Multi-screen prototype with Orbits for changing the main display (left), muting the volume (second from right), and enlarging the display to full-screen mode (right).

5.2 Formula 1 Multi-screen Application

The second prototype was a Formula 1 Multi-screen application, see Figure 7. The aim of this prototype was to present an application to users with a large number of Orbits (8) displayed simultaneously on the screen. The interface allowed participants to choose between four different camera angles, a timing screen and the track layout. Controls for muting the sound and enlarging the main window were also included. Participants were instructed to select each Orbit at least once in any order and to watch the videos if they desired. Once the participant had finished interacting with the prototype, they completed the same Likert items used for the *Interactive Story* prototype.

5.3 Study Two - Results

The task success rate for the *Interactive Story* application was 100%, out of 70 activations, see Table 1. The most commonly used type of movement for activating the controls was the dominant hand, which was used for 70% of the activations. The cup was the only type of movement that was not used by any of the participants. Four participants used more than one input modality throughout the duration of the interactive story.

According to responses from the Likert items, most participants felt comfortable (Mdn = 4.5) and confident (Mdn = 5) with the interactive story. Participants did not report any physical (Mdn = 5) or mental demand (Mdn = 5) with a bottom-two-box score of 0% for all Likert items relating to the interactive story.

When faced with multiple Orbits simultaneously during the Formula 1 multi-screen application, participants achieved a task success rate of 97% out of 293 activations. Three participants encountered one incorrect activation, and two participants encountered two incorrect activations. During the Formula 1 multi-screen prototype, participants used a wide variety of movements, including a participant who successfully activated an Orbit with their foot. The most frequently used type of movement was, again, the dominant hand which was used for 76% of all activations.

For the Formula 1 multi-screen, the majority of participants did not report any physical (Mdn = 5) or mental (Mdn = 5) demand, and reported that they felt comfortable (Mdn = 5) and confident (Mdn = 5). One participant disagreed that they felt comfortable, and thought the Formula 1 multi-screen application was mentally (2) and physically demanding (2). The participant reported that it was much harder to follow targets with a video in the middle of the Orbit (for the Orbits which previewed video content). We observed nine participants using multiple input modalities when interacting with the Formula 1 Multi-screen prototype.

The type of movement predominantly used to interact with the prototypes was not the preferred type of movement of the participant in all cases. Two of the participants who preferred the cup object used their dominant hand to interact with the prototypes, with the third choosing to use their smartphone. Only one out of the three

Table 1. Results for the second study, showing the different types of movement used to activate the Orbits and the overall task success rate.

		Interactive Story	Formula 1 Multi-Screen
Number of activations	Head	5 (7%)	18 (6%)
	Dom. hand	49 (70%)	223 (76%)
	Non. hand	6 (9%)	22 (8%)
	Phone	10 (14%)	28 (10%)
	Cup	0 (0%)	0 (0%)
	Foot	0 (0%)	2 (1%)
Total activations		70	293
Incorrect activations		0	8
False activations		0	0
Task success rate		100%	97%

659 participants who preferred the head movement used their head to activate the Orbits for the majority of the time,
660 the remaining two used their dominant hands for the majority of the time when interacting with the prototypes.
661 One of the participants who preferred the phone-in-hand movement predominantly used their non-dominant
662 hand to activate the Orbits during the prototypes.
663

664 5.4 Study Two - Discussion

665 When users were given the freedom to interact with the system in a more natural setting, we observed that not
666 all participants used their preferred type of movement reported during the first study. In the case of the head
667 movement, this could be due to the increased speed (3 second per cycle) used for the prototypes, because all
668 those who preferred the head movement also preferred the slower moving targets (4 seconds per cycle).
669

670 With the exception of one participant, those who preferred objects did not actively seek out their preferred
671 objects to interact with the system, instead choosing to perform the movements without an object or with a
672 different object. This demonstrates the flexibility when it comes to choice of input modality and shows that users,
673 although reportedly preferring one type of movement, can easily adapt to different types of movement.

674 One participant used the head movement, their preferred movement, during the interactive story, however
675 switched to the dominant hand when interacting with the Formula 1 multi-screen application. We also saw similar
676 behaviour with participants switching from their non-dominant hand in the interactive story, to their dominant
677 hand in the Formula 1 multi-screen application. The story application is much more relaxed and requires less
678 input than the multi-screen application, which could suggest that users change their type of movement depending
679 on the context.

680 We observed four participants using different hands depending on the location of the Orbit they were trying
681 to activate. When questioned about this, participants reported that they instinctively changed which hand they
682 used based on the location of the Orbit on the screen. We also observed one participant who used their foot to
683 activate the multi-screen prototype, in an explorative manner.
684

685 6 STUDY THREE - MULTI-LEVEL INPUT

686 To gain insight into how multiple targets on a single Orbit can be used for more expressive input we used two
687 prototypes, a Video Control and an Information Popup application. We can display information with the Orbits
688 themselves, e.g. through the use of background icons, but our aim here is to investigate whether additional
689 information can be conveyed through the movement and colour of multiple targets orbiting around a single Orbit
690 without the participants having prior knowledge of the functionality of the different targets.
691

692 6.1 Video Control

693 The aim of the Video Control prototype was to simultaneously present Orbits with different sizes and speeds to
694 the participants. For this, we designed a video controller which allowed the user to play, pause, skip forwards or
695 skip backwards, see Figure 8. We chose skipping forwards and backwards to provide a non-continuous method of
696 control, as opposed to rewinding or fast forwarding.
697

698 For skipping forwards, three clockwise Orbits were used with different speeds and sizes. The small, medium
699 and large Orbits rotated with speeds of 4, 3, and 2 seconds per cycle respectively. The larger, faster Orbit skipped
700 the video forward by 30 seconds, the medium sized Orbit by 15 seconds, and the smaller, slower Orbit by 5
701 seconds. For skipping backwards the Orbits operated the same way but rotated anticlockwise. The participants
702 were not told about the functionality of the Orbits prior to their interaction with the prototype, however the
703 number of seconds skipped was displayed in the middle of the Orbit when the control was activated, i.e. "5s" is
704 displayed if the small, slow Orbit is activated.
705




Fig. 8. Prototypes for the third study. Left: Interface for the video control prototype with Orbits for skipping backwards (left), skipping forward (right), play/pause (middle) and for hiding the controls (top-right). Right: Interface for the information popup with Orbits for opening the popup (left) and closing the popup (top-right). The Orbit used to open the popup is shown for illustration and would not be visible at the same time.

Participants were asked to interact with the Video Control for two minutes. They were then verbally asked if they had understood the functionality of the Orbits for skipping forwards and backwards (i.e. the quicker the speed and larger the size the greater amount the video was skipped) when they first saw the controls, and after they had finished with the prototype. They were then verbally asked whether they thought the functionality of the different sizes and speeds made sense.

6.2 Information Popup

The final prototype was used to test whether the colour of the targets could be used for selection or rejection of a popup. This was achieved using a prototype that allowed the participant to view additional information on a subject at four key points during a video, see Figure 8. The Orbits used for the Information Popup application had a radius of 50px and speed of 3 seconds per cycle.

For each key point, an Orbit with a red and a green target was displayed. If the participant selected the green target, the additional information would appear. If the participant selected the red target, the Orbit disappeared. We also varied how the red and green target orbited to find out which participants preferred. In two out of the four cases, the targets rotated clockwise with an offset of 180°. In the remaining two cases, the green target rotated clockwise and the red target rotated anti-clockwise. The order in which the participants were shown the targets was counterbalanced.

Following the video, participants were asked whether they had understood the functionality of the red and green targets when they first appeared, or at the end of the video. They were then asked which method of target rotation they preferred, i.e. same direction or opposite direction, and why.

6.3 Study Three - Results

The video control prototype suffered the most incorrect activations (36), only three participants had no incorrect activations, resulting in a task success rate of 92% out of 425 activations, see Table 2. We observed four participants using more than one input modality to activate the controls, with the dominant hand being the most predominantly used type of movement accounting for 76% of all activations.

Ten participants reported that they understood the functionality of the video controls when they appeared, whereas seven did not understand the functionality until they activated the Orbits. Three participants did not understand the functionality of the controls, even after interacting with the prototype. The three participants who did not understand the functionality reported that they thought the different speed and sizes of Orbits were

Table 2. Results for the third study, showing the types of movement used to activate the Orbits and the overall task success rate.

		Video Control	Information Popup
Number of activations	Head	30 (7%)	14 (10%)
	Dom. hand	325 (76%)	95 (70%)
	Non. hand	30 (7%)	5 (4%)
	Phone	36 (8%)	18 (13%)
	Cup	4 (1%)	2 (1%)
	Foot	0 (0%)	2 (1%)
Total Activations		425	136
Incorrect activations		36	0
False activations		0	0
Task success rate		92%	100%

available to allow the user to choose whichever they prefer. Of the participants that understood the functionality, nine reported that they understood it because of the speed of the Orbits (i.e. the quicker the speed, the larger the effect) and six reported that it was because of the size (i.e. the bigger the size, the larger the effect). Two participants reported that the combination of speed and size led them to understand the functionality.

Users achieved a task success rate of 100% out of 136 activations when interacting with the Information Popup prototype. The most frequently used type of movement was the dominant hand, accounting for 70% of all activations. Five users activated the Orbits with more than one input modality, including one participant who used their foot to activate an Orbit (a different participant to the one who used the foot in the second study).

Fifteen participants reported that they understood the concept of the green and red targets to open or close the information popup. The remaining five reported that they did not understand the concept until they had activated one of the targets. Sixteen participants preferred it when the red and green targets rotated in opposite ways, reporting that it required less effort to trigger the correct target because there was no chance of getting it wrong. Three participants preferred it when the red and green target rotated in the same direction because it was more aesthetically pleasing. One participant had no preference, reporting that it was more aesthetically pleasing for the same way but at the same time it was easy to select a target when they rotated in opposite directions.

6.4 Study Three - Discussion

We have demonstrated that multiple input options can be expressed using multiple targets for the Orbits. This enables multiple targets to be located around a single Orbit which reduces the screen space required for the interface, and provides greater flexibility for designers.

It is interesting to note that the participants understanding of the video control functionality was predominantly due to either the size or the speed, but rarely both. This suggests that using a combination of size and speed is advantageous, because perception of the functionality of the different properties of the Orbits are not consistent across users. One participant noted that there could be an issue for the colour-blind with the red and green targets used in the information popup application, however they suggested simple tick and cross icons could also be used to convey the same information.

The ability to have multiple speeds of Orbits display simultaneously is desirable because it potentially allows for a greater number of Orbits to be displayed on the screen at any given moment. However, we noted that during the video control prototype a relatively large number of incorrect activations was a result of the users triggering a faster target that was in the process of overlapping a slower target, or vice versa. Whereas this might not be an ideal solution for increasing the number of controls, the task success rate remained above 90%.

7 DESIGN GUIDELINES

The set of studies presented give insight into design choices, from which we distill guidelines for the design of interfaces based on TraceMatch.

We reflect insights on the following properties:

- *Speed* – What is the best speed to use?
- *Number of Orbits* – How many Orbits should be displayed simultaneously?
- *Size and Position* – Does the size and position of the Orbits make a difference?
- *Multi-Level Input* – How should one convey additional information using the Orbits for multi-level input?
- *Interface visibility* – Should the interface be visible at all times?

7.1 Speed

There are implications on the types of input modality that can be used based upon the speed of the Orbits. The majority of participants did not perform well with fast head movements, therefore the use of fast Orbits could inadvertently limit the number of input modalities that can be used with the system. The slower Orbits achieved a significantly higher task success rate across all movement types, however we observed an even split with regards to participant preference for speed suggesting one speed does not suit all.

In the second and third studies we observed participants using different types of movement to interact with the system in a context where they were not performing other tasks other than interacting with the applications. The varied use of different input modalities can, in part, be explained by possible order and novelty effects of having completed the first study and using the system for the first time. However, in real-world deployments users may be performing other tasks with their hands when interacting with the system, such as eating, drinking, cooking, or in a public display context the user may have bags of shopping or be carrying or attending to a young infant. In this context, slower Orbits would allow users to fully utilise the principle of input modality abstraction.

This presents a conundrum to designers – what if the user performs better with the slower Orbits but prefers the faster Orbits? Here we invoke the popular saying – “*the customer is always right*”. If a user prefers faster Orbits then they should be able to configure the system in a personalised manner. This can be achieved using a “settings” Orbit to allow the user to configure the speed on-the-fly to a configuration which they feel most comfortable using. An alternative approach would be to use two sets of Orbits with both slow and fast moving targets, however this could make the interface confusing. For public displays users should not be expected to have to configure the interface before commencing interaction. We therefore advise that the default speed of the Orbits are set to slow in this context, because of the higher task success rate and full utilisation of input modality abstraction.

7.2 Number of Orbits

Based on our findings in the first study, we would recommend a default maximum limit of eight simultaneous Orbits (four clockwise and four anti-clockwise) presented on an interface when using only one Orbit speed. However, the speed of the Orbits is a factor when considering how many Orbits should be displayed simultaneously. Six orbits (allowing for 12 simultaneously) achieved a task success rate of 80% across all movement types for slow speeds, with seven participants (35%) achieving an average task success rate of at least 90% with six orbits across all movement types, and only three (15%) participants achieving a task success rate of less than 75%. In contrast, only two participants achieved a high task success rate (> 90%) when using fast movement types. Therefore, we would only recommend increasing the capacity to twelve Orbits (six clockwise, six anticlockwise) when using slow moving targets and if the application necessitated the increased capacity.

The use of different speeds for the Orbits, such as shown in the third study, also has the potential to increase the capacity of the number of simultaneously displayed Orbits, however one must take care in ensure the difference

847 in speeds is sufficient enough to avoid false activations occurring due to the overlapping trajectories. In the
848 third study, we used a time difference of 1 second between the speeds, however a larger offset may result in a
849 much lower false activation rate. We therefore recommend a minimum difference of at least 2 seconds between
850 the speeds of the Orbits. If using this approach, a practical capacity of sixteen simultaneous Orbits could be
851 displayed using two sets of Orbits with different speeds. Although we have only studied circular Orbits in this
852 work, additional shapes could be used in addition to circular Orbits to extend the maximum capacity, as long as
853 the system can accurately differentiate the different trajectories.
854

855 7.3 Size and Position

856 Our results show that the size of the Orbits does not affect task success rate and should therefore be designed
857 according to the application. Smaller orbits may take up less screen space, however a user's ability to accurately
858 identify the Orbits' trajectories should be taken into account. We observed interesting user behaviour during the
859 second and third studies with some users changing input modalities depending on the position of the Orbit on
860 the screen. Based on this, one might consider placing the Orbits centrally where possible so that a user's input
861 modality is not influenced by the position of the Orbits on the screen.
862

863 7.4 Multi-Level Input

864 Study three shows how colour, speed and size can convey additional information to the user for multi-level input.
865 When using different speeds to convey additional information it is important to consider the difference in speed
866 of the Orbits to avoid false activations that occur as a result of the trajectories overlapping. In contrast, size has
867 been shown to have no significant effect on task success rate, therefore this is a "safer" way in which additional
868 information can be conveyed. The downside to this is that not all users understood the implicit information
869 conveyed through the size or speed alone, therefore it is important to utilise both properties. Some participants
870 understood the concept of using colours to convey information, however this is limited and could pose an issue for
871 users who are colour blind. Instead we recommend using icons for the targets of the Orbits to convey information
872 more explicitly.
873

874 7.5 Interface Visibility

875 The dynamic nature of Orbits could be distracting to users who have no intention of interacting with the system
876 for prolonged periods. This can be mitigated by assigning an Orbit to close the interface (and hide the Orbits), or
877 implement a time-out to hide the Orbits when no input is detected for a predetermined amount of time. In order
878 to display the interface a generic gesture (e.g. a circular movement performed at any speed) can be used. For
879 public displays, users are likely to interact with the display for shorter periods of time and therefore it may not
880 be necessary to hide the interface.
881
882

883 8 DISCUSSION

884 In this paper, we have evaluated TraceMatch, a novel touchless interaction technique which abstracts from any
885 specific input modality. We have demonstrated that participants were able to select a target from eight Orbits
886 (four in both directions) with an average task success rate of 88% across all sizes, speeds, and types of movement
887 during a controlled experiment. The flexibility to successfully interact with a wide variety of different movement
888 types is advantageous as we observed that participants had different preferences for their preferred type of
889 movement. When users were provided the freedom to interact with TraceMatch in a naturalistic application
890 context, users achieved a task success rate of >97% using standard Orbits with a variety of different movements,
891 and >92% with Orbits using targets with different speeds and sizes displayed simultaneously.
892
893

894 We have studied TraceMatch in the context of Interactive TV, however the interaction approach can be used
895 for a wide variety of devices, requiring only a webcam and a method for displaying the Orbits (not just limited
896 to screens). We have shown that the size of the Orbits has no significant effect on task success rate, and that
897 the colour, speed, and size of the targets of an Orbit can be used to convey additional information regarding its
898 functionality for use with multi-level input. This affords designers the flexibility to design interfaces to constraints,
899 and has wider implications, especially on smaller devices.

900 The intuitiveness and high discoverability of TraceMatch enables the technique to be extended into spontaneous
901 interaction environments, such as public displays. Our study has focussed on single users in the camera's field of
902 view, however the generic nature of TraceMatch enables multi-user applications. TraceMatch's ability to abstract
903 from a specific input modality, enables users to use any type of object. Specific applications, such as interactive
904 games, could be developed for children in which their favourite toys, or objects relating to the game, could be
905 used as input control. It also has the potential as an interaction technique for users for which conventional
906 gestural input is not suitable, e.g. amputees.

907 Lastly, we identify two limitations in our studies. Movement correlation techniques, in general, are not ideally
908 suited for continuous controls, e.g. changing volume, because they require the user to continuously follow
909 the target for prolonged periods. For this reason, we opted for skipping forward and backwards rather than
910 fast-forwarding and rewinding in the Video Control prototype. However, it is not intended that the TraceMatch
911 control replaces existing input controls for television, i.e. the remote control, rather it compliments existing input
912 methods by offering a method of low-effort gestural control for simple mundane tasks.

913 The second limitation is that we only consider circular motion. The extra stage of fitting a circle to the user's
914 motion is required to reduce the chance of false activations as a result of detecting motion indiscriminately.
915 TraceMatch can be extended to non-circular motion in the case of periodic Orbits by replacing the circle fitting
916 stage with the required shape. However, to match against aperiodic shapes, e.g. random movement, the system
917 would require a more refined matching process to minimise false activations.

918 9 CONCLUSION

919 Previous work has shown users are capable of following Orbits with specific input modalities, e.g. their eyes [8]
920 or hands [5]. In this paper we have shown that TraceMatch successfully extends this to any type of motion that
921 the user can generate, including their head, whilst holding objects, and even their feet. We have contributed
922 an experimental evaluation of how users interact with the TraceMatch system, focussing on interactive TV,
923 demonstrating that it is a robust technique for a variety of different input modalities, whilst providing users with
924 the freedom to interact with the system however they desire. TraceMatch offers key advantages for low-effort
925 interaction when performing mundane tasks, and has the ability to act as an input to a world of many devices.
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940

941 REFERENCES

- 942 [1] Christopher Ackad, Andrew Clayphan, Martin Tomitsch, and Judy Kay. 2015. An In-the-wild Study of Learning Mid-air Gestures to Browse
943 Hierarchical Information at a Large Interactive Public Display. In *Proceedings of the 2015 ACM International Joint Conference on Pervasive
944 and Ubiquitous Computing (UbiComp '15)*. ACM, New York, NY, USA, 1227–1238. DOI : <http://dx.doi.org/10.1145/2750858.2807532>
- 945 [2] Thomas Baudel and Michel Beaudouin-Lafon. 1993. Charade: remote control of objects using free-hand gestures. *Commun. ACM* 36, 7
946 (1993), 28–35.
- 947 [3] AMV BBDO. 2011. Choose a Different Ending. Video. (23 November 2011). Retrieved September 10, 2016 from <https://www.youtube.com/watch?v=Ig5OUQcLTg>.
- 948 [4] Peter Bennett, Stuart Nolan, Ved Uttamchandani, Michael Pages, Kirsten Cater, and Mike Fraser. 2015. Resonant Bits: Harmonic
949 Interaction with Virtual Pendulums. In *Proceedings of the Ninth International Conference on Tangible, Embedded, and Embodied Interaction
950 (TEI '15)*. ACM, New York, NY, USA, 49–52. DOI : <http://dx.doi.org/10.1145/2677199.2680569>
- 951 [5] Marcus Carter, Eduardo Velloso, John Downs, Abigail Sellen, Kenton O'Hara, and Frank Vetere. 2016. PathSync: Multi-User Gestural
952 Interaction with Touchless Rhythmic Path Mimicry. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems
953 (CHI '16)*. ACM, New York, NY, USA, 13. DOI : <http://dx.doi.org/10.1145/2858036.2858284>
- 954 [6] Ming-yu Chen, Lily Mummert, Padmanabhan Pillai, Alexander Hauptmann, and Rahul Sukthankar. 2010. Controlling Your TV with
955 Gestures. In *Proceedings of the International Conference on Multimedia Information Retrieval (MIR '10)*. ACM, New York, NY, USA, 405–408.
956 DOI : <http://dx.doi.org/10.1145/1743384.1743453>
- 957 [7] Christopher Clarke, Alessio Bellino, Augusto Esteves, Eduardo Velloso, and Hans Gellersen. 2016. TraceMatch: A Computer Vision
958 Technique for User Input by Tracing of Animated Controls. In *Proceedings of the 2016 ACM International Joint Conference on Pervasive
959 and Ubiquitous Computing (UbiComp '16)*. ACM, New York, NY, USA, 298–303. DOI : <http://dx.doi.org/10.1145/2971648.2971714>
- 960 [8] Augusto Esteves, Eduardo Velloso, Andreas Bulling, and Hans Gellersen. 2015. Orbits: Gaze Interaction for Smart Watches using Smooth
961 Pursuit Eye Movements. In *Proc. of the 28th ACM Symposium on User Interface Software and Technology (UIST 2015)* (2015-11-01). DOI :
962 <http://dx.doi.org/10.1145/2807442.2807499>
- 963 [9] Jean-Daniel Fekete, Niklas Elmqvist, and Yves Guiard. 2009. Motion-pointing: Target Selection Using Elliptical Motions. In *Proceedings
964 of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 289–298. DOI : <http://dx.doi.org/10.1145/1518701.1518748>
- 965 [10] William T. Freeman and Craig D. Weissman. 1994. Television Control by Hand Gestures. (1994).
- 966 [11] Yves Guiard. 1993. On Fitts' and Hooke's laws: simple harmonic movement in upper-limb cyclical aiming. *Acta Psychologica* 82, 1-3
967 (1993), 139–159.
- 968 [12] Darren Guinness, Alvin Jude, G. Michael Poor, and Ashley Dover. 2015. Models for Rested Touchless Gestural Interaction. In *Proceedings
969 of the 3rd ACM Symposium on Spatial User Interaction (SUI '15)*. ACM, New York, NY, USA, 34–43. DOI : <http://dx.doi.org/10.1145/2788940.2788948>
- 970 [13] Juan David Hincapié-Ramos, Xiang Guo, and Pourang Irani. 2014. The Consumed Endurance Workbench: A Tool to Assess Arm Fatigue
971 During Mid-air Interactions. In *Proceedings of the 2014 Companion Publication on Designing Interactive Systems (DIS Companion '14)*.
972 ACM, New York, NY, USA, 109–112. DOI : <http://dx.doi.org/10.1145/2598784.2602795>
- 973 [14] Ken Hinckley. 2003. Synchronous Gestures for Multiple Persons and Computers. In *Proceedings of the 16th Annual ACM Symposium on
974 User Interface Software and Technology (UIST '03)*. ACM, New York, NY, USA, 149–158. DOI : <http://dx.doi.org/10.1145/964696.964713>
- 975 [15] Lars Erik Holmquist, Friedemann Mattern, Bernt Schiele, Petteri Alahuhta, Michael Beigl, and Hans-Werner Gellersen. 2001. Smart-Its
976 Friends: A Technique for Users to Easily Establish Connections Between Smart Artefacts. In *Proceedings of the 3rd International Conference
977 on Ubiquitous Computing (UbiComp '01)*. Springer-Verlag, London, UK, UK, 116–122. <http://dl.acm.org/citation.cfm?id=647987.741340>
- 978 [16] Inwook Hwang, Hyun-Cheol Kim, Jihun Cha, Chunghyun Ahn, Karam Kim, and Jong-Il Park. 2015. A gesture based tv control interface
979 for visually impaired: Initial design and user study. In *Frontiers of Computer Vision (FCV), 2015 21st Korea-Japan Joint Workshop on*. IEEE,
980 1–5.
- 981 [17] Soonmook Jeong, Jungdong Jin, Taehoun Song, Keyho Kwon, and Jae Wook Jeon. 2012. Single-camera dedicated television control
982 system using gesture drawing. *IEEE Transactions on Consumer Electronics* 58, 4 (2012), 1129–1137.
- 983 [18] Tiiu Koskela and Kaisa Väänänen-Vainio-Mattila. 2004. Evolution towards smart home environments: empirical evaluation of three user
984 interfaces. *Personal and Ubiquitous Computing* 8, 3-4 (2004), 234–240. DOI : <http://dx.doi.org/10.1007/s00779-004-0283-x>
- 985 [19] Alfred Kuhn and William T. Powers. 1975. *Behavior: The Control of Perception*. Vol. 4. SAGE Publications. 306 pages. DOI : <http://dx.doi.org/10.2307/2063243>
- 986 [20] W. C. Luplow and J. I. Taylor. 2012. Channel Surfing Redux: A Brief History of the TV Remote Control and a Tribute to Its Coinventors.
987 *IEEE Consumer Electronics Magazine* 1, 4 (Oct 2012), 24–29. DOI : <http://dx.doi.org/10.1109/MCE.2012.2207149>
- 988 [21] Sylvain Malacria, Eric Lecolinet, and Yves Guiard. 2010. Clutch-free Panning and Integrated Pan-zoom Control on Touch-sensitive
989 Surfaces: The Cyclostar Approach. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM,
990 New York, NY, USA, 2615–2624. DOI : <http://dx.doi.org/10.1145/1753326.1753724>

- 988 [22] Rene Mayrhofer and Hans Gellersen. 2009. Shake well before use: Intuitive and secure pairing of mobile devices. *Mobile Computing, IEEE Transactions on* 8, 6 (2009), 792–806. DOI : <http://dx.doi.org/10.1109/TMC.2009.51>
- 989 [23] Donald A. Norman and Jakob Nielsen. 2010. Gestural Interfaces: A Step Backward in Usability. *interactions* 17, 5 (Sept. 2010), 46–49. DOI : <http://dx.doi.org/10.1145/1836216.1836228>
- 990 [24] Shwetak N. Patel, Jeffrey S. Pierce, and Gregory D. Abowd. 2004. A Gesture-based Authentication Scheme for Untrusted Public Terminals. In *Proc. of ACM Symp. on User Interf. Softw. & Techn. (UIST '04)*. 157–160. DOI : <http://dx.doi.org/10.1145/1029632.1029658>
- 991 [25] Ken Pfeuffer, Mélodie Vidal, Jayson Turner, Andreas Bulling, and Hans Gellersen. 2013. Pursuit Calibration: Making Gaze Calibration Less Tedious and More Flexible. In *Proceedings of the 26th Annual ACM Symposium on User Interface Software and Technology (UIST '13)*. ACM, New York, NY, USA, 261–270. DOI : <http://dx.doi.org/10.1145/2501988.2501998>
- 992 [26] Mahsan Rofouei, Andrew Wilson, A.J. Brush, and Stewart Tansley. 2012. Your Phone or Mine?: Fusing Body, Touch and Device Sensing for Multi-user Device-display Interaction. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 1915–1918. DOI : <http://dx.doi.org/10.1145/2207676.2208332>
- 993 [27] Dominik Schmidt, Fadi Chehimi, Enrico Rukzio, and Hans Gellersen. 2010. PhoneTouch: A Technique for Direct Phone Interaction on Surfaces. In *Proceedings of the 23Nd Annual ACM Symposium on User Interface Software and Technology (UIST '10)*. ACM, New York, NY, USA, 13–16. DOI : <http://dx.doi.org/10.1145/1866029.1866034>
- 994 [28] Dominik Schmidt, Julian Seifert, Enrico Rukzio, and Hans Gellersen. 2012. A Cross-device Interaction Style for Mobiles and Surfaces. In *Proceedings of the Designing Interactive Systems Conference (DIS '12)*. ACM, New York, NY, USA, 318–327. DOI : <http://dx.doi.org/10.1145/2317956.2318005>
- 995 [29] Toby Sharp, Cem Keskin, Duncan Robertson, Jonathan Taylor, Jamie Shotton, David Kim, Christoph Rhemann, Ido Leichter, Alon Vinnikov, Yichen Wei, Daniel Freedman, Pushmeet Kohli, Eyal Krupka, Andrew Fitzgibbon, and Shahram Izadi. 2015. Accurate, Robust, and Flexible Real-time Hand Tracking. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 3633–3642. DOI : <http://dx.doi.org/10.1145/2702123.2702179>
- 996 [30] Jamie Shotton, Toby Sharp, Alex Kipman, Andrew Fitzgibbon, Mark Finocchio, Andrew Blake, Mat Cook, and Richard Moore. 2013. Real-time human pose recognition in parts from single depth images. *Commun. ACM* 56, 1 (2013), 116–124.
- 997 [31] Radu-Daniel Vatavu. 2012. User-defined Gestures for Free-hand TV Control. In *Proceedings of the 10th European Conference on Interactive Tv and Video (EuroITV '12)*. ACM, New York, NY, USA, 45–48. DOI : <http://dx.doi.org/10.1145/2325616.2325626>
- 998 [32] Eduardo Velloso, Marcus Carter, Joshua Newn, Augusto Esteves, Christopher Clarke, and Hans Gellersen. 2017. Motion Correlation: Selecting Objects by Matching Their Movement. *ACM Trans. Comput.-Hum. Interact.* 24, 3, Article 22 (April 2017), 35 pages. DOI : <http://dx.doi.org/10.1145/3064937>
- 999 [33] Eduardo Velloso, Markus Wirth, Christian Weichel, Augusto Esteves, and Hans Gellersen. 2016. AmbiGaze: Direct Control of Ambient Devices by Gaze. In *Proceedings of the Designing Interactive Systems Conference (DIS '16)*. ACM, New York, NY, USA, 4. DOI : <http://dx.doi.org/10.1145/2901790.2901867>
- 1000 [34] Mélodie Vidal, Andreas Bulling, and Hans Gellersen. 2013. Pursuits: Spontaneous Interaction with Displays Based on Smooth Pursuit Eye Movement and Moving Targets. In *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '13)*. ACM, New York, NY, USA, 439–448. DOI : <http://dx.doi.org/10.1145/2493432.2493477>
- 1001 [35] Mélodie Vidal, Andreas Bulling, and Hans Gellersen. 2013. Pursuits: Spontaneous Interaction with Displays Based on Smooth Pursuit Eye Movement and Moving Targets. In *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '13)*. ACM, New York, NY, USA, 439–448. DOI : <http://dx.doi.org/10.1145/2493432.2493477>
- 1002 [36] Robert Walter, Gilles Bailly, and Jörg Müller. 2013. StrikeAPose: revealing mid-air gestures on public displays. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 841–850.
- 1003 [37] John Williamson. 2006. *Continuous uncertain interaction*. Ph.D. Dissertation. University of Glasgow.
- 1004 [38] John Williamson and Roderick Murray-Smith. 2004. Pointing Without a Pointer. In *CHI '04 Extended Abstracts on Human Factors in Computing Systems (CHI EA '04)*. ACM, New York, NY, USA, 1407–1410. DOI : <http://dx.doi.org/10.1145/985921.986076>
- 1005 [39] Jacob O. Wobbrock, Htet Htet Aung, Brandon Rothrock, and Brad A. Myers. 2005. Maximizing the Guessability of Symbolic Input. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems (CHI EA '05)*. ACM, New York, NY, USA, 1869–1872. DOI : <http://dx.doi.org/10.1145/1056808.1057043>

1006 Received February 2017; revised June 2017; accepted September 2017