



Tiles · Marble · Quartz · Bathware

Asian Granito India Ltd.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway,
Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax: +91 79 66125600/66058672

CIN: L17110GJ1995PLC027025

E-mail: info@aglasiangranito.com | Web: www.aglasiangranito.com



1800 123 3455
Toll-free: Mon-Sat 10am-6pm



Scan code to
Download
AGL Tiles App



Scan code to
Download
Catalogue



Scan to Find
Exclusive
Store



Scan code for
360° Tour

MAY 2024



Tiles · Marble · Quartz · Bathware

Premium
ka Pappa



PORCH DESERVES
MODERN *Styles*

FRESCO *the story of art* V5

MOSAIC, SUBWAY & ART COLLECTIONS

ABOUT US

At AGL, we have been leading the change by continuous innovation, setting higher goals, achieving the unthinkable and creating new benchmarks. This has enabled us to clock net consolidated turnover of ₹1562 Crores (US \$190 Million) in FY22-23, making us giant in the space décor industry. In the short span of 23 years, we are one of India's largest groups, with a global footprint across 100 countries. Today,

AGL has enhance its product range from Tile to Marble, Quartz and now in Bathware as well.

The research and development center at every AGL plant is well equipped with all the latest testing methods and the products are thoroughly tested for quality before delivery. It is ensured that every product matches the highest international quality standards.



ADVANCE TECHNOLOGIES & KEY PROCESS



14 ULTRA-MODERN MANUFACTURING UNITS IN INDIA*

* Including JVs and CMUs
** Includes contract labour



From ceramic tiles to latest Glazed Vitrified Tiles & Double Charge Vitrified Tiles; Roto Drum to New Digital Technology, AGL dominates the most diverse array of designs across the entire Tile, Marble & Quartz product range. Modernization plays a pivotal role for the company, which becomes evident from our 09 ultra modern plants across Gujarat. Spread over an area of 3,20,000 sqm these plants unfailingly produce unbeatable classy products every day. Therefore, we are proud to acquire the certifications from ISO and Green Building.

Asian Granito India Limited has debunked the myth that leadership in design is a forte only of foreign players by achieving the position through an ideal mix of creativity and technology. It has been the champion in introducing innovative digital printing technology with a technical collaboration with SACMI, Italy. A world-class Quality Management System has enabled us to build a portfolio that is truly avant-garde.

A : Latest Press with ultra modern feeder
B : Digital Printing Technology -14 Unit
C : World's Widest Kiln First in India
D : Auto check of planarity & rectangularity of tiles
E : Continua + latest press system from Sacmi, Italy

54.5 Million sqm Production Capacity per Annum*	Consolidated Net turnover ₹1562 cr. (US \$190 million)	1400+ Designs	30+ Different sizes	12 Display centres
6000+ Employees Includes contract labour	14 Manufacturing Units**	Exports in 100+ Countries	Trade network in 35 States & UTs of India	235+ Showrooms
11+ Digital Printing Technology	First to bring world's largest 5 line Kiln setup in India.	1.4 Million+ Facebook followers	1400+ Touch point	

GLOBAL
PRESENCE IN
OVER 100+
COUNTRIES

YOUNGEST &
FASTEST GROWING
TILE COMPANY
IN INDIA

LARGEST
SINGLE
LOCATION
PLANT IN INDIA

ONE OF TOP 4
LISTED CERAMIC
TILES COMPANIES
IN INDIA

AWARDS AND RECOGNITION

Achievements of trusted and innovative brand in the ceramic industry

Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.



AGL is now MEGA BRAND Recognition by ARCHITECTURE + DESIGN - 2016



ET INDUSTRY LEADERS 2021




Recognised as one of the Best Brand by The Economic Times -2022



Recognised as one of the Best Brand by The Economic Times -2023

CERTIFICATIONS



ISO 9001 : 2015



ISO 9001 : 2015




BIS CERTIFIED



CE CERTIFIED



CERTIFIED TWO STAR EXPORT HOUSE



GRIHA CERTIFIED



IIID CERTIFIED



AWARDED FOR BRAND LEADERSHIP



IGBC CERTIFIED

PRESTIGIOUS PROJECTS

MANY NATIONAL & INTERNATIONAL PROJECTS

Today AGL is the preferred brand for several National & International Projects. We are partnering several private residential projects, commercial projects, showrooms, port authorities, religious centers, and international projects. Here are selected few of them:




Project : Cleveland Cycle Werks Showroom

Government Projects



Banks



Corporates



Hospital



Automobiles



Telecom



Multiplexes



Hotels



Apparel



Eatery Brands



Real Estate



and many more ...

GLOBAL PRESENCE



GLOBAL FOOTPRINT 100 COUNTRIES

Asian Granito India Ltd. (AGL) exports spread across an ever growing network of more than 100 countries.

OUR EXPERIENCE CENTRES

"Team AGL is making efforts to simplify product selections very nearer to you. Keeping in mind better service and easy access to AGL products, your company has opened world class display centres across various metro cities of India. These showrooms are avant-garde with contemporary product applications of Tiles, Marble, Quartz and its latest Bathware range of products. We are sure that your visit to AGL showroom definitely helps you in right product selection and leave long lasting impressions in your mind. Below are few glimpse over the showroom.














AHMEDABAD | MORBI | HIMATNAGAR | MUMBAI | BANGALURU
 COCHIN | HYDERABAD | JAIPUR | DELHI | KOLKATA

**TOUGH AND RESILIENT WITH
 TIMELESS AESTHETIC ELEGANCE**











FRESCO
the story of art

Discover a versatile collection of wall tiles with infinite possibilities in designs, formats and elegant patterns. Add character to your wall with the vivid tones and textures of tiles.

					
ARABESQUE 57x65mm	BRICK BONE 45x145mm	FISH SCALE 23x94mm	HERRING BONE 12x48mm	HEXAGON 23x25mm	HEXAGON 51x59mm
					
LANTERN 42x75mm	OCTAGON 23x23mm/55x55mm 25x25mm/95x95mm	PENNY ROUNDS 19x19mm	SQUARE 48x48mm	STACK BONE 12x93mm	

The vivid patterns add charm to any wall and the classy features add versatility. The different textures give walls an all-new definition of elegance, add accent details and artistic components. The Fresco collection depict the authentic allure of the wall while connecting the emotions.

TILE FEATURES

 DIFFERENT TEXTURED	 SUGGESTED JOINT	 MESH-MOUNTED MOSAIC	 ANTI SKID SURFACE
 RELIEF PATTERN	 EASY INSTALLATION	 LOW WATER ABSORPTION	 FROST RESISTANCE

Introducing New Sizes Soon

600x 600mm 12MM Thickness	1200x 1600mm 9MM Thickness	800x 2600mm 15MM Thickness	1200x 2800mm 6MM Thickness
---	--	--	--


ARABESQUE
Series

Chips Size : 57x65mm | Sheet Size : 260x265mm | Spacer : 2mm | Surface : Glossy/Matt | Cov. Per Sheet : 0.74 Sq. Feet


GLOSSY SURFACE




FL G3051




FL G3056




FL G3049




FL G3010



FL G3001



FL VR3006




FL VR3001



MATT SURFACE




FL M3051



FL M3054



FL M3050




FL M3049




BRICK BONE
Series

Chips Size : 45x145mm | Sheet Size : 300x290mm | Spacer : 3mm | Surface : Glossy/Matt | Cov. Per Sheet : 0.94 Sq. Feet


GLOSSY SURFACE




FL G0951




FL G0950




FL G0949



FL G0925



FL CR0921




FL G0901



MATT SURFACE



FL M0951




FL M0949






GLOSSY SURFACE




FL G3451




FL G3450




FL G3452



FL G3468



FL G3466




FL G3449



FL G3425




FL G3413




FL G3401




MATT SURFACE




FL M3451



FL M3449



FL M3464



FL M3461



HERRING-BONE
Series

Chips Size : 12x48mm | Sheet Size : 275x282mm | Spacer : 2mm | Surface : Glossy/Matt | Cov. Per Sheet : 0.83 Sq. Feet

GLOSSY SURFACE



FL G1251




FL G1249



FL VRHB1216



FL VRHB1212



FL VRHB1211



MATT SURFACE



FL M1251



FL M1249




HEXAGON
Series

Chips Size : 23x25mm | Sheet Size : 255x295mm | Spacer : 1.7mm | Surface : Glossy/Matt | Cov. Per Sheet : 0.81 Sq. Feet


GLOSSY SURFACE




FL G1651




FL RM1610




FL G1649



FL RM1603




FL M1651




FL M1640




FL M1650




FL M1659



FL M1656



FL M1637



FL M1649



GLOSSY SURFACE



FL G1751



SCAN FOR VIRTUAL



FL G17102



SCAN FOR VIRTUAL



FL G1749



SCAN FOR VIRTUAL



FL G1794



SCAN FOR VIRTUAL



MATT SURFACE



FL M1751



SCAN FOR VIRTUAL



FL M17102



SCAN FOR VIRTUAL



FL M1749



SCAN FOR VIRTUAL



FL M17106



SCAN FOR VIRTUAL



FL M17104



SCAN FOR VIRTUAL



FL M1794



SCAN FOR VIRTUAL




GLOSSY SURFACE



FL G3151



SCAN FOR VIRTUAL



FL G3195



SCAN FOR VIRTUAL



FL G3149




SCAN FOR VIRTUAL



FL G3140



SCAN FOR VIRTUAL



FL G3129




SCAN FOR VIRTUAL



FL G3159




SCAN FOR VIRTUAL



FL G3107




SCAN FOR VIRTUAL



FL VR3103



SCAN FOR VIRTUAL



FL VR3101



SCAN FOR VIRTUAL


MATT SURFACE



FL M3151



SCAN FOR VIRTUAL



FL M3149



SCAN FOR VIRTUAL




FL M3171




SCAN FOR VIRTUAL






FL GX274951




FL MX274951




FL MX284951




FL GX275149




FL MX275149




FL G1451




FL G1452




FL G1449




FL G1462




FL RM1406




FL RM1410



FL RM1408



FL RM1401



FL RM1403




PENNY ROUNDS
Series

Chips Size : 19x19mm | Sheet Size : 313x292mm | Spacer : 1.7mm | Surface : Glossy/Matt | Cov. Per Sheet : 0.98 Sq. Feet


MATT SURFACE




FL M1451




FL M1449




FL M1459




FL M1458




FL M1456



FL M1454



FL M1442




FL M1482




STACK BONE
Series

Chips Size : 12x93mm | Sheet Size : 295x285mm | Spacer : 2mm | Surface : Glossy | Cov. Per Sheet : 0.90 Sq. Feet


GLOSSY SURFACE




FL G1051




FL G1059




FL G1052




FL G1049




FL G1050




FL G1084




FL GSP1005



FL G1001



FL G1085




FL VRSB1001




STACK BONE
Series


Chips Size : 12x93mm | Sheet Size : 295x285mm | Spacer : 2mm | Surface : Matt | Cov. Per Sheet : 0.90 Sq. Feet




FL M1051




FL M1049




FL M1004



FL M1071



FL M1069




FL MSP1007




SQUARE
Series

Chips Size : 48x48mm | Sheet Size : 303x303mm | Spacer : 2mm | Surface : Glossy | Cov. Per Sheet : 0.99 Sq. Feet




FL G0251




FL G0249




FL G0248




FL G0247




FL G0246




FL G0229




FL G0252




FL G0255




FL G0258



FL G0267




FL G0271




FL G0272







FL M0251




FL M0249




FL M0248




FL M0247




FL M0246




FL M0229




FL M0252




FL M0255




FL M0258




FL M0267




FL M0271




FL M0272




FL G01 131415




FL G01 101112




FL G01 010203




FL G0115




FL G0112




FL G0103




FL G0114




FL G0111




FL G0102



FL G0113




FL G0110




FL G0101







FL M01 010203





FL M0103




FL M0102




FL M0101




FL G02 101112




FL G02 131415




FL G02 010203




FL G0212




FL G0215




FL G0203




FL G0211




FL G0214




FL G0202



FL G0210




FL G0213




FL G0201







FL M02 101112




FL M02 131415




FL M02 010203




FL M0212




FL M0215




FL M0203




FL M0211




FL M0214




FL M0202



FL M0210




FL M0213




FL M0201




FL G03 010203




FL M03 010203




FL G0303




FL M0303




FL G0302



FL M0302



FL G0301



FL M0301







FS CLO MASHROOM




FS CLO GRAFFITY



FS CLO BLACK




FS FL WHITE



FS HL WHITE



FS FL PEWTER



FS HL PEWTER



FS FL JADE



FS HL JADE



FS FL NAVY BLUE



FS HL NAVY BLUE



FS FL MUSHROOM



FS HL MUSHROOM



FS FL GRAFFITY




FS HL GRAFFITY




FS FL BLACK




FS HL BLACK



FR ART 60025




FR ART 60022




FR ART 60019



FR ART 60026




FR ART 60021




FR ART 60018



FR ART 60007




FR ART 60005



FR ART 60013



FR ART 60008




FR ART 60006




FR ART 60014






FR ART 60003



FR ART 60016



FR ART 60002




FR ART 60030




FR ART 60011




FR ART 60024




FR ART 60004



FR ART 60015




FR ART 60001




FR ART 60029




FR ART 60012



FR ART 60023



FR ART 60009




FR ART 60010



FR ART 60027



FR ART 60020




FR ART 60017



FR ART 60028






FR ART 30010



FR ART 30009




FR ART 30018




FR ART 30001




FR ART 30002



FR ART 30026



FR ART 30007



FR ART 30008



FR ART 30014




FR ART 30013



FR ART 30012



FR ART 30015




FR ART 30005




FR ART 30019




FR ART 30011



FR ART 30024




FR ART 30025




FR ART 30006






FR ART 30016



FR ART 30017




FR ART 30030




FR ART 30004




FR ART 30003




FR ART 30021




FR ART 30023




FR ART 30022




FR ART 30020



FR ART 30028



FR ART 30027



FR ART 30029



Technical Specification **ART Collection | 300x300mm**

CHARACTERISTICS	VERDICT	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
(A) DIMENSION & SURFACE QUALITY				
■ Deviation In Length & Width	PASSED	± 0.1%	± 0.1%	IS 13630 Part-1
⌒ Deviation In Thickness	PASSED	± 5.0%	± 3.0%	
▬ Straightness of Edge	PASSED	± 0.1%	± 0.1%	
▭ Rectangularity	PASSED	± 0.1%	± 0.1%	
↔ Surface Flatness	PASSED	± 0.5%	± 0.20%	
⊞ Surface Quality	PASSED	Min 95% free from visible defects	> 95% free from visible defects	
(B) PHYSICAL & THERMAL PROPERTIES				
👉 Water Absorption % By Wt.	PASSED	0.08 <E ≤ 3%	< 3.0%	IS 13630 Part-2
✂ Flexural Strength (MOR) In N/mm ²	PASSED	Avr.30 N/MM ² Ind 27 N/MM ²	>27N/MM ²	IS 13630 Part-6
🔨 Breaking Strength in N	PASSED	Min 1100 N	>1200 N	IS 13630 Part-6
📏 Bulk Density (gm/cc)	PASSED	Min. 2.0	>2.0	IS 13630 Part-2
🔪 Impact Resistance	PASSED	0.55 Min	0.55	IS 13630 Part-14
🌀 Resistance to Surface Abrasion	PASSED	Class II Min.	Class III Min.	IS 13630 Part-7
🔥 Thermal Shock Resistance	PASSED	10 Cycles Min.	Passed 10 Cycles	IS 13630 Part-5
💧 Moisture Expansion in mm/M	PASSED	0.02MM/M	Nil	IS 13630 Part-3
🔧 Cracking Resistance	PASSED	4 Cycles at 7.5 bar Min.	Passed The Test	IS 13630 Part-9
❄ Frost Resistance	PASSED	Resistance	Resistance	IS 13630 Part-10
🔪 Moh'S Scratch Hardness	PASSED	Min. 5	Min. 5	IS 13630 Part-13
(C) CHEMICAL PROPERTIES				
🧴 Resistance To House hold Chemicals	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
🧪 Resistance To Acids & Alkalis (Except HF Acid)	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
🍷 Stain Resistance	PASSED	Min. Class 1	Class - 1	IS 13630 Part-8

Technical Specification **ART Collection | 600x600mm**

CHARACTERISTICS	VERDICT	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
(A) DIMENSION & SURFACE QUALITY				
■ Deviation In Length & Width	PASSED	± 0.1%	± 0.1%	IS 13630 Part-1
⌒ Deviation In Thickness	PASSED	± 5.0%	± 3.0%	
▬ Straightness of Edge	PASSED	± 0.1%	± 0.1%	
▭ Rectangularity	PASSED	± 0.1%	± 0.1%	
↔ Surface Flatness	PASSED	± 0.5%	± 0.20%	
⊞ Surface Quality	PASSED	Min 95% free from visible defects	> 95% free from visible defects	
(B) PHYSICAL & THERMAL PROPERTIES				
👉 Water Absorption % By Wt.	PASSED	0.08 <E ≤ 3%	< 3.0%	IS 13630 Part-2
✂ Flexural Strength (MOR) In N/mm ²	PASSED	Avr.35 N/MM ² Ind 27 N/MM ²	>40N/MM ²	IS 13630 Part-6
🔨 Breaking Strength in N	PASSED	Min 1300 N	>2000 N	IS 13630 Part-6
📏 Bulk Density (gm/cc)	PASSED	Min. 2.2	>2.2	IS 13630 Part-2
🔪 Impact Resistance	PASSED	0.55 Min	0.55	IS 13630 Part-14
🌀 Resistance to Surface Abrasion	PASSED	PEI II Min.	PEI III Min.	IS 13630 Part-7
↔ Co-efficient of Linear Thermal Expansion from ambient temp to 100°C (K ⁻¹)	PASSED	6x10 ⁻⁶ K ⁻¹	<4X10 ⁻⁶ K ⁻¹	IS 13630 Part-4
🔥 Thermal Shock Resistance	PASSED	10 Cycles Min.	Passed 10 Cycles	IS 13630 Part-5
💧 Moisture Expansion in mm/M	PASSED	0.02MM/M	Nil	IS 13630 Part-3
🔧 Cracking Resistance	PASSED	4 Cycles at 7.5 bar Min.	Passed The Test	IS 13630 Part-9
❄ Frost Resistance	PASSED	Resistance	Resistance	IS 13630 Part-10
🔪 Moh'S Scratch Hardness	PASSED	Min. 5	Min. 5	IS 13630 Part-13
(C) CHEMICAL PROPERTIES				
🧴 Resistance To House hold Chemicals	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
🧪 Resistance To Acids & Alkalis (Except HF Acid)	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
🍷 Stain Resistance	PASSED	Min. Class 1	Class 1	IS 13630 Part-8

Technical Specification **SUBWAY Collection**

CHARACTERISTICS	VERDICT	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
(A) DIMENSION & SURFACE QUALITY				
Deviation In Length & Width	PASSED	± 0.4%	± 0.1%	IS 13630 Part-1
Deviation In Thickness	PASSED	± 5.0%	± 3.0%	
Straightness of Edge	PASSED	± 0.20%	± 0.15%	
Rectangularity	PASSED	± 0.30%	± 0.15%	
Surface Flatness	PASSED	± 0.3%	± 0.4%	
Surface Quality	PASSED	Min 95% free from visible defects	> 95% free from visible defects	
(B) PHYSICAL & THERMAL PROPERTIES				
Water Absorption % By Wt.	PASSED	> 10%	14-20%	IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	PASSED	Avr. 15N/mm ²	> 15N/mm ²	IS 13630 Part-6
Breaking Strength in N	PASSED	Min 200N	> 250N	IS 13630 Part-6
Impact Resistance	PASSED	0.55 Min	0.58	IS 13630 Part-14
Thermal Shock Resistance	PASSED	10 Cycles Min.	Passed 10 Cycles	IS 13630 Part-5
Moisture Expansion in mm/M	PASSED	0.04MM/M Max	0.02MM/M Max	IS 13630 Part-3
Crazing Resistance	PASSED	4 Cycles at 7.5 bar Min.	Passed The Test	IS 13630 Part-9
Frost Resistance	PASSED	Resistance	Resistance	IS 13630 Part-10
Moh'S Scratch Hardness	PASSED	Min. 3	Min. 3	IS 13630 Part-13
(C) CHEMICAL PROPERTIES				
Resistance To Household Chemicals	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
Stain Resistance	PASSED	Min. Class 1	Resistance	IS 13630 Part-8

Technical Specification **MOSAIC Collection**

CHARACTERISTICS	VERDICT	Requirement as per IS 15622:2017 Gr Bla E ≤ 0.08%	AGL Value	Test Method
(A) DIMENSION & SURFACE QUALITY				
Deviation In Length & Width	PASSED	± 0.1%	± 0.1%	IS 13630 Part-1
Deviation In Thickness	PASSED	± 5.0%	± 3.0%	
Straightness of Edge	PASSED	± 0.1%	± 0.1%	
Rectangularity	PASSED	± 0.1%	± 0.1%	
Surface Flatness	PASSED	± 0.3%	± 0.4%	
Surface Quality	PASSED	Min 95% free from visible defects	> 95% free from visible defects	
(B) PHYSICAL & THERMAL PROPERTIES				
Water Absorption % By Wt.	PASSED	0.08 <E ≤ 3%	< 3.0%	IS 13630 Part-2
Flexural Strength (MOR) In N/mm ²	PASSED	Avr.30.0 N/MM ² Ind 27 N/MM ²	>27N/MM ²	IS 13630 Part-6
Breaking Strength in N	PASSED	Min 1100 N	>1200 N	IS 13630 Part-6
Bulk Density (gm/cc)	PASSED	Min. 2.0	>2.0	IS 13630 Part-2
Impact Resistance	PASSED	0.55 Min	>0.55	IS 13630 Part-14
Resistance to Surface Abrasion	PASSED	Class II Min.	Class III Min.	IS 13630 Part-7
Thermal Shock Resistance	PASSED	10 Cycles Min.	Passed 10 Cycles	IS 13630 Part-5
Moisture Expansion in mm/M	PASSED	0.02MM/M	Nil	IS 13630 Part-3
Crazing Resistance	PASSED	4 Cycles at 7.5 bar Min.	Passed The Test	IS 13630 Part-9
Frost Resistance	PASSED	Resistance	Resistance	IS 13630 Part-10
Moh'S Scratch Hardness	PASSED	Min. 5	Min. 5	IS 13630 Part-13
(C) CHEMICAL PROPERTIES				
Resistance To Household Chemicals	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
Resistance To Acids & Alkalis (Except HF Acid)	PASSED	Min. Class AA	Class AA	IS 13630 Part-8
Stain Resistance	PASSED	Min. Class 1	Class 1	IS 13630 Part-8

Technical Specification **Mosaics Collection**



FRESCO
the story of art

Pattern	Size (MM)	Area M ²	Chip Size	Weight (Kg.)	Packing/Box
HEXAGON	255X295	16.19	23X25MM	16	20PCS
LANTERN	260X265	14.83	42X75MM	17	20PCS
ARABESQUE	260X265	14.83	57X62MM	17	20PCS
HERRINGBONE	275X282	12.52	12X48MM	20	15PCS
HEXAGON	277X322	19.20	51X59MM	23	20PCS
STACKBONE	285X295	13.57	12X93MM	20	15PCS
FISHSCALE	292X292	18.35	23X94MM	22	20PCS
OCTAGON	295X295	18.73	23X23/55X55MM	22	20PCS
BRICKBONE	300X290	18.73	45X145MM	21	20PCS
POOL	298X298	19.11	73X73MM	24	20PCS
POOL	300X300	19.38	23X23MM	21	20PCS
POOL	303X303	19.76	48X48MM	23	20PCS
SQUARE	303X303	19.76	48X48MM	23	20PCS
PENNY ROUNDS	313X292	19.67	19MM	19	20PCS
SHALLOW	65X260	12.00	SUBWAY	14	66PCS
CLOUDY	75X300	10.65	SUBWAY	14	44PCS
EMBOSS	75X300	10.65	SUBWAY	14	44PCS
FLUTE	75X300	10.65	SUBWAY	14	44PCS
DESIGNER VT	300X300	9.68	FRESCO	18	10PCS
DESIGNER VT	600X600	15.50	FRESCO	28	4PCS
PLAIN	100X200	10.76	SUBWAY	12.05	50PCS
PLAIN	115X240	9.50	SUBWAY	15.60	32PCS

Art Collection

Size (MM)	Area M ²	Weight (Kg.)	Packing/Box
600x600	9.69	28	4 PCS
300x300	15.5	18	10 PCS

Subway Collection

Size (MM)	Area M ²	Weight (Kg.)	Packing/Box
100x200	19.20	12	50 PCS
65x260	13.57	14.2	66 PCS
75x300	18.36	13.5	44 PCS

DISCLAIMER : Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow instructions to avoid complaint due to bad masonry.

CORPORATE OFFICE & BRANCHES

DISPLAY CENTRE & OFFICE

GUJARAT

■ **Display Centre - Ahmedabad**
AGL Luxury Tile Arcade
 S.G. Highway, Nr. Gota Cross Road,
 Beside Gota over bridge, Ahmedabad - 382481.
 Mobile: 98258 03713 / 99099 29920
 E-mail: asianworld.amd@aglasiangranito.com

■ **AGL Export House - Morbi**
 Ch-5, Eden Ceramic City,
 Opp.Honest Hotel, National Highway,
 Lalpar Road Morbi - 363642.
 Mobile: 99799 90591
 E-mail: exportmorbi@aglasiangranito.com

■ **AGL Showroom**
Future Ceramic Private Limited
 Survey No.-84P1, 84P2, 85/1, 85/2P1, 85/2P2
 B/h Harikrupa Papers LLP,
 8-A NH, At Post Gala - Morbi -363642
 Mobile: 93166 32661

■ **Factory Display Centre - Morbi**
(Sanitaryware & Faucets)
AGL Sanitaryware Pvt. Ltd.
 Survey No. 153 P1, 153 P2, 154 P2, 8A National
 Highway, B/h. Bahadurgadh Bus Stand,
 At. Bahadurgadh, Morbi-363642. Gujarat, India.
 Mobile: 93166 32908
 E-mail: export34@aglasiangranito.com

MAHARASHTRA

■ **AGL Display Centre - Mumbai**
 A- 402, Citi Point, Nr. kohinoor Hotel,
 Opp. ICICI Bank, J.B. Nagar,
 Chakala Metro Station, Andheri (East),
 Mumbai - 400 059.
 Mobile: 93214 95229
 E-mail: mumbaishowroom@aglasiangranito.com

■ **AGL Display Centre - Mumbai**
(Marblex & Grestek)
 Gala Impecca, Gr. Floor, Mathuradas VasANJI Rd,
 Next to Caurtyard Marriott, J. B. Nagar,
 Kurla-Andheri Road, Andheri (East) - 400059
 Mobile : 7600098595

■ **AGL Display Centre - Pune**
 Capital Square, 1st & 2nd floor, Plot No.5,
 Nr. Laxminarayan Sweets, Industrial Estate,
 Mukund Nagar, Pune - 411037 Maharashtra.
 Mobile : 93717 65505

TELANGANA

■ **AGL Display Centre - Hyderabad**
(Marblex & Grestek)
 202 Kurve Elite, 2nd Floor, 8-3-833/58 & 47,
 Plot No. 58, Phase-1, Kamala Puri Colony Main Rd,
 Opp. Krishe Meadows, Hyderabad-500073
 Mobile: 96420 00336 / 77779 15632
 E-mail: hydgv1@aglasiangranito.com

■ **AGL Display Centre - Hyderabad**
 # 8-2-294/82, Plot No. 39, Road No. 5,
 JubileeHills Land Mark, Near Venkatagiri Bustop.
 (Dominos Pizza) Metro Pillar No.3,
 Hyderabad-500033
 Mobile: 96420 11146
 E-mail: hydshowroom@aglasiangranito.com

KARNATAKA

■ **AGL Display Centre - Bangalore**
Asian Granito India Ltd., Region Office
 Brahmananda Court, No.37/17, Nr. ICIC Bank,
 Lalbagh Road, Bangaluru - 560027 Karnataka
 Mobile: 81605 21204
 E-mail: bangloreshowroom@aglasiangranito.com

KERALA

■ **AGL Display Centre - Kochin**
 No.51/2910 D2 Adjacent To Bread World,
 Thykoodam Bridge Service Road,
 Vyttila Kochin - 682019
 Mobile: 80866 61920 / 78618 09641
 E-mail: cochinshowroom@aglasiangranito.com

WEST BENGAL

■ **AGL Display Centre - Kolkata**
 5th Floor, Office No. 5A, PS SOLARIS Building,
 113/H, Opp. Flaming Hospital. Matheswartala Rd.
 Topsia, Kolkata 700046.
 Mobile: 85840 65565
 E-mail: kolkattashowroom@aglasiangranito.com

UTTAR PRADESH

■ **AGL Display Centre - Noida**
 F-15, Ground Floor, Sector 8,
 Gautam Buddha Nagar,
 Noida - 201301 Uttar Pradesh
 Mobile: 7861806229



Scan for
 360° Tour

OFFICE

GUJARAT

■ **Corp. Office - Ahmedabad**
ASIAN GRANITO INDIA LTD.
 202, Dev Arc, Opp. Iskcon Temple,
 S. G. Highway, Ahmedabad - 380 015
 Gujarat (INDIA)
 Phone: +91 79 66125500/698
 Toll Free: 1800 123 3455
 E-mail: info@aglasiangranito.com

■ **AGL Office - Morbi**
 B - 26, Parshwanath Complex-1
 Opp. kuber Cinema, 8-A National Highway,
 Lalpar Road, Morbi - 363642.
 Mobile: 9825802077
 E-mail: aglmorbi@aglasiangranito.com

RAJASTHAN

■ **AGL Office - Jaipur**
 Lower Ground, D-5, Vaishali Nagar,
 Jaipur, Rajasthan - 302021
 Mobile: 80085 03660 / 93144 39930

MADHYA PRADESH

■ **AGL Office - Indore**
 3rd Floor, Plot No 101, WB Scheme No. 94,
 Sector - B, Opp. HDFC Bank, Nr. Bombay Hospital,
 Indore - MP - 452010
 Mobile: 99092 62533 / 73140 06670
 E-mail: acctsindore@aglasiangranito.com

TAMIL NADU

■ **AGL Office - Trichy**
 Mark Diamond Residency, No-36,
 V O C Road, cantonment. Trichy - 620001
 Mobile: 90161 13976

AGL Office - Coimbatore

No .70, Dr. Alagappa Road, Tatabad.
 Coimbatore - 641 012
 Mobile: 90161 13976

ODISHA

■ **AGL Office - Odisha**
 Plot No-83/C, Jayadurga Nagar Bomikhal,
 Bomikhal, Cuttack-Puri Road,
 Bhubaneswar-751006
 Mobile: 78618 09594 / 78944 35425

PUNJAB

■ **AGL Office - Chandigarh**
 CCC Chandigarh City Centre, Block A 3rd Floor,
 Soho 325, Vip Road, Near Metro Zirakpur,
 Chandigarh Punjab-140603
 Mobile : 93163 13880 / 99882 22471

