

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of SGS North America, Inc., as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of SGS North America, Inc., as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that SGS North America, Inc., has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes for the next three years as of February 2, 2018.

DATES: The accreditation and approval of SGS North America, Inc., as commercial gauger and laboratory became effective on February 2, 2018. The next triennial inspection date will be scheduled for February 2021.

FOR FURTHER INFORMATION CONTACT: Mr. Stephen Cassata, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW, Suite 1500N, Washington, DC 20229, tel. 202–344–1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that SGS North America, Inc., 900 Milik St., Carteret, NJ 07008, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. SGS North America, Inc., is

approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

| API Chapters | Title |
|--------------|----------------------------|
| 1 | Vocabulary. |
| 3 | Tank gauging. |
| 7 | Temperature Determination. |
| 8 | Sampling. |
| 12 | Calculations. |
| 17 | Maritime Measurements. |

SGS North America, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

| CBPL No. | ASTM | Title |
|-------------|-------------|---|
| 27–04 | ASTM D–95 | Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation. |
| 27–08 | ASTM D–86 | Standard Test Method for Distillation of Petroleum Products. |
| 27–11 | ASTM D–445 | Standard test method for kinematic viscosity of transparent and opaque liquids (and calculations of dynamic viscosity). |
| 27–13 | ASTM D–4294 | Standard test method for sulfur in petroleum and petroleum products by energy-dispersive x-ray fluorescence spectrometry. |
| 27–14 | ASTM D–2622 | Standard Test Method for Sulfur in Petroleum Products by Wavelength Dispersive X-Ray Fluorescence Spectrometry. |
| 27–48 | ASTM D–4052 | Standard test method for density and relative density of liquids by digital density meter. |
| 27–50 | ASTM D–93 | Standard Test Methods for Flash-Point by Pensky-Martens Closed Cup Tester. |
| 27–57 | ASTM D–7039 | Standard Test Method for Sulfur in Gasoline and Diesel Fuel by Monochromatic Wavelength Dispersive X-Ray Fluorescence Spectrometry. |
| 27–58 | ASTM D–5191 | Standard Test Method For Vapor Pressure of Petroleum Products (Mini Method). |
| N/A | ASTM D–1160 | Standard Test Method for Distillation of Petroleum Products and Reduced Pressure. |
| N/A | ASTM D–1319 | Standard Test Method for Hydrocarbon Types in Liquid Petroleum Products by Fluorescent Indicator Adsorption. |

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344–1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the website listed below for a complete listing of CBP approved gaugers and accredited laboratories: <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: August 2, 2018.

Dave Fluty,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2018–17242 Filed 8–10–18; 8:45 am]

BILLING CODE 9111–14–P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of SGS North America, Inc., as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of SGS North America, Inc., as a commercial gauger.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that SGS North America, Inc., has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of March 23, 2018.

DATES: The approval of SGS North America, Inc., as commercial gauger became effective on March 23, 2018. The next triennial inspection date will be scheduled for March 2021.

FOR FURTHER INFORMATION CONTACT: Mr. Stephen Cassata, Laboratories and Scientific Services, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW, Suite 1500N, Washington, DC 20229, tel. 202–344–1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.13, that SGS North America, Inc., 2800 Loop 197 South, Texas City, TX 77591, has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. SGS North America, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

| API Chapters | Title |
|--------------|----------------------------|
| 3 | Tank gauging. |
| 7 | Temperature Determination. |
| 8 | Sampling. |
| 12 | Calculations. |
| 17 | Maritime Measurements. |

Anyone wishing to employ this entity to conduct gauger services should request and receive written assurances from the entity that it is approved by the U.S. Customs and Border Protection to conduct the specific gauger service requested. Alternatively, inquiries regarding the specific gauger service this entity is approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the website listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: August 2, 2018.

Dave Fluty,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2018-17241 Filed 8-10-18; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

[Docket ID FEMA-2018-0002; Internal Agency Docket No. FEMA-B-1845]

Changes in Flood Hazard Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Notice.

SUMMARY: This notice lists communities where the addition or modification of Base Flood Elevations (BFEs), base flood depths, Special Flood Hazard Area (SFHA) boundaries or zone designations, or the regulatory floodway (hereinafter referred to as flood hazard determinations), as shown on the Flood Insurance Rate Maps (FIRMs), and where applicable, in the supporting Flood Insurance Study (FIS) reports, prepared by the Federal Emergency Management Agency (FEMA) for each community, is appropriate because of new scientific or technical data. The FIRM, and where applicable, portions of the FIS report, have been revised to reflect these flood hazard

determinations through issuance of a Letter of Map Revision (LOMR), in accordance with Federal Regulations. The LOMR will be used by insurance agents and others to calculate appropriate flood insurance premium rates for new buildings and the contents of those buildings. For rating purposes, the currently effective community number is shown in the table below and must be used for all new policies and renewals.

DATES: These flood hazard determinations will be finalized on the dates listed in the table below and revise the FIRM panels and FIS report in effect prior to this determination for the listed communities.

From the date of the second publication of notification of these changes in a newspaper of local circulation, any person has 90 days in which to request through the community that the Deputy Associate Administrator for Insurance and Mitigation reconsider the changes. The flood hazard determination information may be changed during the 90-day period.

ADDRESSES: The affected communities are listed in the table below. Revised flood hazard information for each community is available for inspection at both the online location and the respective community map repository address listed in the table below. Additionally, the current effective FIRM and FIS report for each community are accessible online through the FEMA Map Service Center at <https://msc.fema.gov> for comparison.

Submit comments and/or appeals to the Chief Executive Officer of the community as listed in the table below.

FOR FURTHER INFORMATION CONTACT: Rick Sacbibit, Chief, Engineering Services Branch, Federal Insurance and Mitigation Administration, FEMA, 400 C Street SW, Washington, DC 20472, (202) 646-7659, or (email) patrick.sacbibit@fema.dhs.gov; or visit the FEMA Map Information eXchange (FMIX) online at https://www.floodmaps.fema.gov/fhm/fmx_main.html.

SUPPLEMENTARY INFORMATION: The specific flood hazard determinations are not described for each community in

this notice. However, the online location and local community map repository address where the flood hazard determination information is available for inspection is provided.

Any request for reconsideration of flood hazard determinations must be submitted to the Chief Executive Officer of the community as listed in the table below.

The modifications are made pursuant to section 201 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are in accordance with the National Flood Insurance Act of 1968, 42 U.S.C. 4001 *et seq.*, and with 44 CFR part 65.

The FIRM and FIS report are the basis of the floodplain management measures that the community is required either to adopt or to show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

These flood hazard determinations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own or pursuant to policies established by other Federal, State, or regional entities. The flood hazard determinations are in accordance with 44 CFR 65.4.

The affected communities are listed in the following table. Flood hazard determination information for each community is available for inspection at both the online location and the respective community map repository address listed in the table below.

Additionally, the current effective FIRM and FIS report for each community are accessible online through the FEMA Map Service Center at <https://msc.fema.gov> for comparison.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

David I. Maurstad,

Deputy Associate Administrator for Insurance and Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

| State and county | Location and case No. | Chief executive officer of community | Community map repository | Online location of letter of map revision | Date of modification | Community No. |
|---------------------------|--------------------------------------|--|---|---|----------------------|---------------|
| Alabama: Colbert | City of Muscle Shoals (17-04-1041P). | The Honorable David H. Bradford, Mayor, City of Muscle Shoals, P.O. Box 2624, Muscle Shoals, AL 35662. | Engineering Department, 2010 East Avalon Avenue, Muscle Shoals, AL 35662. | https://msc.fema.gov/portal/advanceSearch . | Sept. 24, 2018 | 010047 |