Fact Sheet: Trichlorosilane



\A/la a4 4 a al a

What is Trichlorosilane?

Trichlorosilane is a chemical compound made up of silicon, hydrogen and chlorine. It is the primary raw material used by Hemlock Semiconductor (HSC) in the manufacture of polysilicon for the semiconductor and solar industries. It is also sold directly to semiconductor customers for use in their processes.

Trichlorosilane is a colorless liquid, but if accidentally released into the atmosphere, it may form a visible, fog-like cloud. Trichlorosilane reacts with water, including moisture in the air, to form Hydrogen Chloride or hydrochloric acid and a white residue of SiO₂, or silica (a component of common sand). This residue may become deposited on vegetation, houses, vehicles and other objects downwind of the release point.

Trichlorosilane is flammable. Consequently, the vapors may ignite if they reach a spark or an open flame.

Trichlorosilane and the reaction byproduct, Hydrogen Chloride, have a sharp disagreeable odor, even at low concentrations.

Effects of exposure & first aid

The effects listed below are possible effects of exposure to Trichlorosilane. The actual effects will depend on the duration of exposure, the severity of exposure (concentration) and the particular individual (e.g., age, physical condition, etc.).

Descible offerte

	Possible effects	what to do
Eyes	Irritation; slight to severe pain and watering; slight to severe burns.	Hold eyes open and immediately flush with cool or lukewarm water for 15 minutes. Seek immediate medical attention.
Skin	Slight irritation to severe burns.	Immediately flush skin with cool or lukewarm water for 15 minutes, seek immediate medical attention.
Inhalation	Slight irritation to severe burns to the respiratory tract.	Seek fresh air and immediate medical attention.
Oral	Slight irritation to severe burns to the mouth and/or throat.	Seek immediate medical attention. Do not induce vomiting.

Fact Sheet: Trichlorosilane



Shelter-in-place procedures

In case of an airborne release of Trichlorosilane, individuals should follow "shelter-in-place" procedures outlined below. Properly followed, these procedures safely protect people and animals until the hazard has passed.

- Take shelter inside the nearest building.
- Close and securely latch all doors and windows.
- Turn off all fans, air conditioners, furnaces and pilot lights.
- Put out fires in fireplaces or wood stoves. Close all dampers.
- Go to an interior room located on the ground or upper level. Do not go to basement areas (vapors are heavier than air). Use duct tape, plastic sheeting, or towels to seal doors and windows.
- If you are in a vehicle, safely stop the vehicle and shut off the engine. Close all doors, windows and vents and turn off the fan.
- Stay inside and wait for the "all clear". Listen to local television or radio for further instructions.

After the "All Clear"

People who experience any irritation or other medical problems as a result of exposure should seek immediate medical attention.

People, including children, and pets can go outside. As a precaution, normal bathing with soap and water is recommended.

Building windows, dampers and vents should be opened to air out the building Heating or air conditioning systems can be safely used.

Fruits and vegetables from gardens should be washed thoroughly before eating.

Trees, **shrubs and lawns** near the release may eventually discolor or show other effects of exposure. Thorough rinsing of exposed surfaces with water may minimize these effects.

Rivers, streams, ponds and swimming pools should be unaffected.

More information?

Contact HSC with any questions or concerns.

Hemlock Semiconductor

12334 Geddes Road P.O. Box 80 Hemlock, MI 48646 (989) 301-5000 www.hscpoly.com