


PUBMED

DIGITAR O ASSUNTO



PubMed

PubMed comprises more than 25 million citations for biomedical literature from MEDLINE, life science journals, and online books. Citations may include links to full-text content from PubMed Central and publisher web sites.

PubMed Commons

Featured comment - Nov 5
Confounding protein & tryptophan... study on the effects of dietary intervention... 1.usa.gov/1Wxvovg

ESCOLHER MESH

U...
E...
Full T...
PubMed FAQs
PubMed Tutorials
New and Noteworthy

PubMed Tools

[PubMed Mobile](#)
[Single Citation Matcher](#)
[Batch Citation Matcher](#)
[Clinical Queries](#)
[Topic-Specific Queries](#)

More Resources

[MeSH Database](#)
[Journals in PubMed](#)
[Clinical Trials](#)
[E-Utilities \(API\)](#)
[LinkOut](#)

You are here: [NCBI](#) > [Literature](#) > [PubMed](#) Write to the Help Desk

GETTING STARTED NCBI Education NCBI Help Manual NCBI Handbook Training & Tutorials Submit Data	RESOURCES Chemicals & Bioassays Data & Software DNA & RNA Domains & Structures Genes & Expression Genetics & Medicine	POPULAR PubMed Bookshelf PubMed Central PubMed Health BLAST Nucleotide	FEATURED Genetic Testing Registry PubMed Health GenBank Reference Sequences Gene Expression Omnibus Map Viewer	NCBI INFORMATION About NCBI Research at NCBI NCBI News NCBI FTP Site NCBI on Facebook NCBI on Twitter
--	--	---	---	--

PUBMED

→ www.ncbi.nlm.nih.gov/mesh/?term=eclampsia

NCBI Resources How To Sign in to NCBI

MeSH MeSH Search

Create alert Limits Advanced Help

Summary ▾ Send to ▾

Search results

Items: 5 Selected: 1

- Eclampsia**
 - Onset of HYPERREFLEXIA; SEIZURES; or COMA in a previously diagnosed pre-eclamptic patient (PRE-ECLAMPسيا).
- Pre-Eclampsia**
 - A complication of PREGNANCY, characterized by a complex of symptoms including maternal HYPERTENSION and PROTEINURIA with or without pathological EDEMA. Symptoms may range between mild and severe. Pre-eclampsia usually occurs after the 20th week of gestation, but may develop before this time in the presence of trophoblastic disease. Year introduced: 1979(1963)
- [Pre-eclampsia Eclampsia 2 \[Supplementary Concept\]](#)
 - Date introduced: November 5, 2012
- [Pre-eclampsia Eclampsia 3 \[Supplementary Concept\]](#)
 - Date introduced: November 5, 2012
- [Pre-eclampsia Eclampsia 4 \[Supplementary Concept\]](#)
 - Date introduced: November 5, 2012

Summary ▾ Send to ▾

PubMed Search Builder

"Eclampsia" [Mesh]

Add to search builder AND ▾

Search PubMed

[YouTube Tutorial](#)

Find related data

Database: Select ▾

Find items

Search details

"eclampsia" [MeSH Terms] OR eclampsia [Text Word]

Search See more...

Recent Activity

[Turn Off](#) [Clear](#)

- 🔍 eclampsia (5) MeSH
- 🔍 (("Eclampsia"[Mesh]) AND "Hypertension" [Mesh]) NOT "Adolescent"[M... (490) PubMed

ESCOLHER

CLICAR

PUBMED

Summary 20 per page

Search results

Items: 1 to 20 of 49 Selected: 1

[Hypertension](#)

1. Persistently high systemic arterial BLOOD PRESSURE. Multiple readings (BLOOD PRESSURE DETERMINATION), **hypertension** is currently defined as when SYSTOLIC PRESSURE is consistently greater than 140 mm Hg or when DIASTOLIC PRESSURE is consistently 90 mm Hg or more.

[Familial Primary Pulmonary Hypertension](#)

2. Familial or idiopathic **hypertension** in the PULMONARY CIRCULATION which is not secondary to other disease.
Year introduced: 2015

[Masked Hypertension](#)

3. Phenomenon where increased BLOOD PRESSURE readings taken in non-clinical settings (e.g., HOME BLOOD PRESSURE MONITORING) do not replicate in clinical settings.
Year introduced: 2012

[White Coat Hypertension](#)

4. Phenomenon where BLOOD PRESSURE readings are elevated only when taken in clinical settings.
Year introduced: 2012

[Intra-Abdominal Hypertension](#)

5. Pathological elevation of intra-abdominal pressure (>12 mm Hg). It may develop as a result of SEPSIS; PANCREATITIS; capillary leaks, burns, or surgery. When the pressure is higher than 20 mm Hg, often with end-organ dysfunction, it is referred to as abdominal compartment syndrome.
Year introduced: 2012

[Hypertension, Pregnancy-Induced](#)

6. A condition in pregnant women with elevated systolic (>140 mm Hg) and diastolic (>90 mm Hg) blood pressure on at least two occasions 6 h apart. **HYPERTENSION** complicates 8-10% of all pregnancies, generally after 20 weeks of gestation. Gestational

DIGITAR

CLICAR EM ADICIONAR

PubMed Search Builder

```
{ "Eclampsia"[Mesh] } AND "Hypertension"[Mesh]
```

Add to search builder AND Search PubMed

YouTube Tutorial

Find related data

Database: Select Find items

Search details

```
"Hypertension"[MeSH Terms] OR "Hypertension"[Text Word]
```

Search See more...

Recent Activity

Activity recording is turned off. Turn recording back on

DIGITAR

PUBMED

www.ncbi.nlm.nih.gov/mesh/?term=adolescent

NCBI Resources How To Sign in to NCBI

MeSH MeSH adolescent Search

Create alert Limits Advanced Help

Summary 20 per page Send to:

Search results

Items: 1 to 20 of 23 Selected: 1

Adolescent

1. A person 13 to 18 years of age.

National Longitudinal Study of Adolescent Health

2. Longitudinal study of a nationally representative sample of adolescents in grades 7-12 in the United States during the 1994-95 school year. The Add Health cohort has been followed into young adulthood. (from <http://www.cdc.gov/addhealth> accessed 08/2012)
Year introduced: 2014

Adolescent Development

3. The continuous sequential physiological and psychological changes during ADOLESCENCE, approximately between the ages of 13 and 18.
Year introduced: 2004

Adolescent Nutritional Physiological Phenomena

4. Nutritional physiology of children aged 13-18 years.
Year introduced: 2009 (1993)

Adolescent Health Services

5. Organized services to provide health care to adolescents, ages ranging from 13 to 18 years.
Year introduced: 1992

Adolescent, Institutionalized

6. An **adolescent** who is receiving long-term in-patient services or who resides in an institutional setting.
Year introduced: 1983

Adolescent, Hospitalized

PubMed Search Builder

```
{ ("Eclampsia"[Mesh]) AND  
("Hypertension"[Mesh]) NOT  
"Adolescent"[Mesh]
```

Add to search builder NOT Search PubMed

Find related data

Database: Select Find items

Search details

```
"adolescent"[MeSH Terms] OR  
adolescent[Text Word]
```

Search See more...

Recent Activity

Turn On Clear

Activity recording is turned off.
Turn recording back on

SELECIONAR

ADICIONAR

PESQUISAR

PUBMED

Article types

Clinical Trial
Review
Customize ...

Text availability

Abstract
Free full text
Full text

PubMed Commons

Reader comments
Trending articles

Publication dates

5 years
10 years
Custom range...

Species

Humans
Other Animals

[Clear all](#)

[Show additional filter](#)

Summary 20 per page Sort by Most Recent

Send to: **Filters:** [Manage Filters](#)

Search results

Items: 1 to 20 of 490

<< First < Prev Page 1 of 25 Next > Last >>

- [The Role of Headache in the Classification and Management of Hypertensive Disorders in Pregnancy.](#)
1. Sperling JD, Dahlke JD, Huber WJ, Sibai BM.
Obstet Gynecol. 2015 Aug;126(2):297-302. doi: 10.1097/AOG.0000000000000966.
PMID: 26241418
[Similar articles](#)
- [Cardiovascular Catastrophes in the Obstetric Population.](#)
2. Dubbs SB, Tewelde SZ.
Emerg Med Clin North Am. 2015 Aug;33(3):483-500. doi: 10.1016/j.emc.2015.04.001. Review.
PMID: 26226861
[Similar articles](#)
- [Diagnosis of hypertensive disorders of pregnancy in sub-Saharan Africa: a poorly assessed but increasingly important issue.](#)
3. Fokom-Domgue J, Noubiap JJ.
J Clin Hypertens (Greenwich). 2015 Jan;17(1):70-3. doi: 10.1111/jch.12429. Epub 2014 Oct 28. No abstract available.
PMID: 25348088
[Similar articles](#)
- [Hypertensive emergencies in pregnancy.](#)
4. ...B, Simon M.
Gynecol. 2014 Dec;57(4):797-805. doi: 10.1097/GRF.0000000000000063. Review.
PMID: 24092...
[Similar articles](#)
- [Maternal outcomes of hypertensive disorders in pregnancy at Korle Bu Teaching Hospital, Ghana.](#)
5. Adu-Bonsaffoh K, Obed SA, Seffah JD.
Int J Gynaecol Obstet. 2014 Dec;127(3):238-42. doi: 10.1016/j.ijog.2014.06.010. Epub 2014 Jul 24.

New feature

Try the new Display Settings option - [Sort by Relevance](#)

Titles with your search terms

Induction of labour versus expectant monitoring for gestational **hypertension** or m [Lancet. 2009]

Pre-eclampsia renamed and reframed: Intra-abdominal **hypertension** [Med Hypotheses. 2014]

The association between dietary factors and gestational **hypertension** and [BMC Med. 2014]

[See more...](#)

Find related data

Database:

[Find items](#)

Search details

```
("Eclampsia"[Mesh] AND  
"Hypertension"[Mesh]) NOT  
"Adolescent"[Mesh]
```

[Search](#)

[See more...](#)

Recent Activity

REFINAR

PUBMED

www.ncbi.nlm.nih.gov/pubmed

NCBI Resources How To

Sign in to NCBI

PubMed.gov

PubMed

Search query: ("Eclampsia"[Mesh]) AND "Hypertension"[Mesh] NOT "Adolescent"[Mesh]

Search

US National Library of Medicine
National Institutes of Health

Create RSS Create alert Advanced

Help

Article types

Clinical Trial
Review
Customize ...

Summary 20 per page Sort by Most Recent

Send to: Filters: Manage Filters

Text availability

Abstract

Free full text

Full text

PubMed Commons

Reader comments
Trending articles

Publication dates

5 years

10 years
Custom range...

Species

Humans

Other Animals

Clear all

Show additional filters

Search results

Items: 11

Filters activated: Free full text, published in the last 5 years, Humans. [Clear all](#) to show 490 items.

[Acute cerebrovascular disease occurring after hospital discharge for labor and delivery.](#)

1. Hovsepian DA, Sriram N, Kamel H, Fink ME, Navi BB. Stroke. 2014 Jul;45(7):1947-50. doi: 10.1161/STROKEAHA.114.005129. Epub 2014 Jun 5.

PMID: 24903986 [Free PMC Article](#)

[Similar articles](#)

2. [Hypertension, preeclampsia and eclampsia among HIV-infected pregnant women from Latin America and Caribbean countries.](#)

Machado ES, Krauss MR, Megazzini K, Coutinho CM, Kreitchmann R, Melo VH, Pilotto JH, Ceriotto M, Hofer CB, Siberry GK, Watts DH; NICHD International Site Development Initiative (NISDI) Pediatric Protocol.

J Infect. 2014 Jun;68(6):572-80. doi: 10.1016/j.jinf.2013.12.018. Epub 2014 Jan 23.

PMID: 24462561 [Free PMC Article](#)

[Similar articles](#)

3. [Magnetic resonance imaging of vascular encephalopathy related to pregnancy.](#)

Chen Y, Nagaki M, Yamamoto A, Fushimi Y, Togashi K. Neuroradiology. 2013;53(8):520-5.

PMID: 23811111 [Free Article](#)

[Similar articles](#)

doi:10.1016/j.jinf.2013.12.018. Review.

[Similar articles](#)

FILTROS SELECIONADOS

New feature

Try the new Display Settings option - [Sort by Relevance](#)

Titles with your search terms

Induction of labour versus expectant monitoring for gestational **hypertension** or m [Lancet. 2009]

Pre-eclampsia renamed and reframed: Intra-abdominal **hypertensio** [Med Hypotheses. 2014]

The association between dietary factors and gestational **hypertension** and [BMC Med. 2014]

[See more...](#)

Find related data

Database: Select

Find items

Search details

```
("Eclampsia"[Mesh] AND  
"Hypertension"[Mesh]) NOT  
"Adolescent"[Mesh] AND  
("loattrfree full text"[sb] AND  
"2010/11/11"[Pdat] :
```

Search

[See more...](#)

CONTATO

Contato para dúvidas:

bibliotecarios@unoeste.br