

# Interstellar cloud conditions may have played key role in building blocks of life origin

January 11 2023

---



Southwest Research Institute Research Scientist Dr. Danna Qasim, along with a research team from NASA Goddard Space Flight Center in Greenbelt, Md., posits that interstellar cloud conditions may have played a significant role on the presence of key building blocks of life in the solar system. To determine to what extent amino acids formed from asteroid conditions and to what extent they were inherited from the interstellar molecular cloud, Qasim and her team simulated

the formation of amines and amino acids as it would occur in the interstellar molecular cloud, forming an organic residue. She then processed the residue under asteroid relevant conditions, also known as aqueous alteration. Credit: Southwest Research Institute

A new study led by Southwest Research Institute Research Scientist Dr. Danna Qasim posits that interstellar cloud conditions may have played a significant role on the presence of key building blocks of life in the solar system.

"Carbonaceous chondrites, some of the oldest objects in the universe, are meteorites that are thought to have contributed to the origins of life. They contain several different molecules and [organic substances](#), including amines and amino acids, which are key building blocks of life that were critical to creating life on Earth. These substances are necessary to create proteins and [muscle tissue](#)," Qasim said.

Most meteorites are fragments of asteroids that broke apart long ago in the [asteroid belt](#), located between Mars and Jupiter. Such fragments orbit the sun—sometimes for millions of years—before colliding with Earth.

One of the questions Qasim and others are trying to answer is how amino acids got into the [carbonaceous chondrites](#) in the first place. Because most meteorites come from asteroids, scientists have attempted to reproduce amino acids by simulating asteroid conditions in a laboratory setting, a process called "aqueous alteration".

"That method hasn't been 100% successful," Qasim said. "However, the make-up of asteroids originated from the parental interstellar molecular cloud, which was rich in organics. While there's no direct evidence of amino acids in [interstellar clouds](#), there is evidence of amines. The

molecular cloud could have provided the amino acids in asteroids, which passed them on to meteorites."

To determine to what extent amino acids formed from asteroid conditions and to what extent they were inherited from the interstellar molecular cloud, Qasim simulated the formation of amines and amino acids as it would occur in the interstellar molecular cloud.

"I created ices that are very common in the cloud and irradiated them to simulate the impact of cosmic rays," explained Qasim, who conducted the experiment while working at NASA's Goddard Space Flight Center in Greenbelt, Maryland, between 2020 and 2022. "This caused the molecules to break up and recombine into larger molecules, which ultimately created an organic residue."

Qasim then processed the residue again by recreating asteroid conditions through aqueous alteration and studied the substance, looking for amines and amino acids.

"No matter what kind of asteroid processing we did, the diversity of amines and amino acids from the interstellar ice experiments remained constant," she said. "That tells us that interstellar cloud conditions are quite resilient to asteroid processing. These conditions could have influenced the distribution of amino acids we find in meteorites."

However, the individual abundances of amino acids doubled, suggesting the asteroid processing influences the amount of [amino acids](#) present.

"Essentially we have to consider both the interstellar cloud conditions and processing by the asteroid to best interpret the distribution," she said.

Qasim looks forward to studies of asteroid samples from missions such

as OSIRIS-REx, which is currently on its way back to Earth to deliver samples from the asteroid Bennu here in September, and Hayabusa2, which recently returned from the asteroid Ryugu, to better understand the role the interstellar cloud played in distributing the building blocks of life.

"When scientists study these samples, they're typically trying to understand what the asteroid processes are influencing, but it's clear we now need to address how the interstellar cloud is also influencing distribution of the building blocks of life," Qasim said.

The work is published in the journal *ACS Earth and Space Chemistry*.

**More information:** Danna Qasim et al, Meteorite Parent Body Aqueous Alteration Simulations of Interstellar Residue Analogs, *ACS Earth and Space Chemistry* (2023). [DOI: 10.1021/acsearthspacechem.2c00274](https://doi.org/10.1021/acsearthspacechem.2c00274)

Provided by Southwest Research Institute

Citation: Interstellar cloud conditions may have played key role in building blocks of life origin (2023, January 11) retrieved 29 September 2024 from <https://phys.org/news/2023-01-interstellar-cloud-conditions-played-key.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.